

Microsoft.PL-300 .vAug-2024.by.Scany.209q

Number: PL-300
Passing Score: 800
Time Limit: 120
File Version: 13.0

Exam Code: PL-300
Exam Name: Microsoft Power BI Data Analyst



Case Study

Topic 2, Contoso Ltd, Case Study

Overview

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment and problem statements.

If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Qbutton to return to the question.

Existing Environment

Contoso, Ltd. is a manufacturing company that produces outdoor equipment Contoso has quarterly board meetings for which financial analysts manually prepare Microsoft Excel reports, including profit and loss statements for each of the company's four business units, a company balance sheet, and net income projections for the next quarter.

Data and Sources

Data for the reports comes from three sources. Detailed revenue, cost and expense data comes from an Azure SQL database. Summary balance sheet data comes from Microsoft Dynamics 365 Business Central. The balance sheet data is not related to the profit and loss results, other than they both relate to dates.

Monthly revenue and expense projections for the next quarter come from a Microsoft SharePoint Online list. Quarterly projections relate to the profit and loss results by using the following shared dimensions: date, business unit, department, and product category.

Net Income Projection Data

Net income projection data is stored in a SharePoint Online list named Projections in the format shown in the following table.

MonthStartDate	Projection type	ProductCategory	Department	Projection
1-Apr-20	Revenue	Bikes	N/A	200,000
1-Apr-20	Revenue	Components	N/A	250,000
1-Apr-20	Revenue	Clothing	N/A	300,000
1-Apr-20	Revenue	Accessories	N/A	150,000
1-May-20	Revenue	Bikes	N/A	200,000
1-May-20	Revenue	Components	N/A	250,000
1-Apr-20	Expense	Bikes	Bike Manufacture	50,000
1-Apr-20	Expense	Bikes	Bike Sales	3,333

Revenue projections are set at the monthly level and summed to show projections for the quarter.

Balance Sheet Data

The balance sheet data is imported with final balances for each account per month in the format shown in the following table.

AccountCategory	Account	Month	Year	BalanceAmount
Current assets	Cash and cash equivalents	3	2020	20,289
Current assets	Inventories	3	2020	4,855
Long-term liabilities	Long-term debt	3	2020	50,207
Current assets	Cash and cash equivalents	2	2020	28,209
Current assets	Inventories	2	2020	5,845
Long-term liabilities	Long-term debt	2	2020	49,887
Current assets	Cash and cash equivalents	1	2020	25,567
Current assets	Inventories	1	2020	65,998
Long-term liabilities	Long-term debt	1	2020	46,124

There is always a row for each account for each month in the balance sheet data.

Dynamics 365 Business Central Data

Business Central contains a product catalog that shows how products roll up to product categories, which roll up to business units. Revenue data is provided at the date and product level. Expense data is provided at the date and department level.

Business Issues

Historically, it has taken two analysts a week to prepare the reports for the quarterly board meetings.

Also, there is usually at least one issue each quarter where a value in a report is wrong because of a bad cell reference in an Excel formula. On occasion, there are conflicting results in the reports because the products and departments that roll up to each business unit are not defined consistently.

Planned Changes

Contoso plans to automate and standardize the quarterly reporting process by using Microsoft Power BI. The company wants to how long it takes to populate reports to less than two days. The company wants to create common logic for business units, products, and departments to be used across all reports, including, but not limited, to the quarterly reporting for the board.

Technical Requirements

Contoso wants the reports and datasets refreshed with minimal manual effort The company wants to provide a single package of reports to the board that contains custom navigation and links to supplementary information.

Maintenance, including manually updating data and access, must be minimized as much as possible.

Security Requirements

The reports must be made available to the board from powerbi.com. A mail-enabled security group will be used to share information with the board.

The analysts responsible for each business unit must see all the data the board sees, except the profit and loss data, which must be restricted to only their business unit's data. The analysts must be able to build new reports from the dataset that contains the profit and loss data, but any reports that the analysts build must not be included in the quarterly reports for the board. The analysts must not be able to share the quarterly reports with anyone.

Report Requirements

You plan to relate the balance sheet to a standard date table in Power BI in a many-to-one relationship based on the last day of the month. At least one of the balance sheet reports in the quarterly reporting package must show the ending balances for the quarter, as well as for the previous quarter.

Projections must contain a column named RevenueProjection that contains the revenue projection amounts. A relationship must be created from Projections to a table named Date that contains the columns shown in the following table.

Name	Data type	Example
Date	Date	4-Apr-2020
Month	Integer	20,2004
Month Name	Text	February
Quarter	Integer	20,202
Year	Integer	2,020

The relationships between products and departments to business units must be consistent across all reports.

The board must be able to get the following information from the quarterly reports:

- Revenue trends over time
- Ending balances for each account
- A comparison of expenses versus projections by quarter
- Changes in long-term liabilities from the previous quarter
- A comparison of quarterly revenue versus the same quarter during the prior year

QUESTION 1

HOTSPOT

You need to grant access to the business unit analysts.

What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Permissions required in powerbi.com:

- Access permissions to an app
- The Member role to the workspace
- The Viewer role to the workspace

Permissions for the profit and loss dataset:

- Build
- Delete
- Reshare

Answer Area:

Answer Area

Permissions required in powerbi.com:

- Access permissions to an app
- The Member role to the workspace
- The Viewer role to the workspace

Permissions for the profit and loss dataset:

- Build
- Delete
- Reshare

Section:

Explanation:

Box 1: The Viewer role to the workspace

The Viewer role gives a read-only experience to its users. They can view dashboards, reports, or workbooks in the workspace, but can't browse the datasets or dataflows. Use the Viewer role wherever you would previously use a classic workspace set to "Members can only view Power BI content".



Capability	Admin	Member	Contributor	Viewer
Update and delete the workspace.	X			
Add/remove people, including other admins.	X			
Add members or others with lower permissions.	X	X		
Publish and update an app.	X	X		
Share an item or share an app.	X	X		
Allow others to reshare items.	X	X		
Create, edit, and delete content in the workspace.	X	X	X	
Publish reports to the workspace; delete content.	X	X	X	
View an item.	X	X	X	X
Create a report in another workspace based on a dataset in this workspace.	X	X	X	X ¹
Copy a report.	X	X	X	X ²

Box 2: Build

The analysts must be able to build new reports from the dataset that contains the profit and loss data. Scenario: The reports must be made available to the board from powerbi.com.

The analysts responsible for each business unit must see all the data the board sees, except the profit and loss data, which must be restricted to only their business unit's data. The analysts must be able to build new reports from the dataset that contains the profit and loss data, but any reports that the analysts build must not be included in the quarterly reports for the board. The analysts must not be able to share the quarterly reports with anyone.

Reference:

<https://www.nickyvv.com/2019/08/the-new-power-bi-workspace-viewer-role-explained.html>

QUESTION 2

Which DAX expression should you use to get the ending balances in the balance sheet reports?

- A. CALCULATE (SUM(BalanceSheet [BalanceAmount]), DATESQTD('Date'[Date]))
- B. CALCULATE (SUM(BalanceSheet [BalanceAmount]), LASTDATE('Date'[Date]))
- C. FIRSTNONBLANK ('Date' [Date] SUM(BalanceSheet[BalanceAmount]))
- D. CALCULATE (MAX(BalanceSheet[BalanceAmount]), LASTDATE('Date' [Date]))

Correct Answer: A

Section:

Explanation:

Scenario: At least one of the balance sheet reports in the quarterly reporting package must show the ending balances for the quarter, as well as for the previous quarter. DATESQTD returns a table that contains a column of the dates for the quarter to date, in the current context.

Reference:

<https://docs.microsoft.com/en-us/dax/datesqtd-function-dax>



QUESTION 3

You need to ensure that the data is updated to meet the report requirements. The solution must minimize configuration effort.

What should you do?

- A. From each report in powerbi.com. select Refresh visuals
- B. From Power BI Desktop, download the PBIX file and refresh the data.
- C. Configure a scheduled refresh without using an on-premises data gateway.
- D. Configure a scheduled refresh by using an on-premises data gateway

Correct Answer: C

Section:

QUESTION 4

You need to create the relationship between the product list and the revenue results. The solution must minimize the time it takes to render visuals.

What should you set as the relationship cardinality?

- A. One to one
- B. Many to one
- C. One to many
- D. Many to many

Correct Answer: C

Section:

QUESTION 5

DRAG DROP

Once the profit and loss dataset is created, which four actions should you perform in sequence to ensure that the business unit analysts see the appropriate profit and loss data? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

- From powerbi.com, assign the analysts the Contributor role to the workspace.
- From powerbi.com, add role members to the roles.
- From Power BI Desktop, add a Table Filter DAX Expression to the roles.
- From Power BI Desktop, create four roles.
- From Power BI Desktop, publish the dataset to powerbi.com.

Answer Area

Correct Answer:

Actions

- From powerbi.com, assign the analysts the Contributor role to the workspace.
-
-
-
-

Answer Area

- From Power BI Desktop, publish the dataset to powerbi.com.
- From powerbi.com, add role members to the roles.
- From Power BI Desktop, add a Table Filter DAX Expression to the roles.
- From Power BI Desktop, create four roles.

Section:

Explanation:

<https://docs.microsoft.com/en-us/power-bi/admin/service-admin-rls>

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-datasets-build-permissions>

QUESTION 6

HOTSPOT

How should you distribute the reports to the board? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Hot Area:

Grant access by:
Sharing individual reports
Using a workspace membership
Using an app

Grant access to:
A dynamic distribution list
A mail-enabled security group
Individual user emails

Answer Area:

Grant access by:
Sharing individual reports
Using a workspace membership
Using an app

Grant access to:
A dynamic distribution list
A mail-enabled security group
Individual user emails

Section:

Explanation:

Box 1: Using a workspace membership

Scenario:

The company wants to provide a single package of reports to the board that contains custom navigation and links to supplementary information. Note: Workspace is a shared environment for a group of people. You can have multiple Power BI content in a workspace. One workspace can have hundreds of dashboards, reports, and datasets in it. Box 2: A mail-enabled security group

Scenario: Security Requirements

The reports must be made available to the board from powerbi.com. A mail-enabled security group will be used to share information with the board.

QUESTION 7

support the reports?

- A. two imported datasets
- B. a single DirectQuery dataset
- C. two DirectQuery datasets
- D. a single imported dataset

Correct Answer: D

Section:

Explanation:

"The analysts responsible for each business unit must see all the data the board sees, except the profit and loss data, which must be restricted to only their business unit's data. The analysts must be able to build new reports from the dataset that contains the profit and loss data" => one dataset and two separate workspaces Reason: All data can be imported into one dataset also if these are two logical models. Shared dimensions can be reconsumed in both models. Reports and additional materials can be shared to the board with an app. The "profit and loss" data model needs RLS for the analysts and the analysts must have just read access to the original workspace. In a separate workspace with contributor (or more rights) they can create new reports (with live connection to the dataset). It is also stated that the new reports mustn't be shared so therefore no need to include them into the app. Import vs. DirectQuery: Due to RLS requirements an imported dataset is needed.

It is not possible with file sources and Sharepoint lists.



QUESTION 8

You plan to develop a Power BI report that has a bar chart to display the number of customers by location. You have a table named Customer that has the following columns:

- Customer ID
- CustomerName
- Address
- City
- ProvState
- Country

You need to allow users to drill down by location. The report will display the number of each customer by Country, and drill down to ProvState, and then to City. How should you configure the drill down in the bar chart?

- A. In the Value field, add Country. In the Legend field, add ProvState at the top, followed by City.
- B. In the Legend field, add Country. In the Axis field, add ProvState at the top, followed by City.
- C. In the Axis field, add Country at the top, followed by ProvState, and then City.
- D. In the Value field, add Country at the top, followed by ProvState, and then City.

Correct Answer: C

Section:

Explanation:

Reference:

<https://docs.microsoft.com/en-us/power-bi/guided-learning/visualizations#step-18>

<https://docs.microsoft.com/en-us/power-bi/power-bi-visualization-drill-down>

Case Study

Topic 3, Northwind Traders

Case study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all question included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other question on this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question on this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements.

If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Qbutton to return to the question.

Overview. General Overview

Northwind Traders is a specialty food import company.

The company recently implemented Power BI to better understand its top customers, products, and suppliers.

Overview. Business Issues

The sales department relies on the IT department to generate reports in Microsoft SQL Server Reporting Services (SSRS). The IT department takes too long to generate the reports and often misunderstands the report requirements.

Existing Environment. Data Sources

Northwind Traders uses the data sources shown in the following table.

Name	Type	Data size
Source1	Azure SQL database	2 GB
Source2	Microsoft Excel spreadsheet	5 MB

Source2 is exported daily from a third-party system and stored in Microsoft SharePoint Online.

Existing Environment. Customer Worksheet

Source2 contains a single worksheet named Customer Details. The first 11 rows of the worksheet are shown in the following table.

CustomerID	CustomerCRMID	CompanyName	Address	City	Region	PostalCode	Country	Phone
1	ALFKI	Alfreds Futterkiste	Obere Str. 57	Berlin	DE	12209	Germany	030-0074321
2	ANATR	Ana Trujillo Emparedados y helados	Avda. de la Constitución 2222	México D.F.	MX	5021	Mexico	(5) 555-4729
3	ANTON	Antonio Moreno Taqueria	Mataderos 2312	México D.F.	MX	5023	Mexico	(5) 555-3932
4	AROUT	Around the Horn	120 Hanover Sq	London	UK	WA1 1DP	UK	(171) 555-7788
5	BERGS	Berglunds snabbköp	Berguvsvägen 8	Luleå	SWE	S-958 22	Sweden	0921-12 34 65
6	BLAUS	Blauer See Delikatessen	Forsterstr. 57	Mannheim	DE	68306	Germany	0621-08480
7	BONP	Bonnesddsi père et fils	24, place Kléber	Strasbourg	FRA	67000	France	88 60 15 31
8	BOLID	Bólido Comidas preparadas	C/ Araquil, 67	Madrid	SPN	28023	Spain	(91) 555 22 82
9	BONAP	Bon app'	12, rue des Bouchers	Marseille	FRA	13008	France	91 24 45 40
10	BOTTM	Bottom-Dollar Markets	23 Tsawassen Blvd.	Tsawassen	BC	T2F 8M4	Canada	(604) 555-4729

All the fields in Source2 are mandatory.

The Address column in Customer Details is the billing address, which can differ from the shipping address.

Existing Environment. Azure SQL Database

Source1 contains the following table:

Orders

Products

Suppliers

Categories

Order Details

Sales Employees

The Orders table contains the following columns.

Name	Is nullable	Data type	Example value	Key
OrderID	No	Int	10248	Primary key
CustomerID	Yes	NCHAR	VINET	Not applicable
OrderDate	Yes	Date	2021-01-04	Not applicable
RequiredDate	Yes	Date	2021-02-01	Not applicable
ShippedDate	Yes	Date	2021-01-16	Not applicable
Freight	Yes	Decimal	32.38	Not applicable
ShipName	Yes	NVARCHAR	Vins et alcools Chevalier	Not applicable
ShipAddress	Yes	NVARCHAR	59 rue de l'Abbaye	Not applicable
ShipCity	Yes	NVARCHAR	Reims	Not applicable
ShipRegion	Yes	NVARCHAR	FRA	Not applicable
ShipPostalCode	Yes	NVARCHAR	511000	Not applicable
ShipCountry	Yes	NVARCHAR	France	Not applicable

The Order Details table contains the following columns.

 Vdumps

Name	Is nullable	Data type	Example value	Key
ProductID	No	Int	11	Primary key
ProductName	No	NVARCHAR	Queso Cabrales	Not applicable
SupplierID	Yes	Int	5	Foreign key to Suppliers
CategoryID	Yes	Int	4	Foreign key to Categories
QuantityPerUnit	Yes	NVARCHAR	1 kg pkg.	Not applicable
Discontinued	No	Bit	0	Not applicable

The address in the Orders table is the shipping address, which can differ from the billing address.

The Products table contains the following columns.

Name	Is nullable	Data type	Example value	Key
ProductID	No	Int	11	Primary key
ProductName	No	NVARCHAR	Queso Cabrales	Not applicable
SupplierID	Yes	Int	5	Foreign key to Suppliers
CategoryID	Yes	Int	4	Foreign key to Categories
QuantityPerUnit	Yes	NVARCHAR	1 kg pkg.	Not applicable
Discontinued	No	Bit	0	Not applicable

The Categories table contains the following columns.

Name	Is nullable	Data type	Example value	Key
CategoryID	No	int	4	Primary key
CategoryName	No	nvarchar	Dairy Products	Not applicable
Description	Yes	nvarchar	Cheeses	Not applicable

The Suppliers table contains the following columns.

Name	Is nullable	Data type	Example value	Key
SupplierID	No	Int	5	Primary key
CompanyName	No	NVARCHAR	Cooperativa de Quesos 'Las Cabras'	Not applicable
Address	Yes	NVARCHAR	Calle del Rosal 4	Not applicable
City	Yes	NVARCHAR	Oviedo	Not applicable
Region	Yes	NVARCHAR	Asturias	Not applicable
PostalCode	Yes	NVARCHAR	33007	Not applicable
Country	Yes	NVARCHAR	Spain	Not applicable
Phone	Yes	NVARCHAR	(98) 598 76 54	Not applicable

The Sales Employees table contains the following columns.

Name	Is nullable	Data type	Example value	Key
EmployeeID	No	Int	1	Primary key
LastName	No	NVARCHAR	Davolio	Not applicable
FirstName	No	NVARCHAR	Nancy	Not applicable
Title	Yes	NVARCHAR	Sales Representative	Not applicable
HireDate	Yes	Date	2015-02-01	Not applicable
Region	Yes	NVARCHAR	WA	Not applicable
Country	Yes	NVARCHAR	USA	Not applicable
EmailAddress	No	NVARCHAR	ndavolio@northwindtraders.com	Not applicable

Each employee in the Sales Employees table is assigned to one sales region. Multiple employees can be assigned to each region.

Requirements. Report Requirements

Northwind Traders requires the following reports:

Top Products

Top Customers

On-Time Shipping

The Top Customers report will show the top 20 customers based on the highest sales amounts in a selected order month or quarter, product category, and sales region.

The Top Products report will show the top 20 products based on the highest sales amounts sold in a selected order month or quarter, sales region, and product category. The report must also show which suppliers provide the top products.

The On-Time Shipping report will show the following metrics for a selected shipping month or quarter:

The percentage of orders that were shipped late by country and shipping region Customers that had multiple late shipments during the last quarter Northwind Traders defines late orders as those shipped after the required shipping date.

The warehouse shipping department must be notified if the percentage of late orders within the current month exceeds 5%.

The reports must show historical data for the current calendar year and the last three calendar years.

Requirements. Technical Requirements

Northwind Traders identifies the following technical requirements:

A single dataset must support all three reports.

The reports must be stored in a single Power BI workspace.

Report data must be current as of 7 AM Pacific Time each day.

The reports must provide fast response times when users interact with a visualization.

The data model must minimize the size of the dataset as much as possible, while meeting the report requirements and the technical requirements.

Requirements. Security Requirements

Access to the reports must be granted to Azure Active Directory (Azure AD) security groups only. An Azure AD security group exists for each department.

The sales department must be able to perform the following tasks in Power BI:

Create, edit, and delete content in the reports.

Manage permissions for workspaces, datasets, and report.

Publish, unpublish, update, and change the permissions for an app.

Assign Azure AD groups role-based access to the reports workspace.

Users in the sales department must be able to access only the data of the sales region to which they are assigned in the Sales Employees table.

Power BI has the following row-level security (RLS) Table filter DAX expression for the Sales Employees table.

[EmailAddress] = USERNAME()

RLS will be applied only to the sales department users. Users in all other departments must be able to view all the data.

QUESTION 1

HOTSPOT

You need to create a measure that will return the percentage of late orders.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Hot Area:


```

Late Orders Percent =
VAR OrderCount =
    COUNTROWS ( 'Orders' )
VAR LateOrders =
    COUNTROWS ( 'Orders' ),
    (Order,
    Orders[OrderDate] > Orders[RequiredDate]
    Orders[ShippedDate] >= Orders[OrderDate]
    Orders[ShippedDate] < Orders[RequiredDate]
    Orders[ShippedDate] > Orders[RequiredDate]
    )
RETURN
    DIVIDE ( LateOrders, OrderCount )

```

Answer Area:




```

Late Orders Percent =
VAR OrderCount =
    COUNTROWS ( 'Orders' )
VAR LateOrders =
    CALCULATE (
        COUNTROWS ( 'Orders' ),
        FILTER (
            'Orders',
            Orders[ShippedDate] > Orders[RequiredDate]
        )
    )
RETURN
    DIVIDE ( LateOrders, OrderCount )

```



Section:

Explanation:

Box 1: CALCULATE

CALCULATE evaluates an expression in a modified filter context.

Syntax: CALCULATE(<expression>[, <filter1> [, <filter2> [, ...]])

Expression - The expression to be evaluated. filter1, filter2,... (Optional) Boolean expressions or table expressions that defines filters, or filter modifier functions. Box 2: FILTER

FILTER returns a table that represents a subset of another table or expression.

Syntax: FILTER(<table>,<filter>)

Table- The table to be filtered. The table can also be an expression that results in a table.

Filter - A Boolean expression that is to be evaluated for each row of the table. For example, [Amount] > 0 or [Region] = "France" Box 3: Orders[ShippedDate]> Orders[RequiredDate] Northwind Traders defines late orders as those shipped after the required shipping date.

Reference:

<https://docs.microsoft.com/en-us/dax/calculate-function-dax>

<https://docs.microsoft.com/en-us/dax/filter-function-dax>

QUESTION 2

You need to create the On-Time Shipping report. The report must include a visualization that shows the percentage of late orders. Which type of visualization should you create?

- A. bar chart
- B. scatterplot
- C. pie chart

Correct Answer: A

Section:

Explanation:

Scenario: The On-Time Shipping report will show the following metrics for a selected shipping month or quarter:

The percentage of orders that were shipped late by country and shipping region Customers that had multiple late shipments during the last quarter Note: Bar and column charts are some of the most widely used visualization charts in Power BI. They can be used for one or multiple categories. Both these chart types represent data with rectangular bars, where the size of the bar is proportional to the magnitude of data values. The difference between the two is that if the rectangles are stacked horizontally, it is called a bar chart. If the rectangles are vertically aligned, it is called a column chart.

Reference:

<https://www.pluralsight.com/guides/bar-and-column-charts-in-power-bi>

QUESTION 3

You need to minimize the size of the dataset. The solution must meet the report requirements What should you do?

- A. Change the OrderID column in the Orders table to the text data type.
- B. Filter out discontinued products while importing the Product table.
- C. Remove the QuantityPerUnit column from the Products table
- D. Group the Categories table by the CategoryID column.

Correct Answer: C

Section:

QUESTION 4

HOTSPOT

You need to create a relationship in the dataset for RLS.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Create a relationship between the Sales Employees table and the

one-to-one	Orders table
one-to-many	Suppliers table
many-to-one	Order Details table
many-to-many	Customer Details worksheet

Answer Area:

Create a relationship between the Sales Employees table and the

one-to-one	Orders table
one-to-many	Suppliers table
many-to-one	Order Details table
many-to-many	Customer Details worksheet

Section:

Explanation:

Box 1: many-to-one

Each employee in the Sales Employees table is assigned to one sales region. Multiple employees can be assigned to each region. The Suppliers table has a Region column.

Box 2: Suppliers table

QUESTION 5

HOTSPOT

You need to create the Top Customers report.

Which type of filter should you use, and at which level should you apply the filter? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Hot Area:

Filter type: ▼

- Top N
- Basic
- Advanced

Level: ▼

- Page
- Visual
- Report

Answer Area:

Filter type: ▼

- Top N
- Basic
- Advanced

Level: ▼

- Page
- Visual
- Report



Section:

Explanation:

Box 1: Top N

Scenario: The Top Customers report will show the top 20 customers based on the highest sales amounts in a selected order month or quarter, product category, and sales region. Once you drag to SKU to Visual level filter you should get Top N option Note: The two most common filter types: automatic and manual. Then there are more advanced filters.

Box 2: Visual

Once you drag to SKU to Visual level filter you should get Top N option.

Reference:

<https://powerbidocs.com/2020/01/21/power-bi-top-n-filters/>

QUESTION 6

HOTSPOT

You need to design the data model and the relationships for the Customer Details worksheet and the Orders table by using Power BI. The solution must meet the report requirements. For each of the following statement, select Yes if the statement is true, Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
A relationship must be created between the CustomerID column in the Customer Details worksheet and the CustomerID column in the Orders table.	<input type="radio"/>	<input type="radio"/>
The Data Type of the columns in the relationship between the Customer Details worksheet and the Orders table must be set to Text .	<input type="radio"/>	<input type="radio"/>
The Region field used to filter the Top Customers report must come from the Orders table.	<input type="radio"/>	<input type="radio"/>

Answer Area:

Answer Area

Statements	Yes	No
A relationship must be created between the CustomerID column in the Customer Details worksheet and the CustomerID column in the Orders table.	<input checked="" type="radio"/>	<input type="radio"/>
The Data Type of the columns in the relationship between the Customer Details worksheet and the Orders table must be set to Text .	<input type="radio"/>	<input checked="" type="radio"/>
The Region field used to filter the Top Customers report must come from the Orders table.	<input checked="" type="radio"/>	<input type="radio"/>

Section:

Explanation:



QUESTION 7

You need to design the data model to meet the report requirements.
What should you do in Power BI Desktop?

- A. From Power Query, use a DAX expression to add columns to the Orders table to calculate the calendar quarter of the OrderDate column, the calendar month of the OrderDate column, the calendar quarter of the ShippedDate column, and the calendar month of the ShippedDate column.
- B. From Power Query, add columns to the Orders table to calculate the calendar quarter and the calendar month of the OrderDate column.
- C. From Power BI Desktop, use the Auto date/time option when creating the reports.
- D. From Power Query, add a date table. Create an active relationship to the OrderDate column in the Orders table and an inactive relationship to the ShippedDate column in the Orders table.

Correct Answer: B

Section:

Explanation:

Use Power Query to calculate calendar quarter and calendar month.

Scenario:

A single dataset must support all three reports:

- The Top Customers report will show the top 20 customers based on the highest sales amounts in a selected order month or quarter, product category, and sales region. - The Top Products report will show the top 20 products based on the highest sales amounts sold in a selected order month or quarter, sales region, and product category. The data model must minimize the size of the dataset as much as possible, while meeting the report requirements and the technical requirements.


Exam C

QUESTION 1


Note: This question is a part of a series of questions that present the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit.)



You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit).



You plan to use Power BI to import data from 2013 to 2015. Product Subcategory [Subcategory] contains NULL values. End of repeated scenario.

You implement the Power BI model.

You add another table named Territory to the model. A sample of the data is shown in the following table.

Territory Key	Territory Name
1	United States
1	USA
2	Canada
2	Can
3	United Kingdom
3	UK

You need to create a relationship between the Territory table and the Sales table.

Which function should you use in the query for Territory before you create the relationship?

- A. Table.RemoveMatchingRows
- B. Table.Distinct
- C. Table.InDistinct
- D. Table.ReplaceMatchingRows

Correct Answer: B

Section:

Explanation:

Reference: <https://msdn.microsoft.com/en-us/library/mt260775.aspx>




QUESTION 2


Note: This question is a part of a series of questions that present the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit.)



You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit).



You plan to use Power BI to import data from 2013 to 2015.

Product Subcategory [Subcategory] contains NULL values.

End of repeated scenario.

You implement the Power BI model.

You need to add a measure to rank total sales by product. The results must appear as shown in the following table.

Rank	Product	SalesAmount
1	Product3	13,000
1	Product2	13,000
2	Product1	12,000
3	Product5	10,000
3	Product4	10,000

Which DAX formula should you use?

- A. Product Ranking= RANKX (Product, [SalesAmount], , DESC, Skip)
- B. Product Ranking= RANKX (ALL, ('Product'), [SalesAmount], , DESC, Dense)
- C. Product Ranking= RANKX (ALL, ('Product'), [SalesAmount], , DESC, Skip)
- D. Product Ranking= RANKX (ALL ('Product'), [SalesAmount], , Asc, Dense)

Correct Answer: B

Section:

Explanation:

Reference: <https://msdn.microsoft.com/en-us/library/gg492185.aspx>

QUESTION 3

You manage a Power BI model has a table named Sales and product.

You need to ensure that a sales team can view only data that has a CountryRegionName value of United States and a ProductCategory value of Clothing. What should you do from Power BI Desktop?

- A. From Power BI Desktop, create a new role that has the following filter.[countryRegionName]= "United States" && [ProductCategory]= "Clothing"
- B. Add the following filters in Query Editor.CountryRegionName is United StatesProductCategory is Clothing
- C. From Power BI Desktop, create a new role that has the following filters.[CountryRegionName]= "United States"
- D. Add the following filters to a report.CountryRegionName is United SatesProductCategory is Clothing

Correct Answer: D

Section:

Explanation:

Reference: <https://docs.microsoft.com/en-us/power-bi/power-bi-how-to-report-filter>

QUESTION 4

In the Power BI service, you create an app workplace that contains several dashboards.

You need to provide a user named user1@contoso.com with the ability to edit and publish dashboards. What should you do?

- A. Modify the members of the app workspace.
- B. Configure security for the dataset used by the app.
- C. Share the dashboard, and then modify the Access settings of the dashboard.
- D. From the app workspace, click Update app, and then configure the Access settings.

Correct Answer: C



Section:

QUESTION 5

Your organization has a team of power users who recently created 20 Power BI dashboards. The power users share the dashboards with other users in the organization.

When the users attempt to access the dashboards, they receive the error message shown in the exhibit. (Click the Exhibit.)



You need to ensure that all the users can access the dashboards. What should you do first?

- A. From the Microsoft Office 365 Admin center, and the Power BI (free) subscription, and then assign a license to each user.
- B. From the Power BI Admin portal, modify the Privacy Settings.
- C. From the properties of each dashboard, modify the Share dashboard settings.
- D. Instruct each user to install Microsoft Office 2016.

Correct Answer: A

Section:

Explanation:

Reference: <http://www.nubo.eu/en/blog/2016/12/Enable-PowerBI-On-Office-365/>

QUESTION 6

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a Microsoft Excel workbook that is saved to Microsoft SharePoint Online. The workbook contains several Power View sheets. You need to recreate the Power View sheets as reports in the Power BI service.

Solution: From the Power BI service, get the data from SharePoint Online, and then click Connect Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section:

Explanation:

We need to click "Import", not "Connect".

Reference:

<https://docs.microsoft.com/en-us/power-bi/service-excel-workbook-files>

QUESTION 7

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a query for a table named Sales. Sales has a column named CustomerID. The Data Type of CustomerID is Whole Number. You refresh the data and find several errors. You discover that new entries in the Sales table contain nonnumeric values. You need to ensure that nonnumeric values in the CustomerID column are set to 0.

Solution: From Query Editor, select the CustomerID column and click Remove Errors.

Does this meet the goal?

A. Yes

B. No

Correct Answer: B

Section:

QUESTION 8

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen, You create a parameter named DataSourceExcel that holds the file name and location of a Microsoft Excel data source.

You need to update the query to reference the parameter instead of multiple hard-coded copies of the location within each query definition. Solution: In the Power Query M code, you replace references to the Excel file with DataSourceExcel.

Does this meet the goal?

A. Yes

B. No

Correct Answer: A

Section:

Explanation:

Instead modify the source step of the queries to use DataSourceExcel as the file path.

Note: Parameterising a Data Source could be used in many different use cases. From connecting to different data sources defined in Query Parameters to load different combinations of columns.

Reference:

<https://www.biinsight.com/power-bi-desktop-query-parameters-part-1/>

QUESTION 9

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You create a parameter named DataSourceExcel that holds the file name and location of a Microsoft Excel data source. You need to update the query to reference the parameter instead of multiple hard-coded copies of the location within each query definition. Solution: You create a new query that references DataSourceExcel.

Does this meet the goal?

A. Yes

B. No

Correct Answer: B

Section:

Explanation:

Instead modify the source step of the queries to use DataSourceExcel as the file path.

Note: Parameterising a Data Source could be used in many different use cases. From connecting to different data sources defined in Query Parameters to load different combinations of columns.

Reference:

<https://www.biinsight.com/power-bi-desktop-query-parameters-part-1/>

QUESTION 10

You have the visual shown in the Original exhibit. {Click the Original tab.}



You need to configure the visual as shown in the Modified exhibit. (Click the Modified tab.)



What should you add to the visual?

- A. a measure
- B. a trendline
- C. a forecast
- D. an Average line

Correct Answer: C

Section:

Explanation:

Explore forecast results by adjusting the desired confidence interval or by adjusting outlier data to see how they affect results.



Reference:

<https://powerbi.microsoft.com/fr-fr/blog/introducing-new-forecasting-capabilities-in-power-viewfor-office-365/>

QUESTION 11

You plan to create the chart shown in the following exhibit.



How should you create the dashed horizontal line denoting the 40th percentile of daily sales for the period shown?

- A. Create a horizontal line that has a fixed value of 24,000.
- B. Add a measure to the visual that uses the following DAX expression.
Measureset = PERCENTUEX.EXC (Sales,Sales[Total Sales],@.40)
- C. Add a new percentile line that uses Total Sales as the measure and 40% as the percentile.
- D. Add a measure to the visual that uses the following DAX expression.
Measureset = PERCENTILEX.INC (Sales,Sales[Total Sales],6.40)

Correct Answer: C

Section:

Explanation:

The analytics feature enables you to show percentiles across groups specified along a specific axis. Example:

1. Click on the analytics tab

2. Select Percentile
3. You can choose a specific percentile along with other formatting options.
4. Drag a date or non-numeric dimension into the Axis of a column chart





^ Percentile Line |

myPercentile X

+ Add

Measure


Revenue

Perc...


90 %



Color



Add percentile lines to monitor daily revenue



QUESTION 12

You have a table that contains sales data and approximately 1,000 rows.
You need to identify outliers in the table. Which type of visualization should you use?

- A. area chart
- B. donut chart
- C. scatter plot
- D. pie chart

Correct Answer: C

Section:

Explanation:

Outliers are those data points that lie outside the overall pattern of distribution & the easiest way to detect outliers is through graphs. Box plots, Scatter plots can help detect them easily.

Reference:

<https://towardsdatascience.com/this-article-is-about-identifying-outliers-through-funnel-plots-using-the-microsoft-power-bi-d7ad16ac9ccc>

QUESTION 13

You have a collection of reports for the HR department of your company.
You need to create a visualization for the HR department that shows a historic employee counts and predicts trends during the next six months. Which type of visualization should you use?

- A. scatter chart
- B. ribbon chart
- C. line chart

D. key influences

Correct Answer: C

Section:

Explanation:

The best data for forecasting is time series data or uniformly increasing whole numbers. The line chart has to have only one line. Try forecasting: Try the new forecasting capabilities of Power View today on your own data or with the sample report available as part of the Power BI report samples. To view your own data, upload a workbook with a Power View time series line chart to Power BI for Office 365.

Reference:

<https://powerbi.microsoft.com/en-us/blog/introducing-new-forecasting-capabilities-in-power-viewfor-office-365>

QUESTION 14

You have the visual shown in the exhibit. (Click the Exhibit tab.)



You need to show the relationship between Total Cost and Total Sales over time. What should you do?

- A. Add a play axis.
- B. Add a slicer for the year.
- C. From the Analytics pane, add an Average line.
- D. Create a DAX measure that calculates year-over-year growth.

Correct Answer: A

Section:

Explanation:

You can set up a date field in play axis, and then scatter chart will animate how measure values are compared to each other in each point of a time.

Reference:

<https://radacad.com/storytelling-with-power-bi-scatter-chart>

QUESTION 15

You build a report to help the sales team understand its performance and the drivers of sales. The team needs to have a single visualization to identify which factors affect success. Which type of visualization should you use?

- A. Key influencers
- B. Funnel chart
- C. Q&A
- D. Line and clustered column chart

Correct Answer: A

Section:

Explanation:

The key influencers visual helps you understand the factors that drive a metric you're interested in. It analyzes your data, ranks the factors that matter, and displays them as key influencers. The key influencers visual is a great choice if you want to:

See which factors affect the metric being analyzed.

Contrast the relative importance of these factors. For example, do short-term contracts have more impact on churn than long-term contracts?

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-influencers>

QUESTION 16

You have a data model that contains many complex DAX expressions. The expressions contain frequent references to the RELATED and RELATEDTABLE functions. You need to recommend a solution to minimize the use of the RELATED and RELATEDTABLE functions.

What should you recommend?

- A. Merge tables by using Power Query.
- B. Hide unused columns in the model.
- C. Split the model into multiple models.
- D. Transpose.



Correct Answer: A

Section:

Explanation:

Combining data means connecting to two or more data sources, shaping them as needed, then consolidating them into a useful query. When you have one or more columns that you'd like to add to another query, you merge the queries.

Note: The RELATEDTABLE function is a shortcut for CALCULATETABLE function with no logical expression. CALCULATETABLE evaluates a table expression in a modified filter context and returns A table of values.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/desktop-shape-and-combine-data>

QUESTION 17

You have a sales system that contains the tables shown in the following table.

Table name	Column name
Sales	sales_ID
	sales_date
	sales_amount
Date	DateID
	Month
	Week
	Year

The Date table is marked as a date table.

DateID is the date data type. You need to create an annual sales growth percentage measure.

Which DAX expression should you use?

- A. SUM(sales[sales_amount]) - CALCULATE(SUM(sales[sales_amount]),

SAMEPERIODLASTYEAR('Date'[DateID])

- B. $(SUM('Sales'[sales_amount]) - CALCULATE(SUM('Sales'[sales_amount]), SAMEPERIODLASTYEAR('Date'[DateID]))) / CALCULATE(SUM('Sales'[sales_amount]), SAMEPERIODLASTYEAR('Date'[DateID]))$
- C. $CALCULATE(SUM(sales[sales_amount]), DATESYTD('Date'[DateID]))$
- D. $CALCULATE(SUM(sales[sales_amount]), SAMEPERIODLASTYEAR('Date'[DateID]))$

Correct Answer: B

Section:

Explanation:

SAMEPERIODLASTYEAR returns a table that contains a column of dates shifted one year back in time from the dates in the specified dates column, in the current context.

Reference:

<https://docs.microsoft.com/en-us/dax/sameperiodlastyear-function-dax>

QUESTION 18

You build a report to analyze customer transactions from a database that contains the tables shown in the following table.

Table name	Column name
Customer	CustomerID (primary key)
	Name
	State
	Email
Transaction	TransactionID (primary key)
	CustomerID (foreign key)
	Date
	Amount

You import the tables.

Which relationship should you use to link the tables?

- A. one-to-many from Customer to Transaction
- B. one-to-one between Customer and Transaction
- C. one-to-many from Transaction to Customer
- D. many-to-many between Customer and Transaction

Correct Answer: A

Section:

Explanation:

Each customer can have many transactions.

For each transaction there is exactly one customer.

QUESTION 19

You are configuring a Microsoft Power BI data model to enable users to ask natural language questions by using Q&A. You have a table named Customer that has the following measure. Customer Count = $DISTINCTCOUNT(Customer[CustomerID])$

Users frequently refer to customers as subscribers.

You need to ensure that the users can get a useful result for "subscriber count" by using Q&A. The solution must minimize the size of the model. What should you do?

- A. Add a description of "subscriber count" to the Customer Count measure.
- B. Set Summarize By to None for the CustomerID column.
- C. Add a description of "Subscriber" to the Customer table.
- D. Add a synonym of "subscriber" to the Customer table.

Correct Answer: B



Section:**Explanation:**

You can add synonyms to tables and columns.

Note: This step applies specifically to Q&A (and not to Power BI reports in general). Users often have a variety of terms they use to refer to the same thing, such as total sales, net sales, total net sales. You can add these synonyms to tables and columns in the Power BI model.

This step applies specifically to Q&A (and not to Power BI reports in general). Users often have a variety of terms they use to refer to the same thing, such as total sales, net sales, total net sales. You can add these synonyms to tables and columns in the Power BI model.

Reference:

<https://docs.microsoft.com/en-us/power-bi/natural-language/q-and-a-best-practices>

QUESTION 20

You have a Microsoft Power BI report. The size of PBIX file is 550 MB. The report is accessed by using an App workspace in shared capacity of powerbi.com. The report uses an imported dataset that contains one fact table. The fact table contains 12 million rows. The dataset is scheduled to refresh twice a day at 08:00 and 17:00. The report is a single page that contains 15 custom visuals and 10 default visuals.

Users say that the report is slow to load the visuals when they access and interact with the report. You need to recommend a solution to improve the performance of the report. What should you recommend?

- A. Split the visuals onto multiple pages.
- B. Implement row-level security (RLS).
- C. Replace the default visuals with custom visuals.
- D. Increase the number of times that the dataset is refreshed.

Correct Answer: A

Section:

QUESTION 21

You have four sales regions. Each region has multiple sales managers.

You implement row-level security (RLS) in a data model. You assign the relevant distribution lists to each role. You have sales reports that enable analysis by region. The sales managers can view the sales records of their region. The sales managers are prevented from viewing records from other regions. A sales manager changes to a different region.

You need to ensure that the sales manager can see the correct sales data.

What should you do?

- A. From Microsoft Power BI Desktop, edit the Row-Level Security setting for the reports.
- B. Change the Microsoft Power BI license type of the sales manager.
- C. Manage the permissions of the underlying dataset
- D. Request that the sales manager be added to the correct Azure Active Directory group.

Correct Answer: D

Section:

Explanation:

Using AD Security Groups, you no longer need to maintain a long list of users.

All that you will need to do is to put in the AD Security group with the required permissions and Power BI will do the REST! This means a small and simple security file with the permissions and AD Security group. Note: Configure role mappings

Once published to Power BI, you must map members to dataset roles.

Members can be user accounts or security groups. Whenever possible, we recommend you map security groups to dataset roles. It involves managing security group memberships in Azure Active Directory. Possibly, it delegates the task to your network administrators.

Reference:

<https://www.fourmoo.com/2018/02/20/dynamic-row-level-security-is-easy-with-active-directorysecurity-groups/> <https://docs.microsoft.com/en-us/power-bi/guidance/rls-guidance>

QUESTION 22

You have five sales regions. Each region is assigned a single salesperson.

You have an imported dataset that has a dynamic row-level security (RLS) role named Sales. The Sales role filters sales transaction data by salesperson. Salespeople must see only the data from their region. You publish the dataset to powerbi.com, set RLS role membership, and distribute the dataset and related reports to the salespeople. A salesperson reports that she believes she should see more data. You need to verify what data the salesperson currently sees. What should you do?

- A. Use the Test as role option to view data as the salesperson's user account.
- B. Use the Test as role option to view data as the Sales role.
- C. Instruct the salesperson to open the report in Microsoft Power BI Desktop.
- D. Filter the data in the reports to match the intended logic in the filter on the sales transaction table.

Correct Answer: A

Section:

Explanation:

QUESTION 23

You have a collection of reports for the HR department of your company. The datasets use row-level security (RLS). The company has multiple sales regions that each has an HR manager. You need to ensure that the HR managers can interact with the data from their region only. The HR managers must be prevented from changing the layout of the reports. How should you provision access to the reports for the HR managers?

- A. Create a new workspace, copy the datasets and reports, and add the HR managers as members of the workspace.
- B. Publish the reports to a different workspace other than the one hosting the datasets.
- C. Publish the reports in an app and grant the HR managers access permission.
- D. Add the HR managers as members of the existing workspace that hosts the reports and the datasets.

Correct Answer: C

Section:

Explanation:

Note: Row-level security (RLS) with Power BI can be used to restrict data access for given users.

Filters restrict data access at the row level, and you can define filters within roles. In the Power BI service, members of a workspace have access to datasets in the workspace. RLS doesn't restrict this data access.

Reference:

<https://docs.microsoft.com/en-us/power-bi/admin/service-admin-rls>

QUESTION 24

Your company plans to completely separate development and production assets such as datasets, reports, and dashboards in Microsoft Power BI. You need to recommend an application lifecycle strategy. The solution must minimize maintenance to update access and prevent end users from viewing the development assets. What should you recommend?

- A. Create production reports in a separate workspace that uses a shared dataset from the development workspace. Grant the end users access to the production workspace.
- B. In the same workspace, create separate copies of the assets and append DEV to the names of the copied assets. Grant the end users access to the workspace.
- C. Create separate workspaces for development and production. Grant the end users access to the production workspace.
- D. Create one workspace for development. From the workspace, publish an app for production.

Correct Answer: C

Section:

QUESTION 25

You are creating a visual to show the ranking of product categories by sales revenue.

Your company's security policy states that you cannot send data outside of your Microsoft Power BI tenant. Which approach provides the widest variety of visuals while adhering to the security policy?

- A. Use default visuals or custom visuals uploaded from a .pbviz file.
- B. Use only default visuals.
- C. Use default or any custom visuals from the marketplace.
- D. Use default or certified custom visuals.

Correct Answer: C

Section:

QUESTION 26

You publish a report to a workspace named Customer Services. The report identifies customers that have potential data quality issues that must be investigated by the customer services department of your company. You need to ensure that customer service managers can create task lists in Microsoft Excel based on the data. Which report setting should you configure?

- A. Don't allow end user to save filters on this report.
- B. Change default visual interaction from cross highlighting to cross filtering.
- C. Enable the updated filter pane, and show filters in the visual header for this report.
- D. Allow users to add comments to this report.
- E. Choose the type of data you allow your end users to export.

Correct Answer: E

Section:

Explanation:

<https://powerbi.microsoft.com/en-us/blog/announcing-persistent-filters-in-the-service/>

QUESTION 27

You have a report that contains three pages. One of the pages contains a KPI visualization. You need to filter all the visualizations in the report except for the KPI visualization. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Add the same slicer to each page and configure Sync slicers.
- B. Edit the interactions of the KPI visualization.
- C. Configure a page-level filter.
- D. Edit the interactions of the slicer that is on the same page as the KPI visualization.
- E. Configure a report-level filter.

Correct Answer: A, D

Section:

Explanation:

Slicers are another way of filtering. They narrow the portion of the dataset that is shown in the other report visualizations. By default, slicers on report pages affect all the other visualizations on that page, including each other. Use visual interactions to exclude some page visualizations from being affected by others.

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-slicers>

QUESTION 28

You have a Microsoft Power BI dashboard.

You need to ensure that consumers of the dashboard can give you feedback that will be visible to the other consumers of the dashboard. What should you use?

- A. Feedback
- B. Subscribe

- C. Comments
- D. Mark as favorite

Correct Answer: C

Section:

Explanation:

<https://docs.microsoft.com/en-us/power-bi/consumer/end-user-comment>

QUESTION 29

You have a Microsoft SharePoint Online site that contains several document libraries. One of the document libraries contains manufacturing reports saved as Microsoft Excel files. All the manufacturing reports have the same data structure.

You need to load only the manufacturing reports to a table for analysis.

What should you do in Microsoft Power BI Desktop?

- A. Get data from a SharePoint Online folder, enter the site URL, and then select Combine & Load.
- B. Get data from a SharePoint Online list and enter the site URL. Edit the query and filter by the path to the manufacturing reports library.
- C. Get data from a SharePoint Online folder and enter the site URL. Edit the query and filter by the path to the manufacturing reports library.
- D. Get data from a SharePoint Online list, enter the site URL, and then select Combine & Load.

Correct Answer: B

Section:

Explanation:

We have to import Excel files from SharePoint, so we need the connector SharePoint folder which is used to get access to the files stored in the library. SharePoint list is a collection of content that has rows and columns (like a table) and is used for task lists, calendars, etc. Since we have to filter only on manufacturing reports, we have to select Transform and then filter by the corresponding folder path. <https://docs.microsoft.com/en-us/power-query/connectors/sharepointlist>

QUESTION 30

You create the following step by using Power Query Editor.

= Table.ReplaceValue(SalesLT_Address,"1318","1319",Replacer.ReplaceText,{"AddressLine1"}) A row has a value of 21318 Lasalle Street in the AddressLine1 column. What will the value be when the step is applied?

- A. 1318
- B. 1319
- C. 21318 Lasalle Street
- D. 21319 Lasalle Street

Correct Answer: D

Section:

Explanation:

Example:

```
Table.ReplaceValue(  
  Table.FromRecords({  
    [a = 1, b = "hello"],  
    [a = 3, b = "world"]  
  }),  
  "ur",  
  "or",  
  Replacer.ReplaceText,  
  {"b"}  
)
```



a

b

1

hello

3

world

Replace the text "ur" with the text "or" in the table.

Reference:

<https://docs.microsoft.com/en-us/powerquery-m/table-replacevalue>

QUESTION 31

You import a large dataset to Power Query Editor.

You need to identify whether a column contains only unique values.

Which two Data Preview options can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point

- A. Show whitespace
- B. Column distribution
- C. Column profile
- D. Column quality
- E. Monospaced

Correct Answer: A, D

Section:

QUESTION 32

Your company has employees in 10 states.

The company recently decided to associate each state to one of the following three regions: East, West, and North. You have a data model that contains employee information by state. The model does NOT include region information. You have a report that shows the employees by state.

You need to view the employees by region as quickly as possible.

What should you do?

- A. Create a new aggregation that summarizes by employee.
- B. Create a new group on the state column and set the Group type to List.
- C. Create a new group on the state column and set the Group type to Bin.
- D. Create a new aggregation that summarizes by state.

Correct Answer: B

Section:

Explanation:

<https://www.mssqltips.com/sqlservertip/4720/binning-and-grouping-data-with-power-bi/>

QUESTION 33

You have a CSV file that contains user complaints. The file contains a column named Logged. Logged contains the date and time each complaint occurred. The data in Logged is in the following format:

2018-12-31 at 08:59.

You need to be able to analyze the complaints by the logged date and use a built-in date hierarchy. D18912E1457D5D1DDCBD40AB3BF70D5D

What should you do?

- A. Change the data type of the Logged column to Date.
- B. Apply a transform to extract the last 11 characters of the Logged column and set the data type of the new column to Date.
- C. Create a column by example that starts with 2018-12-31 and set the data type of the new column to Date.
- D. Apply a transform to extract the first 11 characters of the Logged column.

Correct Answer: C



Section:

QUESTION 34

You have an Azure SQL database that contains sales transactions. The database is updated frequently. You need to generate reports from the data to detect fraudulent transactions. The data must be visible within five minutes of an update. How should you configure the data connection?

- A. Add a SQL statement.
- B. Set Data Connectivity mode to DirectQuery.
- C. Set the Command timeout in minutes setting.
- D. Set Data Connectivity mode to Import.

Correct Answer: B

Section:

Explanation:

With Power BI Desktop, when you connect to your data source, it's always possible to import a copy of the data into the Power BI Desktop. For some data sources, an alternative approach is available: connect directly to the data source using DirectQuery.

DirectQuery: No data is imported or copied into Power BI Desktop. For relational sources, the selected tables and columns appear in the Fields list. For multi-dimensional sources like SAP Business Warehouse, the dimensions and measures of the selected cube appear in the Fields list. As you create or interact with a visualization, Power BI Desktop queries the underlying data source, so you're always viewing current data.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/desktop-use-directquery>

QUESTION 35

You have a Microsoft Power BI data model that contains three tables named Orders, Date, and City.

There is a one-to-many relationship between Date and Orders and between City and Orders.

The model contains two row-level security (RLS) roles named Role1 and Role2. Role1 contains the following filter: City[State Province] = "Kentucky"

Role2 contains the following filter:

Date[Calendar Year] = 2020

If a user is a member of both Role1 and Role2, what data will they see in a report that uses the model?

- A. The user will see data for which the State Province value is Kentucky and the Calendar Year is 2020.
- B. The user will see data for which the State Province value is Kentucky or the Calendar Year is 2020.
- C. The user will see only data for which the State Province value is Kentucky.
- D. The user will receive an error and will not be able to see the data in the report.

Correct Answer: B

Section:

Explanation:

When a report user is assigned to multiple roles, RLS filters become additive. It means report users can see table rows that represent the union of those filters.

Reference:

<https://docs.microsoft.com/en-us/power-bi/guidance/rls-guidance>

QUESTION 36

You have sales data in a star schema that contains four tables named Sales, Customer, Date, and Product. The Sales table contains purchase and ship dates.

Most often, you will use the purchase date to analyze the data, but you will analyze the data by both dates independently and together. You need to design an imported dataset to support the analysis. The solution must minimize the model size and the number of queries against the data source. Which data modeling design should you use?

- A. Use the Auto Date/Time functionality in Microsoft Power BI and do NOT import the Date table.
- B. Duplicate the Date query in Power Query and use active relationships between both Date tables.

- C. On the Date table, use a reference query in Power Query and create active relationships between Sales and both Date tables in the modeling view.
- D. Create an active relationship between Sales and Date for the purchase date and an inactive relationship for the ship date.

Correct Answer: D

Section:

Explanation:

Only one relationship can be active.

Note: If you query two or more tables at the same time, when the data is loaded, Power BI Desktop attempts to find and create relationships for you. The relationship options Cardinality, Cross filter direction, and Make this relationship active are automatically set.

Reference:

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-create-and-manage-relationships>

QUESTION 37

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a clustered bar chart that contains a measure named Salary as the value and a field named Employee as the axis. Salary is present in the data as numerical amount representing US dollars. You need to create a reference line to show which employees are above the median salary.

Solution: You create a constant line and set the value to .5.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section:

Explanation:

Instead create a percentile line by using the Salary measure and set the percentile to 50%.

Note: The 50th percentile is also known as the median or middle value where 50 percent of observations fall below.

Reference:

https://dash-intel.com/powerbi/statistical_functions_percentile.php

QUESTION 38

You need to create a visualization that compares revenue and cost over time.

Which type of visualization should you use?

- A. stacked area chart
- B. donut chart
- C. line chart
- D. waterfall chart

Correct Answer: C


Section:

Explanation:

A line chart or line graph displays the evolution of one or several numeric variables. Data points are connected by straight line segments. A line chart is often used to visualize a trend in data over intervals of time – a time series – thus the line is often drawn chronologically.

Example:





Incorrect Answers:

A: Stacked area charts are not appropriate to study the evolution of each individual group: it is very hard to subtract the height of other groups at each time point. Note: A stacked area chart is the extension of a basic area chart. It displays the evolution of the value of several groups on the same graphic. The values of each group are displayed on top of each other, what allows to check on the same figure the evolution of both the total of a numeric variable, and the importance of each group.

Reference:

<https://www.data-to-viz.com/graph/line.html>

QUESTION 39

You are developing a sales report that will have multiple pages. Each page will answer a different business question. You plan to have a menu page that will show all the business questions.

You need to ensure that users can click each business question and be directed to the page where the question is answered. The solution must ensure that the menu page will work when deployed to any workspace.

What should you include on the menu page?

- A. Create a text box for each business question and insert a link.
- B. Create a button for each business question and set the action type to Bookmark.
- C. Create a Power Apps visual that contains a drop-down list. The drop-down list will contain the business questions.



Correct Answer: B

Section:

Explanation:

When you create a bookmark, the following elements are saved with the bookmark: - The current page - Filters - Slicers, including slicer type (for example, dropdown or list) and slicer state - Visual selection state (such as cross-highlight filters) - Sort order - Drill location - Visibility of an object (by using the Selection pane) - The focus or Spotlight modes of any visible object

QUESTION 40

You use an R visual to produce a map of 500,000 customers. You include the values of CustomerID, Latitude, and Longitude in the fields sent to the visual. Each customer ID is unique. In powerbi.com, when users load the visual, they only see some of the customers.

What is the cause of the issue?

- A. The visual was built by using a different version of R.
- B. The data comes from a Microsoft SQL Server source.
- C. The data is deduplicated.
- D. Too many records were sent to the visual.

Correct Answer: D

Section:

Explanation:

R visuals in the Power BI service have a few limitations including:

Data size limitations – data used by the R visual for plotting is limited to 150,000 rows. If more than 150,000 rows are selected, only the top 150,000 rows are used and a message is displayed on the image. Additionally, the input data has a limit of 250 MB.

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/service-r-visuals>

QUESTION 41

You have a line chart that shows the number of employees in a department over time.

You need to see the total salary costs of the employees when you hover over a data point.

What is possible way to achieve this goal?

- A. Add a salary to the tooltips.
- B. Add a salary to the visual filters.
- C. Add salary to the drillthrough fields.

Correct Answer: A

Section:

Explanation:

Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/desktop-custom-tooltips>

<https://technovids.com/power-bi-filters/>

QUESTION 42

You have a report that contains a bar chart and a column chart. The bar chart shows customer count by customer segment. The column chart shows sales by month. You need to ensure that when a segment is selected in the bar chart, you see which portion of the total sales for the month belongs to the customer segment. How should the visual interactions be set on the column chart when the bar chart is selected?

- A. no impact
- B. highlight
- C. filter

Correct Answer: B


Section:

Explanation:

HIGHLIGHT as the question required us to "you see which portion of the total sales for the month belongs to the customer segment" -- in order to see WHICH portion, you need to still see the whole visual, highlight is most appropriate. If the requirement stated to ONLY SEE THE PORTION IT RELATES TO then filter would be appropriate.

QUESTION 43

You have a dashboard that contains tiles pinned from a single report as shown in the Original Dashboard exhibit. (Click the Original Dashboard tab.)



You need to modify the dashboard to appear as shown in the Modified Dashboard exhibit. (Click the Modified Dashboard tab.)



What should you do?

- A. Edit the details of each tile.
- B. Change the report theme.
- C. Change the dashboard theme.
- D. Create a custom CSS file.

Correct Answer: C

Section:

Explanation:

<https://docs.microsoft.com/en-us/power-bi/create-reports/service-dashboard-themes#howdashboard-themes-work>

QUESTION 44

You have the dataset shown in the following exhibit.



City	Sales Profit
Abbottsburg	\$173,947
Absecon	\$129,358
Accomac	\$157,768
Aceitunas	\$119,283
Airport Drive	\$162,500
Akhiok	\$259,554
Alcester	\$127,040
Alden Bridge	\$152,138
Alstead	\$106,147
Amado	\$136,718
Amanda Park	\$117,444
Andrix	\$130,710
Annamoriah	\$139,499
Antares	\$147,562
Antonio	\$113,056
Total	\$85,729,181



You need to ensure that the visual shows only the 10 cities that have the highest sales profit. What should you do?

- A. Add a Top N filter to the visual.
- B. Configure the Sales Profit measure to use the RANKX function.
- C. Add a calculated column to the table that uses the TOPN function. In the visual, replace Sales Profit with the calculated column.
- D. Add a calculated column to the table that returns the city name if the city is in the top 10, otherwise the calculated column will return "Not in Top 10". In the visual, replace Sales Profit with the calculated column.
D18912E1457D5D1DDCDBD40AB3BF70D5D

Correct Answer: A

Section:

Explanation:

Power BI Top N Filters are useful to display the top performing records, and Bottom N filters are helpful to display the least performing records. For example, we can display top or bottom 10 products by orders or sales. Note: Select the Column you want to display the Top Sales Profit Then change the Filter Type of that Column to Top N Fill in Top / Bottom number field

And lastly drag to the By Value filed your Sales Profit

Reference:

<https://www.tutorialgateway.org/power-bi-top-10-filters/>

QUESTION 45

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a clustered bar chart that contains a measure named Salary as the value and a field named Employee as the axis. Salary is present in the data as numerical amount representing US dollars. You need to create a reference line to show which employees are above the median salary.

Solution: You create an average line by using the Salary measure.

Does this meet the goal?

A. Yes

B. No

Correct Answer: B

Section:

Explanation:

Instead create a percentile line by using the Salary measure and set the percentile to 50%.

Note: The 50th percentile is also known as the median or middle value where 50 percent of observations fall below.

Reference:

https://dash-intel.com/powerbi/statistical_functions_percentile.php

QUESTION 46

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a clustered bar chart that contains a measure named Salary as the value and a field named Employee as the axis. Salary is present in the data as numerical amount representing US dollars. You need to create a reference line to show which employees are above the median salary.

Solution: You create a percentile line by using the Salary measure and set the percentile to 50%.

Does this meet the goal?

A. Yes

B. No

Correct Answer: A

Section:

Explanation:

The 50th percentile is also known as the median or middle value where 50 percent of observations fall below.

Reference:

https://dash-intel.com/powerbi/statistical_functions_percentile.php

QUESTION 47

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have several reports and dashboards in a workspace.

You need to grant all organizational users read access to a dashboard and several reports.

Solution: You create an Azure Active Directory group that contains all the users. You share each report and dashboard to the group. Does this meet the goal?

A. Yes

B. No

Correct Answer: A

Section:

Explanation:

Statements and questions are tricky and confusing. When the access is granted for the group (all users) for ALL (each) dashboards and ALL (each) reports in the workspace, then they will have read access to the specific (A, one) Dashboard and several reports, because they are part of all dashboards and reports. There is no statement, that for the other dashboards (except the one) and the other reports (except the several) that access must be prevented. They are also accessible (maybe it is not desired but not stated here).

QUESTION 48

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have several reports and dashboards in a workspace.

You need to grant all organizational users read access to a dashboard and several reports.

Solution: You assign all the users the Viewer role to the workspace.

Does this meet the goal?

A. Yes

B. No

Correct Answer: A

Section:

Explanation:

QUESTION 49

You publish a Microsoft Power BI dataset to powerbi.com. The dataset appends data from an on-premises Oracle database and an Azure SQL database by using one query. You have admin access to the workspace and permission to use an existing On-premises data gateway for which the Oracle data source is already configured. You need to ensure that the data is updated every morning. The solution must minimize configuration effort. Which two actions should you perform when you configure scheduled refresh? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

A. Configure the dataset to use the existing On-premises data gateway.

B. Deploy an On-premises data gateway in personal mode.

C. Set the refresh frequency to Daily.

D. Configure the dataset to use the personal gateway.

Correct Answer: A, C

Section:

Explanation:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-personal-mode>

QUESTION 50

You need to provide a user with the ability to add members to a workspace. The solution must use the principle of least privilege. Which role should you assign to the user?

A. Viewer

B. Contributor

C. Member

D. Admin



Correct Answer: C

Section:

Explanation:

A Member can add members or others with lower permissions.

Note:

Capability	Admin	Member	Contributor	Viewer
Update and delete the workspace.	✓			
Add/remove people, including other admins.	✓			
Allow Contributors to update the app for the workspace	✓			
Add members or others with lower permissions.	✓	✓		



QUESTION 51

You create a dataset sourced from dozens of flat files in Azure Blob storage. The dataset uses incremental refresh. From powerbi.com, you deploy the dataset and several related reports to Microsoft Power BI Premium capacity. You discover that the dataset refresh fails after the refresh runs out of resources.

What is a possible cause of the issue?

- A. Query folding is not occurring.
- B. You selected Only refresh complete periods.
- C. The data type of the column used to partition the data changed.
- D. A filter is missing on the report.

Correct Answer: A

Section:

Explanation:

The Power BI service partitions data based on date range. This is what enables only certain partitions to be refreshed incrementally. To make this work, the partition filter conditions are pushed down to the source system by including them in the queries. Using Power Query terminology, this is called “query folding”. It is not recommended that incremental refresh is used when the required query folding cannot take place.

Reference:

<https://powerbi.microsoft.com/en-us/blog/incremental-refresh-query-folding/>

QUESTION 52

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have several reports and dashboards in a workspace.

You need to grant all organizational users read access to a dashboard and several reports.

Solution: You publish an app to the entire organization.
Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section:

Explanation:

QUESTION 53

You have a Microsoft Power BI report. The size of PBIX file is 550 MB. The report is accessed by using an App workspace in shared capacity of powerbi.com. The report uses an imported dataset that contains one fact table. The fact table contains 12 million rows. The dataset is scheduled to refresh twice a day at 08:00 and 17:00. The report is a single page that contains 15 AppSource visuals and 10 default visuals. Users say that the report is slow to load the visuals when they access and interact with the report. You need to recommend a solution to improve the performance of the report. What should you recommend?

- A. Change any DAX measures to use iterator functions.
- B. Replace the default visuals with AppSource visuals.
- C. Change the imported dataset to DirectQuery.
- D. Remove unused columns from tables in the data model.

Correct Answer: D

Section:

QUESTION 54

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You are modeling data by using Microsoft Power BI. Part of the data model is a large Microsoft SQL Server table named Order that has more than 100 million records. During the development process, you need to import a sample of the data from the Order table.

Solution: From Power Query Editor, you import the table and then add a filter step to the query.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section:

QUESTION 55

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You are modeling data by using Microsoft Power BI. Part of the data model is a large Microsoft SQL Server table named Order that has more than 100 million records. During the development process, you need to import a sample of the data from the Order table.

Solution: You add a WHERE clause to the SQL statement.

Does this meet the goal?

- A. Yes
- B. No



Correct Answer: A

Section:

Explanation:

QUESTION 56

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You create a parameter named DataSourceExcel that holds the file name and location of a Microsoft Excel data source. You need to update the query to reference the parameter instead of multiple hard-coded copies of the location within each query definition. Solution: You modify the source step of the queries to use DataSourceExcel as the file path.

Does this meet the goal?

A. Yes

B. No

Correct Answer: A

Section:

Explanation:

Parameterising a Data Source could be used in many different use cases. From connecting to different data sources defined in Query Parameters to load different combinations of columns.

Reference:

<https://www.biinsight.com/power-bi-desktop-query-parameters-part-1/>

QUESTION 57

You have multiple dashboards.

You need to ensure that when users browse the available dashboards from powerbi.com, they can see which dashboards contain Personally Identifiable Information (PII). The solution must minimize configuration effort and impact on the dashboard design.

What should you use?

A. comments

B. tiles

C. Microsoft Information Protection sensitivity labels

D. Active Directory groups

Correct Answer: C

Section:

Explanation:

Microsoft Information Protection sensitivity labels provide a simple way for your users to classify critical content in Power BI without compromising productivity or the ability to collaborate. Sensitivity labels can be applied to datasets, reports, dashboards, and dataflows.

Reference:

<https://docs.microsoft.com/en-us/power-bi/admin/service-security-sensitivity-label-overview>

QUESTION 58

You have a Power BI tenant.

You have reports that use financial datasets and are exported as PDF files.

You need to ensure that the reports are encrypted.

What should you implement?

A. dataset certifications

- B. row-level security (RLS)
- C. sensitivity labels
- D. Microsoft Intune policies

Correct Answer: C

Section:

Explanation:

General availability of sensitivity labels in Power BI.

Microsoft Information Protection sensitivity labels provide a simple way for your users to classify critical content in Power BI without compromising productivity or the ability to collaborate. Sensitivity labels can be applied on datasets, reports, dashboards, and dataflows. When data is exported from Power BI to Excel, PowerPoint or PDF files, Power BI automatically applies a sensitivity label on the exported file and protects it according to the label's file encryption settings. This way your sensitive data remains protected no matter where it is.

Reference:

<https://powerbi.microsoft.com/en-us/blog/announcing-power-bi-data-protection-ga-andintroducing-new-capabilities/>

QUESTION 59

Your company plans to completely separate development and production assets such as datasets, reports, and dashboards in Microsoft Power BI. You need to recommend an application lifecycle strategy. The solution must minimize access to production assets and prevent end users from viewing the development assets. What should you recommend?

- A. Create production reports in a separate workspace that uses a shared dataset from the development workspace. Grant the end users access to the production workspace.
- B. Create one workspace for development. From the new workspace, publish an app for production.
- C. Create a workspace for development and a workspace for production. From the production workspace, publish an app.
- D. In one workspace, create separate copies of the assets and append DEV to the names of the copied assets. Grant the end users access to the workspace.

Correct Answer: C

Section:

Explanation:

Use different work stages (Development, Test, and Production).

Deploy from the Development workspace.

Reference:

<https://visualbi.com/blogs/microsoft/powerbi/application-lifecycle-management-power-bi/>



QUESTION 60

You create a report by using Microsoft Power BI Desktop.

The report uses data from a Microsoft SQL Server Analysis Services (SSAS) cube located on your company's internal network. You plan to publish the report to the Power BI Service.

What should you implement to ensure that users who consume the report from the Power BI Service have the most up-to-date data from the cube?

- A. a subscription
- B. a scheduled refresh of the dataset
- C. an OData feed
- D. an On-premises data gateway

Correct Answer: D

Section:

Explanation:

When you've created dynamic reports in Power BI Desktop, you can share them by publishing to your Power BI site. When you publish a Power BI Desktop file with a live connection to a tabular model to your Power BI site, an on-premises data gateway must be installed and configured by an administrator.

QUESTION 61

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a clustered bar chart that contains a measure named Salary as the value and a field named Employee as the axis. Salary is present in the data as numerical amount representing US dollars. You need to create a reference line to show which employees are above the median salary.

Solution: You create a median line by using the Salary measure.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: A

Section:

Explanation:

QUESTION 62

You have a Power BI dashboard that monitors the quality of manufacturing processes. The dashboard contains the following elements:

A line chart that shows the number of defective products manufactured by day.

A KPI visual that shows the current daily percentage of defective products manufactured.

You need to be notified when the daily percentage of defective products manufactured exceeds 3%.

What should you create?

- A. a Q&A visual
- B. a subscription
- C. a smart narrative visual
- D. an alert

Correct Answer: D

Section:

QUESTION 63

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have several reports and dashboards in a workspace.

You need to grant all organizational users read access to a dashboard and several reports.

Solution: You enable included in app for all assets.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section:

QUESTION 64

You are reviewing a query that produces 10,000 rows in the Power Query Editor.

You need to identify whether a column contains only unique values.

Which two Data Preview options can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.



- A. Column profile
- B. Column distribution
- C. Show whitespace
- D. Column quality
- E. Monospace

Correct Answer: A, B

Section:

Explanation:

B: Column distribution: This feature provides a set of visuals underneath the names of the columns that showcase the frequency and distribution of the values in each of the columns. The data in these visualizations is sorted in descending order from the value with the highest frequency.


By hovering over the distribution data in any of the columns, you get information about the overall data in the column (with distinct count and unique values). A: Column profile: This feature provides a more in-depth look at the data in a column [compared to column distribution]. Apart from the column distribution chart, it contains a column statistics chart.

Reference:

<https://docs.microsoft.com/en-us/power-query/data-profiling-tools>

QUESTION 65

You have a Q&A visual that displays information from a table named Carriers as shown in the following exhibit.



You need to ensure that users can ask questions by using the term airline or carrier. The solution must minimize changes to the data model. What should you do?

- A. Add a duplicate query named Airline.
- B. Add airline as a synonym of carrier.
- C. Rename the carrier column as airline in the Carriers query.
- D. Rename the query from Carriers to airlines.

Correct Answer: B

Section:

Explanation:

Add synonyms to tables and columns: This step applies specifically to Q&A (and not to Power BI reports in general). Users often have a variety of terms they use to refer to the same thing, such as total sales, net sales, total net sales. You can add these synonyms to tables and columns in the Power BI model.

This step can be important. Even with straightforward table and column names, users of Q&A ask questions using the vocabulary that first comes to them. They're not choosing from a predefined list of columns. The more sensible synonyms you add, the better your users' experience is with your report.

Reference:

<https://docs.microsoft.com/en-us/power-bi/natural-language/q-and-a-best-practices>

QUESTION 66

You need to create the On-Time Shipping report.

The report must include a visualization that shows the percentage of late orders. Which type of visualization should you create?

- A. scatterplot
- B. bar chart
- C. piechart

Correct Answer: B

Section:

QUESTION 67

You need to design the data model to meet the report requirements. What should you do in Power BI Desktop?

- A. From Power Query, add columns to the Orders table to calculate the calendar quarter and the calendar month of the OrderDate column.
- B. From Power BI Desktop, use the Auto date/time option when creating the reports.
- C. From Power Query, add a date table. Create an active relationship to the OrderDate column in the Orders table and an inactive relationship to the ShippedDate column in the Orders table.
- D. From Power Query, use a DAX expression to add columns to the Orders table to calculate the calendar quarter of the OrderDate column, the calendar month of the OrderDate column, the calendar quarter of the ShippedDate column, and the calendar month of the ShippedDate column.

Correct Answer: B

Section:



QUESTION 68

You need to create the Top Customers report.

Which type of filter should you use, and at which level should you apply the filter? To answer, select the appropriate options in the answer area. NOTE; Each correct selection is worth one point.



- A.
- B.
- C.
- D.

Correct Answer:

Section:

Explanation:

Answer as below



QUESTION 69

You need to create a relationship in the dataset for RLS.

What should you do? To answer select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A.
- B.
- C.
- D.

Correct Answer:

Section:

Explanation:


Answer as below



QUESTION 70

You need to create a measure that will return the percentage of late orders.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.



- A.
- B.
- C.

D.

Correct Answer:

Section:

Explanation:

Answer as below



QUESTION 71

ion have a Power BI dataset that contains a table named Temperature Readings. Temperature Readings contains the columns shown in the following table.

Name	Data type	Value example
DateTime	DateTime	4-Aug-2020 13:30:01
Longitude	Decimal	10.049567988755534
Latitude	Decimal	53.462766759577057
TempCelsius	Decimal	12.5



The table has 12 million rows. All the columns are needed for analysis.

You need to optimize the dataset to decrease the model size. The solution must not affect the precision of the data. What should you do?

- A. Split the DateTime column into separate date and time columns.
- B. Disable the Power Query load.
- C. Round the Longitude column two decimal places.
- D. Change the data type of the TempCelsius column to Integer

Correct Answer: B

Section:

Explanation:

Disable Power Query load.

Power Query queries that are intended support data integration with other queries should not be loaded to the model. To avoid loading the query to the model, take care to ensure that you disable query load in these instances.

Reference:

<https://docs.microsoft.com/en-us/power-bi/guidance/import-modeling-data-reduction#disablepower-query-query-load>

QUESTION 72

In Power BI Desktop, you are creating visualizations in a report based on an imported dataset You need to allow Power BI users to export the summarized data used to create the visualizations but prevent the users from exporting the underlying data What should you do?

- A. From Power BI Desktop, configure the Data Load settings for the current file.
- B. From the Power BI service, configure the dataset permissions.

- C. From Power BI Desktop, configure the Report settings for the current file.
- D. From Power BI Desktop, modify the data source permissions.

Correct Answer: C

Section:

Explanation:

<https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-export-data?tabs=powerbi-desktop>The export functionality can be disabled on several levels. First, Power BI Service admins can disable this functionality on tenant level. With that, nobody will be able to export the data. More about that later. Second, as a dataset owner you can decide if you allow your users to export the data. This is managed in dataset settings, but only changeable in Power BI desktop. No matter what settings are applied in Power BI desktop, the tenant settings will overrule this. In the end the Power BI Service admin decides what options are possible to use. <https://data-marc.com/2020/04/13/power-bi-governance-why-you-should-consider-to-disable-export-to-excel/>

QUESTION 73

You have a Power BI report. The report contains visualizations that have interactions. You need to identify which visualizations take the longest to complete. What should you use?

- A. SQL Server Profiler
- B. Performance Analyzer in Power BI Desktop
- C. Query Diagnostics in Power BI
- D. Microsoft Edge DevTools

Correct Answer: B

Section:

Explanation:

Use Power BI Desktop Performance Analyzer to optimize reports.

In Power BI Desktop you can find out how each of your report elements, such as visuals and DAX formulas, are performing. Using the Performance Analyzer, you can see and record logs that measure how each of your report elements performs when users interact with them, and which aspects of their performance are most (or least) resource intensive.

Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/desktop-performance-analyzer>

QUESTION 74

You are building a Power BI report to analyze customer segments.

You need to identify customer segments dynamically based on the Bounce Rate across dimensions such as source, geography, and demographics. The solution must minimize analysis effort. Which type of visualization should you use?

- A. decomposition tree
- B. funnel chart
- C. Q&A
- D. key influencers

Correct Answer: A

Section:

Explanation:

The key influencers visual is a great choice if you want to:

See which factors affect the metric being analyzed.

Contrast the relative importance of these factors. For example, do short-term contracts affect churn more than long-term contracts? Note: The key influencers visual helps you understand the factors that drive a metric you're interested in. It analyzes your data, ranks the factors that matter, and displays them as key influencers. For example, suppose you want to figure out what influences employee turnover, which is also known as churn. One factor might be employment contract length, and another factor might be commute time. <https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-influencers>

QUESTION 75

You have sales data in a star schema that contains four tables named Sales, Customer, Date, and Product. The Sales table contains purchase and ship dates. Most often, you will use the purchase date to analyze the data, but

you will analyze the data by both dates independently and together. You need to design an imported dataset to support the analysis. The solution must minimize the model size and the number of queries against the data source. Which data modeling design should you use?

- A. Use the Auto Date/Time functionality in Microsoft Power BI and do NOT import the Date table.
- B. Duplicate the Date query in Power Query and create active relationships between Sales and both Date tables in the modeling view.
- C. On the Date table, use a reference query in Power Query and create active relationships between Sales and both Date tables in the modeling view.
- D. Import the Date table twice in Power Query and create active relationships between Sales and both Date tables in the modeling view.

Correct Answer: D

Section:

Explanation:

Microsoft recommends defining active relationships whenever possible. They widen the scope and potential of how your model can be used by report authors, and users working with Q&A. Refactoring methodology (example): Here's a methodology to refactor a model from a single roleplaying dimension-type table, to a design with one table per role. Remove any inactive relationships.

Consider renaming the role-playing dimension-type table to better describe its role. In the example, the Airport table is related to the ArrivalAirport column of the Flight table, so it's renamed as Arrival Airport. Create a copy of the role-playing table, providing it with a name that reflects its role. If it's an Import table, we recommend defining a calculated table. If it's a DirectQuery table, you can duplicate the Power Query query. Only one relationship can be active.

Note: If you query two or more tables at the same time, when the data is loaded, Power BI Desktop attempts to find and create relationships for you. The relationship options Cardinality, Cross filter direction, and Make this relationship active are automatically set.

Reference:

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-create-and-manage-relationships>

<https://docs.microsoft.com/en-us/power-bi/guidance/relationships-active-inactive>

QUESTION 76

In Power BI Desktop, you are building a sales report that contains two tables. Both tables have row-level security (RLS) configured. You need to create a relationship between the tables. The solution must ensure that bidirectional cross-filtering honors the RLS settings. What should you do?


- A. Create an active relationship between the tables and select Assume referential integrity.
- B. Create an inactive relationship between the tables and select Assume referential integrity.
- C. Create an inactive relationship between the tables and select Apply security filter in both directions.
- D. Create an active relationship between the tables and select Apply security filter in both directions.

Correct Answer: D

Section:

Explanation:

By default, row-level security filtering uses single-directional filters, whether the relationships are set to single direction or bi-directional. You can manually enable bi-directional cross-filtering with row-level security by selecting the relationship and checking the Apply security filter in both directions checkbox. Select this option when you've also implemented dynamic row-level security at the server level, where row-level security is based on username or login ID.



Reference:

<https://docs.microsoft.com/en-us/power-bi/admin/service-admin-rls>

QUESTION 77

You have a report that includes a card visualization.

You need to apply the following conditional formatting to the card while minimizing design effort.

For values that are greater than or equal to 100, the font of the data label must be dark red.

For values that are less than 100, the font of the data label must be dark gray.

Which type of format should you use?

- A. Color scale
- B. Rules
- C. Field value

Correct Answer: B

Section:

QUESTION 78

You have a Power BI report that uses a dataset based on an Azure Analysis Services live connection. You need to ensure that users can use Q&A from the Power BI service for the dataset.

What should you do?

- A. From the Power BI service, add an enterprise gateway to the dataset.
- B. From Power BI Desktop, add synonyms and suggested questions.
- C. From Power BI Desktop, add a Q&A visual to the report.
- D. From the Power BI service, select Turn on Q&A for this dataset.

Correct Answer: D


Section:

**QUESTION 79**


Note: This question is a part of a series of questions that present the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit.)



You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit).



You plan to use Power BI to import data from 2013 to 2015.

Product Subcategory [Subcategory] contains NULL values.

End of repeated scenario.

You implement the Power BI model.

You need to add a new column to the Product Subcategory table that uses the following formula.

=if [Subcategory] =null then "NA" else [Subcategory]

Which command should you use in Query Editor?

- A. Column From Examples
- B. Custom Column
- C. Invoke Custom Function
- D. Conditional Column

Correct Answer: D

Section:

Explanation:

Reference: <http://community.powerbi.com/t5/Desktop/if-then-else/td-p/117999>

QUESTION 80

You have the following table named Location.

GeoCode	CustomerCount
CA	9530
AR	540
MA	2300
SD	1200
PA	340
NC	890

The GeoCode column represents the country where each customer is located.

You create a map visualization as shown in the exhibit. (Click the Exhibit tab.)



You need to ensure that the map displays the country locations.

What should you do?

- A. Replace the values in the GeoCode column with postal codes or zip codes.
- B. Change the name of the GeoCode column to Country.
- C. Change the name of the Location table to Country.
- D. Change the Default Summarization of the GeoCode column.
- E. Add a Geoportals column to the Location table.

F. Change the Data Type of the GeoCode column.

Correct Answer: B

Section:

Explanation:

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-map-tips-and-tricks>

QUESTION 81

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a Power BI model that contains two tables named Sales and Date.

Sales contains four columns named TotalCost, DueDate, ShipDate, and OrderDate. Date contains one column named Date. The tables have the following relationships:

Sales[DueDate] and Date[Date]

Sales[ShipDate] and Date[Date]

Sales[OrderDate] and Date[Date]

The active relationship is on Sales[DueDate].

You need to create measures to count the number of orders by [ShipDate] and the orders by [OrderDate]. You must meet the goal without duplicating data or loading additional data. Solution: You create measures that use the CALCULATE, COUNT, and USERELATIONSHIP DAX functions.

Does this meet the goal?

A. Yes

B. No

Correct Answer: A

Section:

Explanation:

Reference:

<https://docs.microsoft.com/en-us/dax/calculate-function-dax>

<https://docs.microsoft.com/en-us/dax/count-function-dax>

<https://docs.microsoft.com/en-us/dax/userelationship-function-dax>

QUESTION 82

You have a CSV file that contains user complaints. The file contains a column named Logged logged contains the date and time each complaint occurred. The data in Logged is in the following format: 2018-12-31 at 08:59.

You need to be able to analyze the complaints by the logged date and use a built-in date hierarchy. What should you do?

A. Create a column by example that starts with 2018-12-31.

B. Create a column by example that starts with 2018-12-31 and set the data type of the new column to Date

C. Apply the parse function from the Date transformations options to the Logged column.

D. Add a conditional column that outputs 2018 if the Logged column starts with 2018 and set the data type of the new column to Whole Number.

Correct Answer: A

Section:

QUESTION 83

You have a Power BI report for the marketing department. The report reports on web traffic to a blog and contains data from the following tables.



Table name	Source	Description	Column name
Posts	Blog RSS feed	An XML representation of all the blog posts from your company's website	<ul style="list-style-type: none"> Publish Date URL Title Full Text Summary
Traffic	Website logs	Activity data from your company's entire website	<ul style="list-style-type: none"> DateTime URL Visited IP Address Browser Agent Referring URL

There is a one-to-many relationship from Posts to Traffic that uses the URL and URL Visited columns. The report contains the visuals shown in the following table.

Name	Used field	Filter
Top 10 blog posts of all time	Posts[Title] Traffic[DateTime]	None
Top 10 blog posts from the last seven days	Posts[Title] Traffic[DateTime]	Traffic[DateTime] is in the last 7 days
Blog visits over time	Traffic[DateTime] Traffic[URL Visited]	Traffic[URL Visited] contains "blog"
Blog visits over time	Traffic[DateTime] Traffic[URL Visited]	Traffic[URL Visited] contains "blog"
Top 10 external referrals to the blog of all time	Traffic[Referring URL]	Traffic[URL Visited] contains "blog" AND Traffic[Referring URL] does not start with "/"

The dataset takes a long time to refresh.

You need to modify Posts and Traffic queries to reduce toad times.

Which two actions will reduce the toad times? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Remove the rows in Traffic in which Traffic [Referring URL] does not start with "/"
- B. Remove the rows in Posts in which Post [Publish Date] is in the last seven days.
- C. Remove Traffic [IP Address], Traffic (Browser Agent), and Traffic [Referring URL].
- D. Remove Posts [Full Text] and Posts [Summary].
- E. Remove the rows in Traffic in which Traffic [URL visited] does not contain "blog"

Correct Answer: D, E

Section:

QUESTION 84

You have a Power Bi report for the procurement department. The report contains data from the following tables.



Table name	Source	Description	Column name	Approximate record count
Suppliers	Microsoft Dynamics 365	A list of all the suppliers approved for use by the company.	<ul style="list-style-type: none"> ID Name Country 	100,000
LineItems	Microsoft Dynamics 365	All individual purchases made by employees across the company. An average of five line items per invoice.	<ul style="list-style-type: none"> ID Invoice ID Invoice Date Supplier ID Description Units Price per Unit Discount Price 	1,000,000,000

There is a one-to-many relationship from Suppliers to LineItems that uses the ID and Supplier ID columns. The report contains the visuals shown in the following table.

Name	Used field	Filter
Supplier usage by count and value of invoices	Suppliers[ID] Suppliers[Name] LineItems[Invoice ID] LineItems[Price]	None
Spend by supplier location	Suppliers[Country] LineItems[Price]	None
Top 10 largest invoices last month	LineItems[Invoice ID] LineItems[Price]	LineItems[Invoice Date] in last calendar month



You need to minimize the size of the dataset without affecting the visuals. What should you do?

- A. Remove the rows from LineItems where LineItems[invoice Date] is before the beginning of last month
- B. Merge Suppliers and LineItems.
- C. Group LineItems by LineItems[invoice id] and LineItems[invoice Date] with a sum of LineItems(price).
- D. Remove the LineItems[Description] column.

Correct Answer: D

Section:

QUESTION 85

DRAG DROP

You have a folder that contains 100 CSV files.

You need to make the file metadata available as a single dataset by using Power BI. The solution must NOT store the data of the CSV files. Which three actions should you perform in sequence. To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. NOTE; More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Select and Place:

Actions	Answer Area
From Power Query Editor, remove the Attributes column.	1
From Power Query Editor, remove the Content column.	2
From Power BI Desktop, select Get Data, and then select Text/CSV.	3
From Power BI Desktop, select Get Data , and then select Folder.	
From Power Query Editor, expand the Attributes column.	
From Power Query Editor, combine the Content column.	

Correct Answer:

Actions	Answer Area
	1 From Power BI Desktop, select Get Data , and then select Folder.
	2 From Power Query Editor, remove the Content column.
From Power BI Desktop, select Get Data, and then select Text/CSV.	3 From Power Query Editor, remove the Attributes column.
From Power Query Editor, expand the Attributes column.	
From Power Query Editor, combine the Content column.	

Section:

Explanation:

QUESTION 86

DRAG DROP

You are creating a Power Bi model and report.

You have a single table in a data mode) named Product Product contains the following fields:

- ID
- Name
- Color
- Category
- Total Sales

You need to create a calculated table that shows only the top eight products based on the highest value in Total Sales. How should you complete the DAX expression? To answer, drag the appropriate values to the coned targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Select and Place:

Values

ASC	CALCULATETABLE
DESC	MAXX
RELATEDTABLE	TOPN

Answer Area

Top 8 Products = [] (8, 'Product', 'Product'[Total Sales], [])

Correct Answer:

Values

ASC	CALCULATETABLE
	MAXX
RELATEDTABLE	

Answer Area

Top 8 Products = [TOPN] (8, 'Product', 'Product'[Total Sales], [DESC])

Section:

Explanation:

QUESTION 87

HOTSPOT

You are creating a column chart visualization.

You configure groups as shown in the Groups exhibit. {Click the Groups tab.}




Groups

Name	Sepal.Width (bins)	Field	Sepal.Width
Group type	Bin	Min value	2
Bin Type	Number of bins	Max value	4.4
Bin count	10	Bin size	0.240000000000000005

Reset to default

OK Cancel

The visualization appears as shown in the Chart exhibit. (Click the Chart tab.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
The data is segmented into 10 groups.	<input type="radio"/>	<input type="radio"/>
The data was split into deciles.	<input type="radio"/>	<input type="radio"/>
To increase the bin size, you must decrease the bin count.	<input type="radio"/>	<input type="radio"/>

Answer Area:

Answer Area

Statements	Yes	No
The data is segmented into 10 groups.	<input checked="" type="radio"/>	<input type="radio"/>
The data was split into deciles.	<input type="radio"/>	<input checked="" type="radio"/>
To increase the bin size, you must decrease the bin count.	<input checked="" type="radio"/>	<input type="radio"/>

Section:

Explanation:

QUESTION 88

HOTSPOT

You need to create a visual as shown in the following exhibit.

MonthName	Total Sales	Sales Last Year	% Growth to Last Year
January	£359,263.79	£144,365.51	74.19%
February	£583,915.29	£215,923.28	63.02%
March	£684,091.82	£211,347.46	69.11%
April	£957,686.49	£350,270.97	63.43%
May	£841,473.26	£310,708.65	63.08%
June	£876,911.71	£298,356.83	65.98%
July	£922,410.09	£348,435.28	62.23%
August	£1,002,219.24	£388,213.68	61.26%
September	£1,192,976.22	£407,595.76	64.65%
October	£1,262,647.67	£465,583.06	63.13%
November	£555,548.44	£555,548.44	0.00%
December	£553,615.45	£553,615.45	0.00%
Total	£9,952,759.56	£4,249,964.36	57.30%

The indicator color for Total Sales will be based on % Growth to Last Year.

The solution must use the existing calculations only.

How should you configure the visual? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Conditional formatting:

- Background color
- Data bars
- Font color
- Icons
- Web URL

Format by:

- Color scale
- Field value
- Rules

Answer Area:

Answer Area

Conditional formatting:

- Background color
- Data bars
- Font color
- Icons
- Web URL

Format by:

- Color scale
- Field value
- Rules

Section:

Explanation:

Box 1: Background color

To format the Color column based on its field values, select Conditional formatting for the Color field, and then select Background color or Font color. In the Background color or Font color dialog box, select Field value from the Format by drop-down field. Box 2: Field value

With conditional formatting for tables in Power BI Desktop, you can specify customized cell colors, including color gradients, based on field values.


Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/desktop-conditional-table-formatting>

QUESTION 89

HOTSPOT


You are creating a quick measure as shown in the following exhibit.



You need to create a monthly rolling average measure for Sales over time-How should you configure the quick measure calculation? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area



Answer Area:

Answer Area

Base value:
 Total Cost
 Total Order Qty
 Total Sales
 Year

Date:
 Month
 Total Sales
 Year

Period:
 Months
 Quarters
 Years

Section:

Explanation:

Box 1: Total Sales

We select the field Total Sales

Box 2: Date

Select a date field.

Box 3: Month

Monthly periods.

Reference:

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-quick-measures>



QUESTION 90

HOTSPOT

You are creating an analytics report that will consume data from the tables shown in the following table.

Table name	Column name	Data type
Sales	sales_id	Integer
	sales_date	Datetime
	Customer_id	Integer
	sales_amount	Floating
	employee_id	Integer
	sales_ship_date	Datetime
	store_id	Varchar(100)
Employee	employee_id	Integer
	first_name	Varchar(100)
	last_name	Varchar(100)
	employee_photo	Binary

There is a relationship between the tables.

There are no reporting requirements on employeejd and employee_photo.

You need to optimize the data model

What should you configure for employeejd and employee.photo? To answer, select the appropriate options in the answer area.

Hot Area:



Section:

Explanation:

Box 1: Hide

Optimize data by hiding fields and sorting visualization data

Box 2: Delete

The fastest way to optimize your Power BI report is to limit the number of columns to only the ones you need in your data model. Go through your tables in Power Query and determine what fields are being used. Delete these columns if they are not being used in any of your reports or calculations.

Reference:

<https://tessellationtech.io/optimizing-power-bi-reports/>



QUESTION 91

HOTSPOT

You are creating a Microsoft Power BI model that has two tables named CityData and Sales. CityData contains only the data shown in the following table.

State (CityData)	City	Population (million)
CA	Los Angeles	4.00
CA	San Francisco	0.90
New York	New York	8.50
WA	Seattle	0.70
WA	Spokane	0.20

Sales contains only the data shown in the following table.

State (Sales)	Type	Sales
CA	Internet	60
CA	Store	80
TX	Store	400
WA	Internet	150
WA	Store	100

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
In the Sales table, you can write a DAX expression that uses the RELATED() function to get data from the CityData table.	<input type="radio"/>	<input type="radio"/>
A DAX expression of sales total =CALCULATE(SUM(Sales[sales]),ALL(Sales)) will produce the correct total sales value for each state, based on the data model.	<input type="radio"/>	<input type="radio"/>
A table visualization that uses CityData[state] and sales[sales] will contain sales from the state of TX.	<input type="radio"/>	<input type="radio"/>

Answer Area:

Answer Area

Statements	Yes	No
In the Sales table, you can write a DAX expression that uses the RELATED() function to get data from the CityData table.	<input checked="" type="radio"/>	<input type="radio"/>
A DAX expression of sales total =CALCULATE(SUM(Sales[sales]),ALL(Sales)) will produce the correct total sales value for each state, based on the data model.	<input checked="" type="radio"/>	<input type="radio"/>
A table visualization that uses CityData[state] and sales[sales] will contain sales from the state of TX.	<input type="radio"/>	<input checked="" type="radio"/>

Section:

Explanation:

Box 1: Yes

The Related function returns a related value from another table.

The RELATED function requires that a relationship exists between the current table and the table with related information. You specify the column that contains the data that you want, and the function follows an existing many-to-one relationship to fetch the value from the specified column in the related table. If a relationship does not exist, you must create a relationship. Box 2: Yes

Box 3: No

TX only occurs in the Sales table, but not in the CityData table.

Reference:

<https://docs.microsoft.com/en-us/dax/related-function-dax>

<https://docs.microsoft.com/en-us/dax/calculate-function-dax>

QUESTION 92

DRAG DROP

You build a report about warehouse inventory data. The dataset has more than 10 million product records from 200 warehouses worldwide. You have a table named Products that contains the columns shown in the following table.

Name	Sample data
ProductDescription	Bikes > Adventure Works > Mountain Bikes > Super Carbon Bike > 26in wheels 42in frame
ProductCategory	Bikes
Manufacturer	Adventure Works
ProductSubcategory	Mountain Bikes
ProductSpecification	26in wheels 42in frame

Warehouse managers report that it is difficult to use the report because the report uses only the product name in tables and visuals. The product name is contained within the ProductDescription column and is always the fourth value. You need to modify the report to support the warehouse managers requirement to explore inventory levels at different levels of the product hierarchy. The solution must minimize the model size. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

- 1. Create a product hierarchy of Manufacturer, ProductSpecifications, ProductName, ProductSubcategory, and ProductCategory.
- 2. Replace the use of ProductDescription in the report with the product hierarchy.
- 3. Transform the ProductDescription column to contain only the text between the first and fourth > symbol.
- 4. Add the product hierarchy as an extra field in visuals where ProductDescription is used.
- 5. Add a column named ProductName that contains only the text between the third and fourth > symbol in the ProductDescription column.
- 6. Add a column named ProductName that contains all the text after the third > symbol in the ProductDescription column.
- 7. Create a product hierarchy of ProductCategory, ProductSubcategory, Manufacturer, ProductName, and ProductSpecifications.

Answer Area

Correct Answer:

Actions	Answer Area
Create a product hierarchy of Manufacturer, ProductSpecifications, ProductName, ProductSubcategory, and ProductCategory.	Add a column named ProductName that contains only the text between the third and fourth > symbol in the ProductDescription column.
Transform the ProductDescription column to contain only the text between the first and fourth > symbol.	Create a product hierarchy of ProductCategory, ProductSubcategory, Manufacturer, ProductName, and ProductSpecifications.
Add the product hierarchy as an extra field in visuals where ProductDescription is used.	Replace the use of ProductDescription in the report with the product hierarchy.
Add a column named ProductName that contains all the text after the third > symbol in the ProductDescription column.	

Section:

Explanation:

QUESTION 93

HOTSPOT

You are creating a Microsoft Power BI imported data model to perform basket analysis. The goal of the analysis is to identify which products are usually bought together in the same transaction across and within sales territories. You import a fact table named Sales as shown in the exhibit. (Click the Exhibit tab.)

Column name	Data type	Description
SalesRowID	Integer	ID of the row from the source system, which represents a unique combination of SalesOrderNumber and SalesOrderLineNumber
ProductKey	Integer	Surrogate key that relates to the product dimension
OrderDateKey	Integer	Surrogate key that relates to the date dimension and is in the YYYYMMDD format
OrderDate	Datetime	Date and time an order was processed
CustomerKey	Integer	Surrogate key that relates to the customer dimension
SalesTerritoryKey	Integer	Surrogate key that relates to the sales territory dimension
SalesOrderNumber	Integer	Unique identifier of an order
SalesOrderLineNumber	Integer	Unique identifier of a line within an order
OrderQuantity	Integer	Quantity of the product ordered
LineTotal	Decimal	Total sales amount of a line before tax
TaxAmt	Decimal	Amount of tax charged for the items on a specified line within an order
Freight	Decimal	Amount of freight charged for the items on a specified line within an order
LastModified	Datetime	The date and time that a row was last modified in the source system
AuditID	Integer	The ID of the data load process that last updated a row



The related dimension tables are imported into the model.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area	Statements	Yes	No
	The SalesRowID and AuditID columns can be removed from the model without impeding the analysis goals.	<input type="radio"/>	<input type="radio"/>
	Both the OrderDateKey and OrderDate columns are necessary to perform the basket analysis.	<input type="radio"/>	<input type="radio"/>
	The TaxAmt column must retain the current number of decimal places to perform the basket analysis.	<input type="radio"/>	<input type="radio"/>

Answer Area:

Answer Area	Statements	Yes	No
	The SalesRowID and AuditID columns can be removed from the model without impeding the analysis goals.	<input checked="" type="radio"/>	<input type="radio"/>
	Both the OrderDateKey and OrderDate columns are necessary to perform the basket analysis.	<input checked="" type="radio"/>	<input type="radio"/>
	The TaxAmt column must retain the current number of decimal places to perform the basket analysis.	<input type="radio"/>	<input checked="" type="radio"/>

Section:

Explanation:

Reference:

<https://finance-bi.com/power-bi-basket-analysis/>

QUESTION 94

DRAG DROP

You have a Microsoft Power BI workspace.

You need to grant the user capabilities shown in the following table.

User name	Task
User1	Create and publish apps.
User2	Publish reports to the workspace and delete dashboards.

The solution must use the principle of least privilege.

Which user role should you assign to each user? To answer, drag the appropriate roles to the correct users. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Roles: Admin, Contributor, Member, Viewer

Answer Area: User1: Role, User2: Role

Correct Answer:

Roles: Admin, Contributor, Member, Viewer

Answer Area: User1: Member, User2: Contributor

Section:

Explanation:

User 1 = Member

User 2 = Contributor

<https://docs.microsoft.com/en-us/power-bi/collaborate-share/service-new-workspaces>

QUESTION 95

HOTSPOT

You have a report page that contains the visuals shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Selecting a quarter on the line chart will [answer choice] the clustered column chart.

cross-filter

cross-highlight

not affect

Selecting a data point on the Tailspin Toys line on the line chart will [answer choice] the map.

cross-filter

cross-highlight

not affect

Answer Area:

Answer Area

Selecting a quarter on the line chart will [answer choice] the clustered column chart.

cross-filter

cross-highlight

not affect

Selecting a data point on the Tailspin Toys line on the line chart will [answer choice] the map.

cross-filter

cross-highlight

not affect

Section:

Explanation:

Box 1: cross-filter

By default, selecting a data point in one visual on a report page will cross-filter or cross-highlight the other visuals on the page.

Box 2: cross-highlight

Example:

By default, selecting a data point in one visual on a report page will cross-filter or cross-highlight the other visuals on the page.



1. Let's see what happens when we select Moderation.



2. Cross-filtering removes data that doesn't apply. Selecting Moderation in the doughnut chart crossfilters the line chart. The line chart now only displays data points for the Moderation segment.

3. Cross-highlighting retains all the original data points but dims the portion that does not apply to your selection. Selecting Moderation in the doughnut chart cross-highlights the column chart. The column chart dims all the data that applies to the Convenience segment and highlights all the data that applies to the Moderation segment.

Reference:

<https://docs.microsoft.com/en-us/power-bi/consumer/end-user-interactions>

QUESTION 96

HOTSPOT

You have two Azure SQL databases that contain the same tables and columns.

For each database, you create a query that retrieves data from a table named Customers.

You need to combine the Customer tables into a single table. The solution must minimize the size of the data model and support scheduled refresh in powerbi.com. What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Option to use to combine the Customer tables:

- Append Queries
- Append Queries as New
- Merge Queries
- Merge Queries as New

Action to perform on the original two SQL database queries:

- Delete the queries.
- Disable including the query in report refresh.
- Disable loading the query to the data model.
- Duplicate the queries.

Answer Area:



Answer Area

Option to use to combine the Customer tables:

- Append Queries
- Append Queries as New
- Merge Queries
- Merge Queries as New

Action to perform on the original two SQL database queries:

- Delete the queries.
- Disable including the query in report refresh.
- Disable loading the query to the data model.
- Duplicate the queries.

Section:

Explanation:

Box 1: Append Queries as New.

There are two primary ways of combining queries: merging and appending.

When you have one or more columns that you'd like to add to another query, you merge the queries.

When you have additional rows of data that you'd like to add to an existing query, you append the query. Box 2: Disable loading the query to the data model

For every query that loads into model memory will be consumed. and Memory is our asset in the Model, less memory consumption leads to better performance in most of the cases. The best approach is to disable loading.

Reference:

<https://docs.microsoft.com/en-us/power-query/append-queries>


QUESTION 97

HOTSPOT

You have a folder of monthly transaction extracts.

You plan to create a report to analyze the transaction data.

You receive the following email message: "Hi. I've put 24 files of monthly transaction data onto the shared drive. File Transactions201901.csv through Transactions201912.csv have the latest set of columns, but files Transactions201801.csv to Transactions201812.csv have an older layout without the extra fields needed for analysis. Each file contains 10 to 50 transactions." You get data from the folder and select Combine & Load. The Combine Files dialog box is shown in the exhibit. (Click the Exhibit tab.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
The resulting query will contain all the columns from the 2018 transactions.	<input type="radio"/>	<input type="radio"/>
The resulting query will contain all the columns from the 2019 transactions.	<input type="radio"/>	<input type="radio"/>
Setting Data Type Detection to Based on first 200 rows will improve import times.	<input type="radio"/>	<input type="radio"/>

Answer Area:

Answer Area

Statements	Yes	No
The resulting query will contain all the columns from the 2018 transactions.	<input checked="" type="radio"/>	<input type="radio"/>
The resulting query will contain all the columns from the 2019 transactions.	<input checked="" type="radio"/>	<input type="radio"/>
Setting Data Type Detection to Based on first 200 rows will improve import times.	<input checked="" type="radio"/>	<input type="radio"/>

Section:

Explanation:

Box 1: Yes

The four columns used in the 2018 transactions are already displayed.

Box 2: Yes

The columns used are based on the entire dataset. The additional columns in the 2019 files will be detected. Box 3: Yes

Note: Under the hood, Power BI will automatically detect which delimiter to use, and may even promote the first row as headers. You can manually change the delimiter, or define how Power BI should handle data types.

You can set it to automatically detect data types based on first 200 rows, or the entire dataset or you can even opt out the detection of data types.



QUESTION 98

DRAG DROP

You receive revenue data that must be included in Microsoft Power BI reports.

You perform an initial load of the data from a Microsoft Excel source as shown in the following exhibit.

Column1	Column2	Column3	Column4	Column5	Column6
Department	Product	2018	2017	2018	2019
Bikes	Carbon mountainbike	1002815	1006817	1007824	1007239
Bikes	Aluminium road bike	1007024	1001454	1005842	1007105
Bikes	Touring bike	1003676	1005172	1001669	1001244
Accessories	Bell	76723	10247	60590	21927
Accessories	Bottle holder	26690	29613	67955	71466
Accessories	Satnav	83189	40313	71684	24697
Accessories	Mobilephone holder	68641	80336	58099	45706

You plan to create several visuals from the data, including a visual that shows revenue split by year and product. You need to transform the data to ensure that you can build the visuals. The solution must ensure that the columns are named appropriately for the data that they contain. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Select **Use Headers as First Row**.

Select Department and Product and **Unpivot Other Columns**.

Select **Use First Rows as Headers**.

Rename the third column as Year and the fourth column as Revenue.

Select Department and Product and **Unpivot Columns**.

Rename the third column as Revenue and the fourth column as Year.

Answer Area

>

<

Correct Answer:

Actions

Select **Use First Rows as Headers**.

Select Department and Product and **Unpivot Columns**.

Rename the third column as Revenue and the fourth column as Year.

Answer Area

Select **Use Headers as First Row**.

Select Department and Product and **Unpivot Other Columns**.

Rename the third column as Year and the fourth column as Revenue.

>


<

vdumps

Section:

Explanation:

Step 1: Select Use Header as First Row.
 Step 2: Select Department and Product and Unpivot Other Columns
 Unpivot Other Columns: This command unpivots unselected columns. Use this command in a query when not all columns are known. New columns added during a refresh operation are also unpivoted. Step 3: Rename the Attribute column to Year and the Value column to Revenue.
 You might want to unpivot data, sometimes called flattening the data, to put it in a matrix format so that all similar values are in one column. This is necessary, for example, to create a chart or a report.




When you unpivot, you unpack the attribute-value pairs that represent an intersection point of the new columns and re-orient them into flattened columns:
 Values (in blue on the left) are unpivoted into a new column (in blue on the right).
 Attributes (in green on the left) are unpivoted into a new column (in green on the right) and duplicates are correspondingly mapped to the new Values column.
 Reference:
<https://support.microsoft.com/en-us/office/unpivot-columns-power-query-0f7bad4b-9ea1-49c1-9d95-f588221c7098>

QUESTION 99

HOTSPOT

You view a query named Transactions as shown in the following exhibit.



The query gets CSV files from a folder.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

There are [answer choice] CSV files:

9
10
25
90
1,000

Removing duplicates based on the Date column will reduce the dataset to

[answer choice] rows:

9
10
25
90
1,000

Answer Area:

Answer Area

There are [answer choice] CSV files:

9
10
25
90
1,000

Removing duplicates based on the Date column will reduce the dataset to

[answer choice] rows:

9
10
25
90
1,000

Section:

Explanation:

Box 1: 9

9 distinct CSV files.

Box 2: 10

10 distinct dates.

<https://pediaa.com/what-is-the-difference-between-unique-and-distinct-insql/#:~:text=Unique%20and%20Distinct%20are%20two%20SQL%20constraints, the%20records%20from%20a%20table.>

QUESTION 100

DRAG DROP

You are modeling data in table named SalesDetail by using Microsoft Power BI.

You need to provide end users with access to the summary statistics about the SalesDetail data. The users require insights on the completeness of the data and the value distributions. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Specify the following query, then close and apply.
-Table.Distinct("#SalesDetail")

Create a visual for the query table.

Create a parameter that uses a query for the suggested values.

Create a query that uses Common Data Service as a data source.

Specify the following query, then close and apply.
-Table.Profile("#SalesDetail")

Create a blank query as a data source.

Answer Area



Correct Answer:

Actions

Specify the following query, then close and apply.
-Table.Distinct("#SalesDetail")

Create a parameter that uses a query for the suggested values.

Create a query that uses Common Data Service as a data source.

Answer Area

Create a blank query as a data source.

Specify the following query, then close and apply.
-Table.Profile("#SalesDetail")

Create a visual for the query table.



Section:

Explanation:

QUESTION 101

HOTSPOT

You have an API that returns more than 100 columns. The following is a sample of column names. client_notified_timestamp client_notified_source

client_notified_sourceid

client_notified_value

client_responded_timestamp

client_responded_source

client_responded_sourceid

client_responded_value

You plan to include only a subset of the returned columns.

You need to remove any columns that have a suffix of sourceid.

How should you complete the Power Query M code? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Hot Area:

```
let
    Source = ...,
    rawData = Source{[tableId= "clientData"]}[Data],
    removeSources = (rawData,
        (Table.ColumnNames (rawData),
            List.Contains
            List.Select
            Table.FindText
            Table.FromList
        ),
        each (, "sourceid"))
in
    removeSources
```



Answer Area:

```

let
    Source = ...,
    rawData = Source{[tableId= "clientData"]}[Data],
    removeSources = 
        Table.RemoveColumns(
            (rawData,
                List.Select(
                    Table.ColumnNames(rawData),
                    Text.EndsWith(_, "sourceid")))
        )
in
    removeSources

```



Section:

Explanation:

- Box 1: Table.RemoveColumns
- When you do "Remove Columns" Power Query uses the Table.RemoveColumns function
- Box 2: List.Select Get a list of columns.
- Box 3: Text.EndsWith

QUESTION 102

DRAG DROP

You are building a dataset from a JSON file that contains an array of documents. You need to import attributes as columns from all the documents in the JSON file. The solution must ensure that date attributes can be used as date hierarchies in Microsoft Power BI reports. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

- Expand the columns.
- Expand the records.
- Add columns that use data type conversions.
- Set the data types.
- Convert the list to a table.

Answer Area

Navigation icons: Left arrow, Right arrow, Up arrow, Down arrow.

Correct Answer:

Actions

- Expand the columns.
-
- Add columns that use data type conversions.
-
-

Answer Area

- Convert the list to a table.
- Expand the records.
- Set the data types.

Navigation icons: Left arrow, Right arrow, Up arrow, Down arrow.



Section:

Explanation:

- 1- Convert list to table
- 2- Expand Column
- 3- Set Date type

Here is an example: <https://youtu.be/B4kzyxnhQfl>

The definition of the function which expand columns: <https://docs.microsoft.com/enus/powerquery-m/table-expandrecordcolumn>

QUESTION 103

HOTSPOT

Your company has affiliates who help the company acquire customers.

You build a report for the affiliate managers at the company to assist them in understanding affiliate performance. The managers request a visual showing the total sales value of the latest 50 transactions for each affiliate. You have a data model that contains the following tables.

Table name	Column name
Transactions	TransactionDate
	ItemsOrdered
	Amount
	TransactionID
Affiliate	AffiliateID
	Name

You need to develop a measure to support the visual.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Hot Area:

Revenue Last 50 Transactions =

▼
CALCULATE
CONCATENATEX
SUM
SUMX
TOPN

(

▼
CALCULATE
CONCATENATEX
SUM
SUMX
TOPN

(Transactions[Amount]),

▼
CALCULATE
CONCATENATEX
SUM
SUMX
TOPN

(50, Transactions, Transactions

▼
TransactionID]
[Amount],
[ItemsOrdered],
[TransactionDate],

DESC)

)



Answer Area:

Revenue Last 50 Transactions =

CALCULATE
CONCATENATEX
SUM
SUMX
TOPN

(

CALCULATE
CONCATENATEX
SUM
SUMX
TOPN

(Transactions[Amount]),


CALCULATE
CONCATENATEX
SUM
SUMX
TOPN

(50, Transactions, Transactions

TransactionID]
[Amount],
[ItemsOrdered],
[TransactionDate],

DESC)

)



Section:

Explanation:

Box 1: CALCULATE

Start with CALCULATE and use a SUMX.

CALCULATE evaluates an expression in a modified filter context.

Box 2: SUM

Box 3: TOPN

TOPN returns the top N rows of the specified table.

Box 4: [TransactionDate]

TOPN Syntax: TOPN(<n_value>, <table>, <orderBy_expression>, [<order>[, <orderBy_expression>, [<order>]]...]) The orderBy_expression: Any DAX expression where the result value is used to sort the table and it is evaluated for each row of table.

Reference:

<https://docs.microsoft.com/en-us/dax/topn-function-dax>

QUESTION 104

HOTSPOT

You are creating a Microsoft Power BI data model that has the tables shown in the following table.

Table name	Column name
Sales	SalesID
	ProductID
	DateKey
	SalesAmount
Products	ProductID
	ProductName
	ProductCategoryID
ProductCategory	ProductCategoryID
	CategoryName

The Products table is related to the ProductCategory table through the ProductCategoryID column.

You need to ensure that you can analyze sales by product category.

How should you configure the relationships from Products to ProductCategory? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Hot Area:

Cardinality:

Cross-filter direction:

Answer Area:

Cardinality:

Cross-filter direction:



Section:

Explanation:

Box 1: One-to-many

Box 2: Both

For One-to-many relationships, the cross filter direction is always from the "one" side, and optionally from the "many" side (bi-directional). Note:

Cardinality type	Cross filter options
One-to-many (or Many-to-one)	Single Both
One-to-one	Both
Many-to-many	Single (Table1 to Table2) Single (Table2 to Table1) Both

Reference:

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-relationships-understand>

QUESTION 105

DRAG DROP

You have a Microsoft Power BI data model that contains three tables named Sales, Product, and Date. The Sales table has an existing measure named [Total Sales] that sums the total sales from the Sales table. You need to write a calculation that returns the percentage of total sales that a selected ProductCategoryName value represents. The calculation must respect any slicers on ProductCategoryName and must show the percentage of visible total sales. For example, if there are four ProductCategoryName values, and a user filters one out, a table showing ProductCategoryName and the calculation must sum up to 100 percent. How should you complete the calculation? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Values	Answer Area
ALL	Product Category % of Total 2 = [] ([Total Sales], [] ([Total Sales] , [] (Product [ProductCategoryName])))
ALLSELECTED	
CALCULATE	
CALCULATETABLE	
CURRENTGROUP	
DIVIDE	
SUMMARIZE	
TOPN	



Correct Answer:

Values	Answer Area
ALL	Product Category % of Total 2 = DIVIDE ([Total Sales], CALCULATE ([Total Sales] , ALLSELECTED (Product [ProductCategoryName])))
[]	
[]	
CALCULATETABLE	
CURRENTGROUP	
[]	
SUMMARIZE	
TOPN	

Section:

Explanation:

Divide, Calculate, AllSelected.

Reference:

<https://docs.microsoft.com/en-us/dax/allselected-function-dax>

QUESTION 106

DRAG DROP

You are using existing reports to build a dashboard that will be viewed frequently in portrait mode on mobile phones. You need to build the dashboard.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Pin items from the reports to the dashboard.

Rearrange, resize, or remove items from the phone view.

Change the dashboard view to **Phone view**.

Open the dashboard.

Create a phone layout for the existing reports.

Answer Area



Correct Answer:

Actions

Create a phone layout for the existing reports.


Answer Area

Pin items from the reports to the dashboard.

Open the dashboard.

Change the dashboard view to **Phone view**.

Rearrange, resize, or remove items from the phone view.



Section:

Explanation:

1. Pin items from report to Dashboard.
2. Open Dashboard.

3. Change the dashboard view to Phone view.
4. Rearrange, resize the visuals.

QUESTION 107

HOTSPOT

You have a dataset named Pens that contains the following columns:

Unit Price

Quantity Ordered

You need to create a visualization that shows the relationship between Unit Price and Quantity Ordered. The solution must highlight orders that have a similar unit price and ordered quantity. Which type of visualization and which feature should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Hot Area:

Visualization:

- A column chart of Quantity Ordered and Unit Price by year
- A line chart of Quantity Ordered and Unit Price by item
- A scatter plot of Quantity Ordered and Unit Price by item

Feature:

- Automatically find clusters
- Explain the decrease
- Find where the distribution is different

Answer Area:

Visualization:

- A column chart of Quantity Ordered and Unit Price by year
- A line chart of Quantity Ordered and Unit Price by item
- A scatter plot of Quantity Ordered and Unit Price by item

Feature:

- Automatically find clusters
- Explain the decrease
- Find where the distribution is different



Section:

Explanation:

Box 1: A scatter plot...

A scatter chart always has two value axes to show: one set of numerical data along a horizontal axis and another set of numerical values along a vertical axis. The chart displays points at the intersection of an x and y numerical value, combining these values into single data points. Power BI may distribute these data points evenly or unevenly across the horizontal axis. It depends on the data the chart represents. Box 2: Automatically find clusters

Scatter charts are a great choice to show patterns in large sets of data, for example by showing linear or non-linear trends, clusters, and outliers.

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-scatter>

QUESTION 108

HOTSPOT

You have a Power BI model that has the following tables:

Product (Product_id, Product_Name)

Sales (Order_id, Order_Date, Product_id, Salesperson_id, Sales_Amount) Salesperson (Salesperson_id, Salesperson_name, address) You plan to create the following measure. Measure1 = DISTINCTCOUNT(Sales[ProductID])

You need to create the following relationships:

Sales to Product

Sales to Salesperson

The solution must ensure that you can use Measure1 to display the count of products sold by each salesperson. How should you configure the relationships? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Cardinality:
Many to One (*:1)
One to Many (1:*)
One to One (1:1)

Cross filter direction:
Both
Single

Answer Area:

Cardinality:
Many to One (*:1)
One to Many (1:*)
One to One (1:1)

Cross filter direction:
Both
Single

Section:

Explanation:

QUESTION 109

HOTSPOT

You have a report in Power BI Desktop as shown in the following exhibit.





Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. Note: Each correct selection is worth one point.

Hot Area:

The goal is set by using [answer choice].

- a calculated measure
- a DAX formula
- the Format settings

To configure the visualization to display TotalPrice for the Territory of Canada always, you must add the Territory column to [answer choice].

- the Tooltips field
- the Values field
- the Visual level filters field

Answer Area:

The goal is set by using [answer choice].

- a calculated measure
- a DAX formula
- the Format settings

To configure the visualization to display TotalPrice for the Territory of Canada always, you must add the Territory column to [answer choice].

- the Tooltips field
- the Values field
- the Visual level filters field

Section:

Explanation:

QUESTION 110

DRAG DROP

You have a Power BI model that contains a table named Sales. Sales has the following three measures:

A measure named Total Sales Last Year that displays the sales from the previous calendar year. The current value is 32.89 million. A measure named Total Sales This Year that displays the sales from the current calendar year. The current value is 11.69 million. A measure named Total Sales Difference that uses a DAX formula of Sales[Last Year] – Sales[This Year]. You need to create the following visualization.



How should you configure the visualization? To answer, drag the appropriate measures to the correct fields. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Select and Place:

Measures

- Total Sales Difference
- Total Sales Last Year
- Total Sales This Year

Answer Area

- Value:
- Maximum value:
- Target value:

Correct Answer:

Measures

- Total Sales Difference
- Total Sales Last Year
- Total Sales This Year

Answer Area

- Value: Total Sales This Year
- Maximum value: Total Sales Last Year
- Target value: Total Sales Last Year

Section:

Explanation:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-radial-gauge-charts>

QUESTION 111

HOTSPOT

You are creating reports in Power BI Desktop. The model has the following tables.

Table name	Column name	Data type
Order	Order_date	Datetime
	Order_amount	Float
	Customer_ID	Integer
Customer	Customer_ID	Integer
	Full_name	Varchar(100)
	Customer_Photo	Binary

There is a relationship between the tables.

You plan to publish a report to the Power BI service that displays Order_amount by Order_date by Full_name. You need to ensure that only the columns required for the report appear in Report View. The solution must minimize the size of the dataset that is published. How should you configure the columns in Power BI Desktop? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Hot Area:

Customer_ID:

From Query Editor, select the column and click Remove Columns.
 From Query Editor, select the column and click Remove Duplicates.
 From Query Editor, select the column and click Remove Other Columns.
 From the model, select the column and click Hide.

Customer_Photo:

From Query Editor, select the column and click Remove.
 From Query Editor, select the column and click Remove Duplicates.
 From Query Editor, select the column and click Remove Other Columns.
 From the model, select the column and click Hide.

Answer Area:

Customer_ID:

From Query Editor, select the column and click Remove Columns.
 From Query Editor, select the column and click Remove Duplicates.
 From Query Editor, select the column and click Remove Other Columns.
 From the model, select the column and click Hide.

Customer_Photo:

From Query Editor, select the column and click Remove.
 From Query Editor, select the column and click Remove Duplicates.
 From Query Editor, select the column and click Remove Other Columns.
 From the model, select the column and click Hide.

Section:

Explanation:

QUESTION 112

HOTSPOT

You have a table that contains a column named Phone. The following is a sample of the data in the Phone column.

436-555-0160
 385-555-0140
 452-555-0179
 290-555-0196
 1 (11) 500 555-0122
 128-555-0148
 819-555-0186
 996-555-0192
 138-555-0156
 556-555-0192

You need to add a new column that contains the data in the format of nnn-nnn-nnnn.

How should you complete the Query Editor formula? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Hot Area:

= Table.AddColumn("#Previous Step", "Custom", each Text.

▼
Insert
Remove
Replace
ReplaceRange

(Text.

▼
At
End
Middle
Range

([Phone], 12), " ", "-"))



Answer Area:

= Table.AddColumn("#Previous Step", "Custom", each Text.

▼
Insert
Remove
Replace
ReplaceRange

(Text.

▼
At
End
Middle
Range

([Phone], 12), " ", "-"))

Section:

Explanation:

<https://docs.microsoft.com/en-us/powerquery-m/text-replace>

<https://docs.microsoft.com/en-us/powerquery-m/text-end>

QUESTION 113

You maintain a Power BI workspace that contains a supplier quality dashboard. The dashboard contains 10 card visuals, two map visuals and five bar chart visuals. The dashboard mobile layout is shown in the exhibit. (Click the Exhibit tab.)

You need to modify the dashboard mobile layout to meet the following requirements:

- Only show single-value visuals.
- Minimize scrolling.

What should you do?

- Remove the card visual, increase the size of the map and bar chart visuals
- Decrease the size of the map and bar chart visuals Move all the card visuals to the top of the layout.
- Move the bar chart visuals to the top of the layout Remove the map visuals. Decrease the size of the card visuals.
- Decrease the size of the card visuals. Remove the map and bar chart visuals.

Correct Answer: D

Section:

QUESTION 114

You have a Power BI report

You have a table named Dalai that contains 10 million rows. Data is used in the following visuals:

- A card that shows the number of records
- A bar chart that snows total transaction amount by territory
- A scatter plot that shows transaction amount and profit amount on the axes and points colored by territory You need to modify the scatter plot to make it easier for users to identify meaningful patterns. The solution must not affect the accuracy of the other visuals-What should you do?

- Apply a row filter to the Dalai query in Power Query Editor.
- Add a trend line to the scatter plot
- Enable high-density sampling on the scatter plot
- Add a count field of the transaction amount to the size bucket of the scatter plot



Correct Answer: B

Section:

QUESTION 115

You are creating a line chart in a Power BI report as shown in the following exhibit.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.



NOTE: Each correct selection is worth one point.

A.

Correct Answer: A

Section:

Explanation:

Answer: A

Explanation:

Answer as selected



QUESTION 116

You have a Power Bi report. The report contains a visual that snows gross sales by date The visual has anomaly detection enabled. No anomalies ate detected

You need to increase the likelihood that anomaly detection will identify anomalies in the report.

What should you do?

- A. Add a data field to the Secondary values field weft
- B. Increase the Sensitivity setting.
- C. Increase the Expected range transparency setting,
- D. Add a data field to the Legend field well

Correct Answer: B

Section:

Explanation:



QUESTION 117

You are creating a Power BI report to analyze consumer purchasing patterns from a table named Transactions. The Transactions table contains a numeric field named Spend. You need to include a visual that identifies which fields have the greatest impact on Spend. Which type of visual should you use?


- A. decomposition tree
- B. Q&A
- C. smart narrative
- D. key influences

Correct Answer: D

Section:

QUESTION 118

You have a Power BI visual that uses indicators to show values that are out of range as shown in the following exhibit.



A.

Correct Answer: A

Section:

Explanation:

Answer: A

Explanation:

Answer as selected

Answer Area



The visual type is [answer choice] chart.

The visual indicators that show values out of range are created by using [answer choice].

QUESTION 119

You need to create a Power BI theme that will be used in multiple reports. The theme will include corporate branding for font size, color, and bar chart formatting. What should you do?

- A. Create a theme as a PBIVIZ file and import the theme into Power BI Desktop.
- B. Create a theme as a JSON file and import the theme into Power BI Desktop.
- C. From Power BI Desktop, use a built-in report theme.
- D. From Power BI Desktop, customize the current theme.

Correct Answer: D

Section:

QUESTION 120

You build a Power BI report that displays 10T temperature data streaming from a refrigerator.
You publish the report to the BI service.
You need to be notified when the temperature rises above four degrees Celsius.
What should you do?

- A. Pin a report page to a dashboard and set an alert on the page.
- B. Set an alert on a KPI visual in the report.
- C. Pin a card visual to a dashboard and set an alert on the tile.
- D. Pin a card visual to a dashboard and create a subscription.

Correct Answer: A


Section:

QUESTION 121

HOTSPOT

You have a Power BI imported dataset that contains the data model shown in the following exhibit.





Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Changing the [answer choke] setting of the relationships will improve report query performance.

	▼
Cardinality	
Cross filter direction	
Assume Referential Integrity	

The data model is organized into a [answer choice].

	▼
star schema	
snowflake schema	
denormalized table	

Answer Area:

Answer Area

Changing the [answer choke] setting of the relationships will improve report query performance.

	▼
Cardinality	
Cross filter direction	
Assume Referential Integrity	

The data model is organized into a [answer choice].

	▼
star schema	
snowflake schema	
denormalized table	

Section:

Explanation:

QUESTION 122

HOTSPOT

You have a report in Power BI Desktop.

You add a key influencers visual as shown in the exhibit. (Click the Exhibit tab.)

Key influencers Top segments


What influences Attrition to Increase ?

When... ...the average of Attrition increases by

OverTime is Yes



Attrition is more likely to increase when OverTime is Yes than otherwise (on average).



Only show values that are influencers

Visualizations

Filters

- Py
- Visualizations

Analyze

Attrition

Explain by

- Age
- BusinessTravel
- DailyRate
- Department
- DistanceFromHome
- Education
- JobSatisfaction
- OverTime

Expand by

Add data fields here

Drill through

Cross-report

Off

Keep all filters

On

Add drill-through fields here

Fields

Search

- Employees
- financials
- Sales
- WA_Fn-UseC_-HR-Employee-Attrition
 - Age
 - Attrition
 - BusinessTravel
 - DailyRate
 - Department
 - DistanceFromHome
 - Education
 - EducationField
 - EmployeeCount
 - EmployeeNumber
 - EnvironmentSatisfaction
 - Gender
 - HourlyRate
 - JobInvolvement
 - JobLevel
 - JobRole
 - JobSatisfaction
 - MaritalStatus
 - MonthlyIncome
 - MonthlyRate
 - NumCompaniesWorked
 - Over1B
 - OverTime
 - PercentSalaryHike
 - PerformanceRating
 - RelationshipSatisfaction
 - StandardHours
 - StockOptionLevel
 - TotalWorkingYears
 - TrainingTimesLastYear
 - WorkLifeBalance
 - YearsAtCompany
 - YearsInCurrentRole
 - YearsSinceLastPromotion
 - YearsWithCurrManager

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Identifying additional factors that increase attrition can be achieved by [answer choice].

	▼
turning on Cross-report	
adding more fields to Explain by	
adding more fields to Expand by	
moving fields from Explain by to Expand by	

Employee attrition is [answer choice] times greater when employees work overtime.

	▼
0.11	
.2	
1	
3	

Answer Area:

Answer Area

Identifying additional factors that increase attrition can be achieved by [answer choice].

	▼
turning on Cross-report	
adding more fields to Explain by	
adding more fields to Expand by	
moving fields from Explain by to Expand by	

Employee attrition is [answer choice] times greater when employees work overtime.

	▼
0.11	
.2	
1	
3	

Section:

Explanation:

QUESTION 123

DRAG DROP

In Power Query Editor, you have three queries named ProductCategory, ProductSubCategory, and Product. Every Product has a ProductSubCategory.

Not every ProductSubCategory has a parent ProductCategory.

You need to merge the three queries into a single query. The solution must ensure the best performance in Power Query. How should you merge the tables? To answer, drag the appropriate merge types to the correct queries. Each merge type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Join kinds

- Full outer
- Inner
- Left anti
- Left outer
- Right anti
- Right outer

Answer Area

Left Table	Right Table	Join Kind
Product	ProductSubCategory	Join kind
ProductSubCategory	ProductCategory	Join kind

vdumps

Correct Answer:

The image shows a screenshot of a Power Query Merge dialog box. On the left, under 'Join kinds', there are five options: 'Full outer', an empty box, 'Left anti', an empty box, 'Right anti', and 'Right outer'. On the right, under 'Answer Area', there are two options: 'Inner' and 'Left outer'. The background of the dialog box shows a diagram of two tables: 'Left Table' with columns 'Product' and 'ProductSubCategory', and 'Right Table' with columns 'ProductSubCategory' and 'ProductCategory'.

Section:

Explanation:

Box 1: Inner Every

Product has a ProductSubCategory.

A standard join is needed.

One of the join kinds available in the Merge dialog box in Power Query is an inner join, which brings in only matching rows from both the left and right tables.

Box 2: Left outer Not

every ProductSubCategory has a parent ProductCategory.

One of the join kinds available in the Merge dialog box in Power Query is a left outer join, which keeps all the rows from the left table and brings in any matching rows from the right table.

Reference:

<https://docs.microsoft.com/en-us/power-query/merge-queries-inner>

<https://docs.microsoft.com/en-us/power-query/merge-queries-left-outer>

QUESTION 124

DRAG DROP

You receive annual sales data that must be included in Power BI reports.

From Power Query Editor, you connect to the Microsoft Excel source shown in the following exhibit.

2	Feb	2	758	773	0
3	Mar	3	37763	570	null
4	Apr	4	8364	9417	null
5	May	5	58256	276	null
6	June	6	6722	235	null
7	July	7	55225	6297	null
8	Aug	8	673	63	null
9	Sep	9	552	357	null
10	Oct	10	7838	24214	null
11	Nov	11	83544	257	null
12	Dec	12	32455	389	null

You need to create a report that meets the following requirements:

- Visualizes the Sales value over a period of years and months
- Adds a slicer for the month
- Adds a slicer for the year

Select and Place:

Actions

Select the Month and MonthNumber columns.

Select **Transpose**.

Rename the Attribute column as Year and the Value column as Sales.

Select **Unpivot other columns**.

Select the 2019, 2020, and 2021 columns.

Answer Area



Correct Answer:

Actions

Select the Month and MonthNumber columns.

Select **Transpose**.



Answer Area

Select the 2019, 2020, and 2021 columns.

Select **Unpivot other columns**.

Rename the Attribute column as Year and the Value column as Sales.

Section:

Explanation:

QUESTION 125

The table has the following columns.

Name	Sample value
Date	2022-06-01
Year	2022
Month Number	6
Month Name	June
Year Month	2022 Jun

You need to add a column that will be used to sort the Year Month column chronologically.

Month Year Sort = [Year] +

A.

Month Year Sort = [Year] * 100 + [Date]

Correct Answer: A

Section:

QUESTION 126

You have a Power BI report that contains three pages named Page1, Page2, and Page3. All the pages have the same slicers. You need to ensure that all the filters applied to Page1 apply to Page1 and Page3 only. What should you do?

- A. Sync the slicers on Page1 and Page3
- B. On each page, modify the interactions of the slicer.
- C. Enable visibility of the slicers on Page1 and Page3. Disable visibility of the slicer on Page2.

Correct Answer: A

Section:

QUESTION 127

You have a Power BI workspace named Inventory that contains a dataset a report and a dashboard.

You need to add an additional tile to the dashboard. The tile must show inventory by location. This information is NOT visualized in the report. The solution must minimize the impact on the report. Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Use quick insights on the dashboard.
- B. Hide the report page.
- C. Ask a question by using Q&A.
- D. Add the visual to the report.
- E. Pin the visual to the dashboard.

Correct Answer: C, E

Section:

QUESTION 128

You have a report that contains a donut chart and a clustered column chart. Interactions between the visuals use the default settings. You need to modify the report so that when you select a column in the column chart, the donut chart redraws by using the data from the selected column. What should you do?

- A. Select the column chart and set the donut chart interaction to None.
- B. Select the column chart and set the donut chart interaction to Filter
- C. Select the donut chart and set the column chart interaction to Filter
- D. Select the donut chart and set the column chart interaction to None.

Correct Answer: B

Section:

QUESTION 129

You have a PBIX file that imports several tables from an Azure SQL database.

The data will be migrated to another Azure SQL database.

You need to change the connections in the PBIX file. The solution must minimize administrative effort. What should you do?

- A. From Power Query Editor, modify the source of each query.
- B. Create a PBIT file, open the file, and change the data sources when prompted
- C. From Power Query Editor, create new queries.
- D. Modify the Data source settings.

Correct Answer: D

Section:

QUESTION 130

You have a Microsoft Excel file in a Microsoft OneDrive folder.

The file must be imported to a Power BI dataset

You need to ensure that the dataset can be refreshed in powerbi.com.

Which two connectors can you use to connect to the file? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Text/CSV
- B. Folder
- C. Excel Workbook
- D. SharePoint folder
- E. Web

Correct Answer: B, C

Section:

Explanation:

QUESTION 131

A business intelligence (BI) developer creates a dataflow in Power BI that uses DirectQuery to access tables from an on-premises Microsoft SQL server. The Enhanced Dataflows Compute Engine is turned on for the dataflow.

You need to use the dataflow in a report. The solution must meet the following requirements:

- Minimize online processing operations.
- Minimize calculation times and render times for visuals.
- Include data from the current year, up to and including the previous day.

What should you do?



- A. Create a dataflows connection that has Import mode selected and schedule a dairy refresh.
- B. Create a dataflows connection that has DirectQuery mode selected.
- C. Create a dataflows connection that has DirectQuery mode selected and configure a gateway connection for the dataset
- D. Create a dataflows connection that has Import mode selected and create a Microsoft Power Automate solution to refresh the data hourly.

Correct Answer: A

Section:

QUESTION 132

You have two CSV files named Products and Categories. The Products file contains the following columns:

- ProductID
- ProductName
- SupplierID
- CategoryID
- CategoryName
- CategoryDescription

- ProductID
- ProductName
- SupplierID
- CategoryID

The Categories file contains the following columns:

From Power BI Desktop, you import the files into Power Query Editor.

You need to create a Power BI dataset that will contain a single table named Product. The Product will table includes the following columns:

A.

Correct Answer: A

Section:


Explanation:

Answer: A

Explanation:

Answer as selected

Answer Area



QUESTION 133

You are profiling data by using Power Query Editor.

You have a table named Reports that contains a column named State. The distribution and quality data metrics for the data m State is shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

A.

Correct Answer: A

Section:

Explanation:

Answer: A

Explanation:

Answer as selected.

Answer Area

There are [answer choice] different values in State including nulls. 69

There are [answer choice] non-null values that occur only once in State. 4

Vdumps

QUESTION 134

For the sales department at your company, you publish a Power BI report that imports data from a Microsoft Excel We located in a Microsoft SharePoint folder The data model contains several measures You need to create a Power BI report from the existing dat a. The solution must minimize development effort. Which type of data source should you use?

- A. a SharePoint folder
- B. Power BI dataflows
- C. an Excel workbook
- D. Power BI dataset

Correct Answer: A

Section:

Explanation:

Case states there is already a report published and the datamodel contains measures. therefore and to be able to use the measures in the datamodel you should connect to the existing dataset (which was created when you published the report) instead of starting from scratch with the files in the SharePoint folder.

QUESTION 135

You import two Microsoft Excel tables named Customer and Address into Power Query Customer contains the following columns:

- Customer ID
- Customer Name
- Phone
- Email Address
- Address ID

Address contains the following columns:

- Address ID
- Address Line 1
- Address Line 2
- City
- State/Region
- Country
- Postal Code

Each Customer ID represents a unique customer in the Customer table. Each Address ID represents a unique address in the Address table. You need to create a query that has one row per customer. Each row must contain City, State/ Region, and Country for each customer. What should you do?

- A. Append the Customer and Address tables.
- B. Transpose the Customer and Address tables.
- C. Group the Customer and Address tables by the Address ID column.
- D. Merge the Customer and Address tables.

Correct Answer: D

Section:

QUESTION 136

DRAG DROP

You are modifying a Power BI model by using Power BI Desktop.

You have a table named Sales that contains the following fields.

Name	Data type
Transaction ID	Whole Number
Customer Key	Whole Number
Sales Date Key	Date
Sales Amount	Whole Number



You have a table named Transaction Size that contains the following data.

Transaction Size ID	Transaction Size	Min	Max
1	Small	0	10,000
2	Medium	10,001	100,000
3	Large	100,001	999,999,999

You need to create a calculated column to classify each transaction as small, medium, or large based on the value in Sales Amount. How should you complete the code? To answer, drag the appropriate values to the correct targets.

Each value may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Values

- ALL
- AND
- CALCULATE
- FILTER
- OR
- SUM

Answer Area

```
Transaction Size =  
VAR SalesTotal = 'Sales'[Sales]  
VAR FilterSegment =  
    Value (  
        'Transaction Size',  
        Value (  
            'Transaction Size'[Min] <= SalesTotal,  
            'Transaction Size'[Max] >= SalesTotal  
        )  
    )  
VAR Result =  
    Value ( DISTINCT ( 'Transaction Size'[Transaction Size] ), FilterSegment )  
RETURN  
    Result
```

Correct Answer:

Values

- ALL
-
-
-
- OR
- SUM

Answer Area

```
Transaction Size =  
VAR SalesTotal = 'Sales'[Sales]  
VAR FilterSegment =  
    FILTER (  
        'Transaction Size',  
        AND (  
            'Transaction Size'[Min] <= SalesTotal,  
            'Transaction Size'[Max] >= SalesTotal  
        )  
    )  
VAR Result =  
    CALCULATE ( DISTINCT ( 'Transaction Size'[Transaction Size] ), FilterSegment )  
RETURN  
    Result
```

Section:

Explanation:

QUESTION 137

DRAG DROP

You have a Microsoft Excel spreadsheet named Excel1 that contains survey results.

You have a Power BI dashboard named DashboardA that has Q&A enabled.

You need to ensure that users who can access DashboardA can ask Questions based on the contents of Excel 1 and pm visuals based on their queries to Dashboard

A. The solution must minimize development time.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

- From Excel, format the data in Excel1 as a table.
- From powerbi.com, pin a range from Excel1 to DashboardA.
- From Excel, create a named range by using the data in Excel1.
- From powerbi.com, upload Excel1.
- From powerbi.com, import Excel1 as a dataset.
- From powerbi.com, add a tile for the Excel1 dataset to DashboardA.

Answer Area

-
-
-

Correct Answer:

Actions

- From Excel, format the data in Excel1 as a table.
- From powerbi.com, pin a range from Excel1 to DashboardA.
- From Excel, create a named range by using the data in Excel1.

Answer Area

- From powerbi.com, upload Excel1.
- From powerbi.com, import Excel1 as a dataset.
- From powerbi.com, add a tile for the Excel1 dataset to DashboardA.

Section:

Explanation:



QUESTION 138

DRAG DROP

You have a Power BI table named Customer that contains a field named Email Address.

You discover that multiple records contain the same email address.

You need to create a calculated column to identify which records have duplicate email addresses.

How should you complete the OAX expression for the calculated column? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content

NOTE: Each correct selection is worth one point.

Select and Place:

Values

- ALL
- CALCULATE
- COUNTROWS
- EVALUATE
- SUM
- SUMX

Answer Area

```

Count Email =
VAR Email = [Email Address]
RETURN
    (
        (Customer),
        (Customer),
        Customer[Email Address] = Email
    )
  
```

Correct Answer:

The screenshot shows a DAX editor interface. On the left, there is a 'Values' column with buttons for 'EVALUATE', 'SUM', and 'SUMX'. On the right, the 'Answer Area' contains the following DAX code:

```
Count Email =  
VAR Email = [Email Address]  
RETURN  
CALCULATE (  
    COUNTROWS (Customer),  
    ALL (Customer),  
    Customer[Email Address] = Email  
)
```

Section:

Explanation:

QUESTION 139

You have a Power BI report that contains a measure named Total Sales.

You need to create a new measure that will return the sum of Total Sales for a year up to a selected date. How should you complete the DAX expression? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

A.

Correct Answer: A

Section:

Explanation:

Answer: A

Explanation:

Answer as selected.

The screenshot shows a DAX editor interface. The 'Answer Area' contains the following DAX code:

```
Measure =  
TOTALYTD (  
    [Total Sales],  
    Date[Date]
```

QUESTION 140

You have a Power BI query named Sales that imports the columns shown in the following table.

Name	Description	Sample value
ID	A unique value that represents a sale	10253
Sale_Date	Sales date A column to extract the date of the sale	2021-11-23T09:53:00
Customer_ID	Represents a unique customer ID number	13158
Delivery_Time	Elapsed delivery time in hours Can contain null values	51.52
Status	Sales status Contains only the following two values: Finished and Canceled	Finished
Canceled_Date	Cancellation date and time Can contain null values	2021-11-24T14:11:23

Uses only use the date part of the Sales.Date field. Only rows with a Status of Finished are used in analysis. You need to reduce the load times of the query without affecting the analysis. Which two actions achieve this goal? Each correct answer presents a complete solution. NOTL Each correct selection is worth one point.

- A. Remove the rows in which sales [status] has a value of Canceled.
- B. Change the data type of sale [Delivery_Time] to Integer
- C. Removes (Canceled Date).
- D. Split Sales [Sale_Date] into separate date and time columns.
- E. Remove sales [Sales_Date].

Correct Answer: A, D

Section:



QUESTION 141

You are creating a Power BI model that contains a table named Store. Store contains the following fields. You plan to create a map visual that will show store locations and provide the ability to drill down from Country to State/Province to City. What should you do to ensure that the locations are mapped property?

- A. Set the data category of City, State/Province, and Country.
- B. Set Summarization for City, State/Province, and Country to Don't summarize
- C. Change the data type of City, State/Province, and Country.
- D. Create a calculated column that concatenates the values of City, State/Province, and Country.

Correct Answer: A

Section:

QUESTION 142

You are creating a sales report in Power BI for the NorthWest region sales territory of your company. Data will come from a view in a Microsoft SQL Server database. A sample of the data is shown in the following table:

ID	ProductKey	OrderDate	ShipDate	CustomerKey	SalesTerritoryRegion	SalesOrderNumber	SalesOrderLineNumber	OrderQuantity	UnitPrice	SalesAmount	TaxAmount	Freight
1	310	2010-12-29	2011-01-05	21768	Canada	SO43697	1	1	3578.27	3578.27	286.2616	89.4568
2	346	2010-12-29	2011-01-05	27365	France	SO43698	1	1	3399.99	3399.99	271.9992	84.9998
3	346	2010-12-29	2011-01-05	76537	NorthWest	SO43699	1	1	3399.99	3399.99	271.9992	84.9998
4	336	2010-12-29	2011-01-05	34256	SouthWest	SO43700	1	1	699.0982	699.0982	55.9279	17.4775
5	346	2010-12-29	2011-01-05	34253	Australia	SO43701	1	1	3399.99	3399.99	271.9992	84.9998
6	311	2010-12-30	2011-01-06	12543	SouthWest	SO43702	1	1	3578.27	3578.27	286.2616	89.4568
7	310	2010-12-30	2011-01-06	76545	Australia	SO43703	1	1	3578.27	3578.27	286.2616	89.4568

The report will facilitate the following analysis:

- The count of orders and the sum of total sales by Order Date
- The count of customers who placed an order

- The average quantity per order

You need to reduce data refresh times and report query times.

Which two actions should you perform? Each correct answer presents part of the solution NOTE: Each correct selection is worth one point.


- A. Filter the data to only the NorthWest region sales territory.
- B. Remove the CustomerKey and ProductKey columns.
- C. Remove the TaxAmt and Freight columns.
- D. Set the data type for SalesOrderNumber to Decimal Number

Correct Answer: A, C

Section:

QUESTION 143

You have a dataset that has the permissions shown in the following exhibit.



You have a dataset that has the permissions shown in the following exhibit.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

A.

Correct Answer: A

Section:

Explanation:

Answer as selected.



QUESTION 144

From Power BI Desktop, you publish a new dataset and report to a Power BI workspace. The dataset has a row-level security (RLS) role named HR. You need to ensure that the HR team members have RLS applied when they view reports based on the dataset. What should you do?

- A. From Power BI Desktop, change the Row-Level Security settings.
- B. From Power BI Desktop, import a table that contains the HR team members
- C. From powerbi.com, add users to the HR role for the dataset.
- D. From powerbi.com, share the dataset to the HR team members.

Correct Answer: C

Section:

Explanation:

re:

QUESTION 145

You are building a Power BI report that uses data from an Azure SQL database named erp1.

You import the following tables.

Name	Description
Products	Contains the product catalog
Orders	Contains high-level information about orders
Order Line Items	Contains the product ID, quantity, and price details of an order

You need to perform the following analyses:

- Orders sold over time that include a measure of the total order value
- Orders by attributes of products sold

The solution must minimize update times when interacting with visuals in the report. What should you do first?

- A. From Power Query, merge the Orders query and the Order Line Items query.
- B. Calculate the count of orders per product by using a DAX function.
- C. Create a calculated column that adds a list of product categories to the Orders table by using a DAX function.
- D. From Power Query, merge the Order Line Items query and the Products query.

Correct Answer: D

Section:

Explanation:

<https://www.sqlbi.com/articles/header-detail-vs-star-schema-models-in-tabular-and-power-bi/>

QUESTION 146

You have a Power BI report hosted on powerbi.com that displays expenses by department for department managers. The report contains a line chart that shows expenses by month.

You need to enable users to choose between viewing the report as a line chart or a column chart. The solution must minimize development and maintenance effort. What should you do?

- A. Add a column chart, a bookmark, and a button for users to choose a visual.
- B. Create a mobile report that contains a column chart.
- C. Create a separate report page for users to view the column chart.
- D. Enable report readers to personalize visuals.

Correct Answer: C

Section:

QUESTION 147

You have two Power BI reports named ReportA and ReportB that each uses a distinct color palette.

You are creating a Power BI dashboard that will include two visuals from each report. You need to use a consistent dark theme for the dashboard. The solution must preserve the original colors of the reports. Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Upload a snapshot.
- B. Select the dark dashboard theme.
- C. Turn on tile flow.
- D. When pinning visuals to the dashboard, select Use destination theme.
- E. For the browser, set the color preference to dark mode.

Correct Answer: B, D

Section:

QUESTION 148

You need to create a visual that enables the adhoc exploration of data as shown in the following exhibit.



Which type of visual should you use?

- A. Q&A
- B. decomposition tree
- C. smart narrative
- D. key influencers

Correct Answer: D

Section:

Explanation:

QUESTION 149

You are creating a Power BI report by using Power BI Desktop.

You need to include a visual that shows trends and other useful information automatically. The visual must update based on selections in other visuals. Which type of visual should you use?

- A. key influencers
- B. decomposition tree
- C. Q&A
- D. smart narrative

Correct Answer: D

Section:

QUESTION 150

You have a Power BI workspace that contains several reports.

You need to provide a user with the ability to create a dashboard that will use the visuals from the reports. What should you do?

- A. Grant the Read permission for the datasets to the user.
- B. Add the user as a Viewer of the workspace.
- C. Share the reports with the user.
- D. Create a row-level security (RLS) role and add the user to the role.
- E. Add the user as a member of the workspace.

Correct Answer: B

Section:

**QUESTION 151**

You have a Power BI workspace that contains a dataset, a report, and a dashboard. The following groups have access:

- External users can access the dashboard.
- Managers can access the dashboard and a manager-specific report.
- Employees can access the dashboard and a row-level security (RLS) constrained report.

You need all users, including the external users, to be able to tag workspace administrators if they identify an issue with the dashboard. The solution must ensure that other users see the issues that were raised. What should you use?

- A. subscriptions
- B. comments
- C. alerts
- D. chat in Microsoft Teams

Correct Answer: A

Section:

QUESTION 152

You have a report in Power BI named report1 that is based on a shared dataset.

You need to minimize the risk of data exfiltration for report1. The solution must prevent other reports from being affected. What should you do?

- A. Clear Allow recipients to share your dashboard and Allow users to build new content using the underlying datasets for the dataset.
- B. Select the Allow end users to export both summarized and underlying data from the service or Report Server Export data option for the report.

- C. Select the Don't allow end users to export any data from the service or Report Server Export data option for the report.
- D. Apply row-level security (RLS) to the shared dataset.

Correct Answer: C

Section:

QUESTION 153

You have a Power BI report that contains four pages.

All the pages contain a slicer for a field named Country,

You need to ensure that when a user selects a county on page 1, the selection is retained on page 2 and page 3. The solution must prevent page 4 from being affected by selections on the other pages, What should you do?

- A. Remove the Country slicer from page 1, page 2, and page 3. Add the Country field to the report-level filters.
- B. Remove the Country slicer from page 1, page 2, and page 3. Add the Country field to the page-level filters.
- C. Sync the Country slicer on page 1, page 2, and page 3.
- D. Move the Country slicer from page 2 and page 3 to page 1.

Correct Answer: B

Section:

QUESTION 154

You have two Power BI workspaces named WorkspaceA and Workspaces. WorkspaceA contains two datasets named Sales and HR. You need to provide a user named User1 with access to the workspaces. The solution must meet the following requirements:

- Create reports that use the HR dataset.
- Publish the reports to WorkspaceB.
- Prevent the ability to modify the HR dataset.
- Prevent the ability to add users to WorkspaceB.



A.



Correct Answer: A

Section:

QUESTION 155

The Sales table contains records of sales by day from the last five years up until today's date.

You plan to create a measure to return the total sales Of March 2021 when March 2022 is selected.

Which DAX expression should you use?

- A. `TOTALYTD (SUM(Sales[Sales]), dimDate[Date])`
- B. `Calculate (SUM(Sales[Sales]), SAMEPERIODOLASTYEAR(dimDate[Date]))`
- C. `SUM(Sales[Sales])`
- D. `Calculate (SUM(Sales[Sales]), PREVIOUSYEAR(dimDate[Date]))`

- A. Option A
- B. Option B
- C. option C
- D. Option D

Correct Answer: B
Section:

QUESTION 156

You have a Power BI data model that contains a table named Stores. The table has the following columns:

- * Store Name
- * Open Date
- * Status
- * State
- * City



You need to create a calculated column named Active Store Name that meets the following requirements:

- A. `Active Store Name = IF ([Status] = "A", [Store Name], "Inactive - " & [Store Name])`

Correct Answer: A
Section:

QUESTION 157

You need to create a Power BI theme that will be used in multiple reports. The theme will include corporate branding for font size, color, and bar chart formatting. What should you do?

- A. From Power BI Desktop, customize the current theme,
- B. From power BI Desktop, use a built in report theme.
- C. Create a theme as a JSON file and import the theme into Power BI Desktop.
- D. Create a theme as a PBIVIZ file and import the theme into Power BI Desktop.

Correct Answer: B
Section:

QUESTION 158

DRAG DROP

You use Power BI Desktop to create a Power BI data model and a blank report. You need to add the Word Cloud visual shown in the following exhibit to the report.



The solution must minimize development effort.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

- From Power BI Desktop, get the Word Cloud visual from Microsoft AppSource.
- From a web browser, download the PBIVIZ file for the Word Cloud visual from Microsoft AppSource.
- Format the data colors and title.
- Populate the drillthrough fields.
- Populate the Category, Value, and Excludes fields.



Answer Area

Correct Answer:

Actions

From Power BI Desktop, get the Word Cloud visual from Microsoft AppSource.

Populate the Category, Value, and Excludes fields.

Answer Area

From a web browser, download the PBIVIZ file for the Word Cloud visual from Microsoft AppSource.

Populate the drillthrough fields.

Format the data colors and title.

Section:
Explanation:

QUESTION 159

HOTSPOT

You are using Power BI Desktop to connect to an Azure SQL database. The connection is configured as shown in the following exhibit.

SQL Server database

Server

Database (optional)

Data Connectivity mode Import DirectQuery

Advanced options

Command timeout in minutes (optional)

SQL statement (optional, requires database)

Include relationship columns

Navigate using full hierarchy

Enable SQL Server Failover support

OK Cancel



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct solution is worth one point.

Hot Area:

The default timeout for the connection from Power BI Desktop to the database will be [answer choice].

unlimited
one minute
10 minutes

The Navigator will display [answer choice].

all the tables
only tables that contain data
only tables that contain hierarchies

Answer Area:

The default timeout for the connection from Power BI Desktop to the database will be [answer choice].

unlimited
one minute
10 minutes

The Navigator will display [answer choice].

all the tables
only tables that contain data
only tables that contain hierarchies

Section:

Explanation:

<https://docs.microsoft.com/en-us/power-query/connectors/azuresqldatabase>The following table lists all of the advanced options you can set in Power Query Desktop and PowerQuery Online. Advanced option Description

Command timeout in minutes

If your connection lasts longer than 10 minutes (the default timeout), you can enter another the connection open longer. This option is only available in Power Query Desktop. SQL statement

For information, go to Import data from a database using native database query.

Include relationship columns

If checked, includes columns that might have relationships to other tables. If this box is cleared, columns. Navigate using full hierarchy

If checked, the navigator displays the complete hierarchy of tables in the database you're connecting navigator displays only the tables whose columns and rows contain data. Enable SQL Server Failover support

If checked, when a node in the Azure SQL failover group isn't available, Power Query moves when failover occurs. If cleared, no failover occurs.

QUESTION 160

DRAG DROP

You have a Power BI data model that contains two tables named Products and Sales.

A one-to-many relationship exists between the tables.

You have a report that contains a report-level filter for Products.

You need to create a measure that will return the percent of total sales for each product. The measure must respect the report-level filter when calculating the total. How should you complete the DAX measure? To answer drag the appropriate DAX functions to the correct targets- Each function may be used once, more than once, or not at all the spirit bar between panes or scroll to view content NOTE:

Each correct selection is worth one point

Select and Place:

DAX Function

- ALL
- ALLSELECTED
- CALCULATE
- FILTER
- SELECTEDVALUE

Answer Area

```
Percent of Product Sales =  
VAR ProductSales = SUM ('Sales'[Sales])  
VAR AllSales =  
    Function (SUM ('Sales'[Sales]), Function ('Products'[Product]))  
RETURN  
    DIVIDE (ProductSales, AllSales)
```

Correct Answer:

DAX Function

- ALL
- ALLSELECTED
-
-
- SELECTEDVALUE

Answer Area

```
Percent of Product Sales =  
VAR ProductSales = SUM ('Sales'[Sales])  
VAR AllSales =  
    CALCULATE (SUM ('Sales'[Sales]), FILTER ('Products'[Product]))  
RETURN  
    DIVIDE (ProductSales, AllSales)
```



Section:

Explanation:

QUESTION 161

DRAG DROP

Exhibit:

Year	Month	Sales	Profit	
9	Sep	9	552	357
10	Oct	10	7838	24214
11	Nov	11	83544	257
12	Dec	12	32455	389

You need to create a report that meets the requirements:

- Visualizes the Sales value over a period of years and months
- Adds a Slicer for the month
- Adds a Slicer for the year

Which three actions Should you perform in sequence?

Select and Place:

Actions

- Rename the Attribute column as Year and the Value column as Sales.
- Select the 2019, 2020, and 2021 columns.
- Select **Transpose**.
- Select the Month and MonthNumber columns.
- Select **Unpivot other columns**.

Answer Area

-
-
-

Correct Answer:

Actions

- Rename the Attribute column as Year and the Value column as Sales.
- Select the 2019, 2020, and 2021 columns.

Answer Area

- Select **Transpose**.
- Select the Month and MonthNumber columns.
- Select **Unpivot other columns**.


Section:

Explanation:

QUESTION 162

HOTSPOT

The data model must support the following analysis:



Total sales by product by month in which the order was placed

Quantities sold by product by day on which the order was placed

Number Of sales transactions by quarter in Which the order was placed For each Of the following statements, select Yes if the statement is true. Otherwise, select NO.

Hot Area:

Statements	Yes	No
Removing the LastUpdated column from the Sales table reduces the model size while still supporting the required analysis.	<input type="radio"/>	<input type="radio"/>
Removing the ProductID column from the Sales table reduces the model size while still supporting the required analysis.	<input type="radio"/>	<input type="radio"/>
Removing the ShipDate column from the Sales table reduces the model size while still	<input type="radio"/>	<input type="radio"/>

Answer Area:

Statements

Removing the LastUpdated column from the Sales table reduces the model size while still supporting the required analysis.

Yes**No**

Removing the ProductID column from the Sales table reduces the model size while still supporting the required analysis.

Removing the ShipDate column from the Sales table reduces the model size while still

Section:**Explanation:****QUESTION 163**

You have a Power BI report named Report1 and a dashboard named Dashboard1, Report1 contains a line chart named Sales by month. You pin the Sales by month visual to Dashboard1.

In Report1, you change the Sales by month visual to a bar chart.

You need to ensure that bar chart displays on Dashboard1.

What should you do?

- A. Edit the details for the dashboard tile of Dashboard1.
- B. Select Refresh visuals for Dashboard1.
- C. Pin the Sales by month bar chart to Dashboard1
- D. Refresh the dataset used by Report1 and Dashboard1.

Correct Answer: C**Section:****QUESTION 164**

You have a Power BI report named Report1 and a dashboard named Dashboard1. Report1 contains a line chart named Sales by month. You pin the Sales by month visual to Dashboard1.

In Report1, you change the Sales by month visual to a bar chart.

You need to ensure that the bar chart displays on Dashboard1.

What should you do?

- A. Refresh the dataset used by Report1 and Dashboard1.
- B. Select Refresh visuals for Dashboard1.
- C. Edit the details for the dashboard tile Of Dashboard1.
- D. Pin the Sales by month bar chart to Dashboard1.

Correct Answer: A**Section:****QUESTION 165**

You have a Power BI model that contains a table named Date. The table has the following columns.

Name	Sample value
Date	2022-06-01
Year	2022
Month Number	6
Month Name	June
Year Month	2022 Jun

A.

Month Year Sort = [Year] / 100 + [Month Number]

Correct Answer: A

Section:

QUESTION 166

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. From Power Query Editor, you profile the data shown in the following exhibit.

	IoT GUID	IoT DateTime	IoT ID
	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%
1	48196321-38D9-EC11-B83D-0022489A2...	21/05/2022 18:59:25	100001000
2	49196321-38D9-EC11-B83D-0022489A2...	21/05/2022 18:59:26	100001001
3	0300C742-38D9-EC11-B83D-0022489A2...	21/05/2022 19:00:21	100001002
4	0400C742-38D9-EC11-B83D-0022489A2...	21/05/2022 19:00:21	100001003
5	0500C742-38D9-EC11-B83D-0022489A2...	21/05/2022 19:00:21	100001004
6	0600C742-38D9-EC11-B83D-0022489A2...	21/05/2022 19:00:21	100001005

The IOT ID columns are unique to each row in query.

You need to analyze 10T events by the hour and day of the year. solution must improve dataset performance. Solution: You change the IOT DateTime column to the Date data type.

Does this meet the goal?

A. Yes

B. No

Correct Answer: A

Section:

QUESTION 167

You use Power BI Desktop to load data from a Microsoft SQL Server database.

While waiting for the data to load, you receive the following error.

ERROR [08001] timeout expired

You need to resolve the error.

What are two ways to achieve the goal? Each correct answer presents a complete solution NOTE: Each correct selection is worth one point.

- A. Split long running queries into subsets Of columns and use power Query to the queries
- B. Disable query folding on long running queries
- C. Reduce number of rows and columns returned by each query.
- D. Use Power Query to combine long running queries into one query.

Correct Answer: B, D

Section:

QUESTION 168

You have a Power BI report that contains five pages.

Pages 1 to 4 are visible and page 5 is hidden.

You need to create a solution that will enable users to quickly navigate from the first page to all the other visible pages. The solution must minimize development and maintenance effort as pages are added to the report.

What should you do first?

- A. Add a blank button to page 1.
- B. Add a bookmark navigation button to page 1.
- C. Create a bookmark for each page.
- D. Add a page navigation button to page 1.

Correct Answer: C

Section:

QUESTION 169

DRAG DROP

You publish a dataset lhat contains data from an on-premises Microsoft SQL Server database.

The dataset must be refreshed daily.

You need to ensure that the Power BI service can connect to the database and refresh the dataset.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct

Select and Place:

The screenshot shows a drag-and-drop interface. On the left, under the heading "Actions", there are five rectangular boxes containing the following text from top to bottom: "Add a data source.", "Configure an on-premises data gateway.", "Configure a virtual network data gateway.", "Configure a scheduled refresh.", and "Add the dataset owner to the data source.". To the right of these boxes are two circular arrows: the top one points to the right and the bottom one points to the left. On the right side, under the heading "Answer Area", there is a large, faint watermark that reads "VCEplus.io".

Correct Answer:

Actions

[Empty box]

[Empty box]

Configure a virtual network data gateway.

[Empty box]

[Empty box]



Answer Area

Configure an on-premises data gateway.

Configure a scheduled refresh.

Add a data source.

Add the dataset owner to the data source.

Section:

Explanation:

QUESTION 170

DRAG DROP

You create a data model in Power BI.

Report developers and users provide feedback that the data model is too complex.

The model contains the following tables.

Table name	Column name	Data type
Sales_Region	region_id	Integer
	name	Varchar
Region_Manager	region_id	Integer
	manager_id	Integer
Sales_Manager	sales_manager_id	Integer
	name	Varchar
	region_id	Integer
Manager	manager_id	Integer
	name	Varchar

The model has the following relationships:

*There is a one-to-one relationship between Sales_Region and Region_Manager.

*There are more records in Manager than in Region_Manager, but every record in Region_Manager has a corresponding record in Manager. *There are more records in Sales_Manager than in Sales_Region, but every record in Sales_Region has a corresponding record in Sales_Manager. You need to denormalize the model into a single table. Only managers who are associated to a sales region must be included in the reports. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Select and Place:



Actions

- Merge [Region_Manager] and [Manager] by using an inner join.
- Merge [Sales_Manager] and [Sales_Region] by using a left join.
- Merge [Sales_Region] and [Sales_Manager] by using an inner join.
- Merge [Sales_Region] and [Sales_Manager] by using an inner join as a new query named [Sales_Region_and_Manager].
- Merge [Sales_Region] and [Region_Manager] by using a right join as a new query named [Sales_Region_and_Region_Manager].
- Merge [Sales_Region] and [Region_Manager] by using an inner join.



Answer Area

- Merge [Region_Manager] and [Manager] by using an inner join.
- Merge [Sales_Region] and [Sales_Manager] by using an inner join.
- Merge [Sales_Region] and [Region_Manager] by using an inner join.

Correct Answer:

Actions

-
- Merge [Sales_Manager] and [Sales_Region] by using a left join.
-
- Merge [Sales_Region] and [Sales_Manager] by using an inner join as a new query named [Sales_Region_and_Manager].
- Merge [Sales_Region] and [Region_Manager] by using a right join as a new query named [Sales_Region_and_Region_Manager].
-



Answer Area

- Merge [Region_Manager] and [Manager] by using an inner join.
- Merge [Sales_Region] and [Sales_Manager] by using an inner join.
- Merge [Sales_Region] and [Region_Manager] by using an inner join.

Section:
Explanation:

QUESTION 171

HOTSPOT
You need to create a Power BI report. The first page of the report must contain the following two views:
*Sales By Postal Code
*Sales by Month
Both views must display a slicer to select a value for a field named Chain.
The Sales By Postal Code view must display a map visual as shown in the following exhibit.

Chain

Fashions Direct

Lindseys

Sales By Postal Code

Sales By Month

This Year Sales by PostalCode



The Sales By Month view must display a column chart visual as shown in the following exhibit.

Chain


Fashions Direct

Lindseys

Sales By Postal Code

Sales By Month

This Year Sales by FiscalMonth



Users must be able to switch between the views by using buttons on the report page. The selected Chain field must be maintained when switching between views. What is the minimum number of bookmarks required, and which property should you apply to each bookmark? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Vdumps

Hot Area:

Answer Area

Minimum number of bookmarks:

1
2
3
4

Property:

Data
Display
Current page

Answer Area:

Answer Area

Minimum number of bookmarks:

1
2
3
4

Property:

Data
Display
Current page



Section:

Explanation:

QUESTION 172

A manager can represent only a single country.

You need to use row-level security (RLS) to meet the following requirements:

The managers must only see the data of their respective country.

The number of RLS roles must be minimized.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Create a single role that filters Country[Manager_Email] by using the USERNAME DAX function.
- B. Create a single role that filters Country[Manager_Email] by using the USEROBJECTID DAX function.
- C. For the relationship between Purchase Detail and Purchase, select Apply security filter in both directions.
- D. Create one role for each country.
- E. For the relationship between Purchase and Purchase Detail, change the Cross filter direction to Single.

Correct Answer: A, C

Section:

Explanation:

In Power BI Service the username and userprincipalname both return the email address, it's only in Power BI Desktop that username is domain/username rather than the email address. So I agree that userprincipalname is better generally as you always get the same value, the answer is correct and

you can use username as your RLS since the role will be applied in the Service. See

<https://community.powerbi.com/t5/Community-Blog/USERNAME-v-s-USERPRINCIPALNAME-in-RLSfor-Power-BI-Embedded/ba-p/1867670> for more information.

QUESTION 173

You are creating a report in Power BI Desktop.

You load a data extract that includes a free text field named col1.

You need to analyze the frequency distribution of the string lengths in col1. The solution must not affect the size of the model. What should you do?

- A. In the report, add a DAX calculated column that calculates the length of col1
- B. In the report, add a DAX function that calculates the average length of col1
- C. From Power Query Editor, add a column that calculates the length of col1
- D. From Power Query Editor, change the distribution for the Column profile to group by length for col1

Correct Answer: A

Section:

Explanation:

QUESTION 174

You have a CSV file that contains user complaints. The file contains a column named Logged. Logged contains the date and time each complaint occurred. The data in Logged is in the following format:
2018-12-31 at 08:59.

You need to be able to analyze the complaints by the logged date and use a built-in date hierarchy. What should you do?

- A. Apply a transformation to extract the last 11 characters of the Logged column and set the data type of the new column to Date.
- B. Change the data type of the Logged column to Date.
- C. Split the Logged column by using at as the delimiter.
- D. Apply a transformation to extract the first 11 characters of the Logged column.

Correct Answer: C

Section:

Explanation:

Simply create a custom table in Power Query, enter the date shown in the question into a column called Date, and then Split it by a delimiter. No need for spaces on either side of "at" Power BI takes care of the rest:
= Table.SplitColumn("#Changed Type", "Date", Splitter.SplitTextByDelimiter("at", QuoteStyle.Csv), {"Date.1", "Date.2"})

QUESTION 175

What should you do to address the existing environment data concerns?

- A. a calculated column that uses the following formula: ABS(Sales[sales_amount])
- B. a measure that uses the following formula: SUMX(FILTER('Sales', 'Sales'[sales_amount] > 0),[sales_amount])
- C. a measure that uses the following formula: SUM(Sales[sales_amount])
- D. a calculated column that uses the following formula: IF(ISBLANK(Sales[sales_amount]),0, (Sales[sales_amount]))

Correct Answer: B

Section:

QUESTION 176

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. From Power Query Editor, you profile the data shown in the following exhibit.

	IoT GUID	IoT DateTime	IoT ID
1	48196321-38D9-EC11-883D-0022489A2...	21/05/2022 18:59:25	100001000
2	49196321-38D9-EC11-883D-0022489A2...	21/05/2022 18:59:26	100001001
3	0300C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001002
4	0400C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001003
5	0500C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001004
6	0600C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001005

The IoT GUID and IoT ID columns are unique to each row in query.

You need to analyze IoT events by the hour and day of the year. The solution must improve dataset performance. Solution: You split the IoT DateTime column into a column named Date and a column named Time.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section:

QUESTION 177

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. From Power Query Editor, you profile the data shown in the following exhibit.

	IoT GUID	IoT DateTime	IoT ID
	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%
1	48196321-38D9-EC11-8B3D-0022489A2...	21/05/2022 18:59:25	100001000
2	49196321-38D9-EC11-8B3D-0022489A2...	21/05/2022 18:59:26	100001001
3	0300C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001002
4	0400C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001003
5	0500C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001004
6	0600C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001005

The IoT GUID and IoT ID columns are unique to each row in query.

You need to analyze IoT events by the hour and day of the year. The solution must improve dataset performance. Solution: You remove the IoT GUID column and retain the IoT ID column. Does this meet the goal?

- A. Yes
- B. No

Correct Answer: A

Section:

QUESTION 178

You have a Power BI data model that contains the following tables.

You have a Power BI data model that analyzes product sales over time. The data model contains the following tables.



Table name	Column name	Data type
Product	Product ID	Whole number
	Product Name	Text
	Product Category	Text
Sales	Product ID	Whole number
	Order Date	Date
	Ship Date	Date
	Delivered Date	Date
	Invoice Number	Whole number
	Quantity	Whole number
	Sales Amount	Decimal number

A one-to-many relationship exists between the tables.

The auto date/time option for the data model is enabled.

You need to reduce the size of the data model while maintaining the ability to analyze product sales by month and quarter. Which two actions should you perform?

- A. Disable the auto date/time option.
- B. Create a Date table and select **Mark as Date Table**.
- C. Create a relationship between the Date table and the Sales table.
- D. Disable the load on the Date table.
- E. Remove the relationship between the Product table and the Sales table.

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: A, D

Section:

QUESTION 179

What is the minimum number of Power BI datasets needed to support the reports?

- A. a single imported dataset
- B. two imported datasets
- C. two DirectQuery datasets
- D. a single DirectQuery dataset

Correct Answer: A

Section:

QUESTION 180

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a Power BI report that imports a date table and a sales table from an Azure SQL database data source. The sales table has the following date foreign keys:

Due Date

Order Date

Delivery Date

You need to support the analysis of sales over time based on all the date foreign keys.

Solution: From Power Query Editor, you rename the date query as Due Date. You reference the Due Date query twice to make the queries for Order Date and Delivery Date. Does this meet the goal?

- A. Yes
- B. No

Correct Answer: A

Section:

Explanation:

Creating two additional tables in Power Query can be a possible solution:

Remove any inactive relationships.

Consider renaming the role-playing dimension-type table to better describe its role. In the example, the Airport table is related to the ArrivalAirport column of the Flight table, so it's renamed as Arrival Airport. Create a copy of the role-playing table, providing it with a name that reflects its role. If it's an Import table, we recommend defining a calculated table. If it's a DirectQuery table, you can duplicate the Power Query query. In the example, the Departure Airport table was created by using the following calculated table definition.

QUESTION 181

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a Power BI report that imports a date table and a sales table from an Azure SQL database data source. The sales table has the following date foreign keys:

Due Date

Order Date

Delivery Date

You need to support the analysis of sales over time based on all the date foreign keys.

Solution: For each date foreign key, you add inactive relationships between the sales table and the date table. Does this meet the goal?

A. Yes

B. No

Correct Answer: B

Section:

Explanation:

You can reference an inactive relationship with the DAX function USERELATIONSHIP(), but using DAX is not mentioned here.

So follow this refactory methodology:

Create a copy of the role-playing table, providing it with a name that reflects its role. If it's an Import table, we recommend defining a calculated table. If it's a DirectQuery table, you can duplicate the Power Query query.

Source: <https://learn.microsoft.com/en-us/power-bi/guidance/relationships-active-inactive>

QUESTION 182

You are using the key influencers visual to identify which factors affect the quantity of items sold in an order.


You add the following fields to the Explain By field:

- * Customer Country
- * Product Category
- * Supplier Country
- * Sales Employee
- * Supplier Name
- * Product Name
- * Customer City

The key influencers visual returns the results shown in the following exhibit.



Key influencers Top segments



What influences Quantity Per Order to Increase



When...

...the average of Quantity Per Order increases by

Customer City is Cunewalde

22.39

Customer City is Graz

22.21


Customer City is Boise

20.37

Customer Country is Austria

18.8

← Quantity Per Order is more likely to increase when Customer City is Cunewalde than otherwise (on average).



Only show values that are influencers

What can you identify from the visual?

- A. Customers in Austria order 18.8 more units than the average order quantity.
- B. Customers in Boise order 20.37 percent more than the average order quantity.
- C. Product Category positively influences the quantity per order.
- D. Customers in Cork order lower quantities than average.

Correct Answer: A

Section:

QUESTION 183

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. From Power Query Editor, you profile the data shown in the following exhibit.

	IoT GUID	IoT DateTime	IoT ID
1	48196321-38D9-EC11-8B3D-0022489A2...	21/05/2022 18:59:25	100001000
2	49196321-38D9-EC11-8B3D-0022489A2...	21/05/2022 18:59:26	100001001
3	0300C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001002
4	0400C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001003
5	0500C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001004
6	0600C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001005

The IoT ID columns are unique to each row in query.

You need to analyze IoT events by the hour and day of the year. The solution must improve dataset performance. Solution: You create a custom column that concatenates the IoT GUID column and the IoT ID column and then delete the IoT GUID and IoT ID columns. Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section:

QUESTION 184

You have a Microsoft Excel file on a file server.

You create a Power BI report and import a table from the Excel file.

You publish the report.

You need to ensure that the data refreshes every four hours.

What should you do first?

- A. Upload the Excel file to a Power BI workspace.
- B. Create a subscription to the report.
- C. Deploy an on-premises data gateway.
- D. Edit the data source credentials.

Correct Answer: C

Section:

QUESTION 185

HOTSPOT

You have the Azure SQL databases shown in the following table.

Name	Stage	Server URL
db-powerbi-dev	Development	dev.database.windows.net
db-powerbi-uat	Test	uat.database.windows.net
db-powerbi-prod	Production	prod.database.windows.net

You plan to build a single PBIX file to meet the following requirements:

- Data must be consumed from the database that corresponds to each stage of the development lifecycle.
- Power BI deployment pipelines must NOT be used.
- The solution must minimize administrative effort.

What should you do? To answer, select the appropriate options in the answer area.



Hot Area:

Answer Area

Create: One parameter
One parameter
Two parameters
Three parameters

Parameter type: Text
Text
True/False
Decimal number

Answer Area:

Answer Area

Create: One parameter
One parameter
Two parameters
Three parameters

Parameter type: Text
Text
True/False
Decimal number

dumps

Section:

Explanation:

QUESTION 186

You are creating a dashboard by using the Power BI service.

You have an existing report page that contains three charts.

You need to add the charts to the dashboard while maintaining the interactivity between the charts. What should you do?

- A. Pin each chart as a tile.
- B. Edit interactions in the report and set all interactions to Filter
- C. Edit the dashboard theme and pin each chart as a file.
- D. Pin the report page as a live tile.

Correct Answer: D

Section:

QUESTION 187

You have a dataset that is used infrequently and refreshes every hour.

You receive a notification that the refresh was disabled due to inactivity.

Which two actions will cause the scheduled refresh schedule to resume? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Enable query caching for the dataset.
- B. Import the dataset to Microsoft Excel.

- C. From the Power BI service, open a dashboard that uses the dataset.
- D. From the Power BI service, open a report that uses the dataset.
- E. From PowerShell, run the get-powerbireport cmdlet.

Correct Answer: C, D

Section:

Explanation:

After two months of inactivity, scheduled refresh on your dataset is paused. A dataset is considered inactive when no user has visited any dashboard or report built on the dataset. At that time, the dataset owner is sent an email indicating the scheduled refresh is paused. The refresh schedule for the dataset is then displayed as disabled. To resume scheduled refresh, simply revisit any dashboard or report built on the dataset.

<https://learn.microsoft.com/en-us/power-bi/connect-data/refreshscheduled-refresh#scheduled-refresh>

QUESTION 188

In Power BI Desktop, you are creating a report that will contain three pages.

You need to create a custom tooltip page and prepare the page for use.

Which three actions should you perform? Each correct answer presents part of the solution.

- A. Configure filters on the target visual.
- B. For the target page, set Allow use as tooltip to On.
- C. Add and configure visuals on the tooltip page.
- D. For the tooltip page, set Allow use as tooltip to On.
- E. For the tooltip page, configure filters.

Correct Answer: B, C, D

Section:

Explanation:

You can create a custom tooltip page that shows more details about the selected category, such as this:

To create a custom tooltip page and prepare it for use, you need to perform these three actions:

Add and configure visuals on the tooltip page. You can add any visuals, images, or other items that you want to show on the tooltip page. You can also format them as you like. For the tooltip page, set Allow use as tooltip to On. This will enable Power BI to recognize this page as a tooltip page. You can also change the Page size to Tooltip to fit your content better. For the target visual, set Tooltip type to Report page. This will allow you to select which report page you want to use as a custom tooltip for your visual. You can also filter your tooltip by fields from your target visual.

QUESTION 189

You plan to use Power BI Desktop to create a bug tracking dashboard that will pull data from Analytics in Azure DevOps.

From Power BI Desktop, you need to configure a data connector to authenticate to Azure DevOps. The solution must meet the following requirements:

- * Use Analytics views.
- * Filter data from the cloud.

Which connector should you use?

- A. OData queries
- B. Azure DevOps (Boards only)
- C. Azure DevOps Server (Boards only)
- D. OData feed


Correct Answer: B

Section:

QUESTION 190

You are configuring a Power BI report for accessibility as shown in the following table.





You need to change the default colors of all three visuals to make the report more accessible to users who have color vision deficiency. Which two settings should you configure in the Customize theme window? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. First-level elements colors
- B. Theme colors
- C. Divergent colors
- D. Sentiment colors



Correct Answer: B, C
Section:

QUESTION 191
HOTSPOT

You have a Power BI semantic model that contains the data sources shown in the following table.

Name	Description
Employee review data	Contains sensitive information Must NOT be folded into any other data sources
Sales opportunities	Contains less sensitive information Must only be available internally

You need to configure the privacy levels of the data sources. What should you configure (01 each data source? To answer, select (he appropriate options in the answer area. NOTE: Each correct answer is worth one point.

Hot Area:

Answer Area

Employee review data:

- None
- Organizational
- Private
- Public

Sales opportunities:

- None
- Organizational
- Private
- Public

Answer Area:

Answer Area

Employee review data:

- None
- Organizational
- Private
- Public

Sales opportunities:

- None
- Organizational
- Private
- Public



Section:

Explanation:

QUESTION 192

Adding an index key and normalizing casing in the data source would help resolve issues with undefined values and errors in a case-sensitive column. The index key can provide a unique identifier, and normalizing casing ensures consistency in the data, which would likely prevent the errors you encountered in the Power BI semantic model.

You have a Power BI data model that imports a date table and a sales table from an Azure SQL database data source. The sales table has the following date foreign keys.

- * Due Date
- * Order Date
- * Delivery Date

You need to support the analysis of sales over time based on all three dates at the same time.

Solution: You create measures that use the USERELATIONSHIP DAX function to filter sales on the inactive relationships between sales table and the date table.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: A

Section:

QUESTION 193

Adding an index key and normalizing casing in the data source would help resolve issues with undefined values and errors in a case-sensitive column. The index key can provide a unique identifier, and normalizing casing ensures consistency in the data, which would likely prevent the errors you encountered in the Power BI semantic model.

You have a Power BI data model that imports a date table and a sales table from an Azure SQL database data source. The sales table has the following date foreign keys.

- * Due Date
- * Order Date

* Delivery Date

You need to support the analysis of sales over time based on all three dates at the same time.

Solution: For each date foreign key, you add inactive relationships between the sales table and the date table.

Does this meet the goal?

A. Yes

B. No

Correct Answer: B

Section:

Explanation:


Simply adding inactive relationships between the sales table and the date table for each date foreign key does not fully meet the goal. While inactive relationships allow for flexibility, they alone do not enable analysis over time based on all three dates simultaneously.

To achieve this, you would need to use DAX functions like USERELATIONSHIP to activate the appropriate relationship in your measures. Without this, the inactive relationships won't be utilized in your calculations, meaning that analysis based on those dates won't work as intended.

QUESTION 194

HOTSPOT

You are using Power Query Editor to preview the data in a column named Max Temp. The column statistics and value distribution are shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

The value that occurs most frequently in the column is [answer choice].

25
41
45
1431

The smallest non-NULL value in the column is [answer choice].

0
17
24
33

Answer Area:

Answer Area

The value that occurs most frequently in the column is [answer choice].

	▼
25	
41	
45	
1431	

The smallest non-NULL value in the column is [answer choice].

	▼
0	
17	
24	
33	

Section:

Explanation:

