

**Salesforce.OmniStudio Developer.by.Tanuy.53q**

Number: OmniStudio Developer  
Passing Score: 800  
Time Limit: 120  
File Version: 5.0

**Exam Code: OmniStudio Developer**

**Exam Name: Salesforce Certified OmniStudio Developer**



**Exam A**

**QUESTION 1**

When launching an OmniScript from an action on a FlexCard, the OmniScript displays, but no Salesforce data is populated:

Which two errors could cause this behavior?

Choose 2 answers


- A. The Id Field for Actions in the FlexCard is blank.
- B. There is no active version of the Data Raptor Extract.
- C. There is no active version of the OmniScript
- D. In the DataRaptor Extract Action, the Input Parameters Filter Value is misspelled.

**Correct Answer: A, D**

**Section:**

**QUESTION 2**

Refer to the exhibit.



A developer has configured an integration Procedure element with SEND/RESPONSE TRANSFORMATIONS as shown.

Alternatively, how could the developer configure Additional input to send exactly the same data? Assume that the developer checked Send Only Additional input.

A)

Key	Value
SecondaryAccount	{DRExtractAction:Account}

B)

Key	Value
DRExtractAction:Account	SecondaryAccount

C)

Key	Value
{DRExtractAction:Account}	SecondaryAccount

- A. Option A
- B. Option B
- C. Option C

**Correct Answer: C**

**Section:**

### QUESTION 3

A healthcare company wants to enable its subscribers to add, edit, or delete dependents related to their policy Community portal. The developer on the project decides to use an MniScript. How should the developer configure the OmniScript to provide this functionality?

- A. Use an Edit Block element configured with Remote Actions.
- B. Use an Edit Block element configured with SOQL statements.
- C. Use an Input Block element and a DataRaptor Post Action element.
- D. Use a Text Block element and a Remote Action element.

**Correct Answer: A**

**Section:**

### QUESTION 4

In an Integration Procedure, a developer needs to perform a multi-step calculation on every element of an array.

Based on best practices, what two methods are recommended?

Choose 2 answers

- A. Use a Set Values Element inside a Loop Block.
- B. Use a Decision Matrix Action to call a Decision Matrix.
- C. Use a List Action to merge the array elements together.
- D. Use an Expression Set Action to call an Expression Set.


**Correct Answer: A, D**

**Section:**

### QUESTION 5

Refer to the exhibit below. What JSON from the DRGetContactDetails action would display all six values correctly in the shown? BlkCases is a Repeat Block, and the names of the elements are the same as the label names without spaces.





A)

```
{
  "BlkCases": [
    {
      "CaseSubject": "Cannot track our order.",
      "CaseNumber": "00001002"
    }, {
      "CaseSubject": "Billing status",
      "CaseNumber": "00001004"
    }
  ],
  "ContactPhone": "(212) 189-8979",
  "ContactName": "Lianne Tozillo"
}
```

B)

```
{
  "CaseSubject": "Cannot track our order.",
  "CaseNumber": "00001002",
  "CaseSubject": "Billing status",
  "CaseNumber": "00001004",
  "ContactPhone": "(212) 189-8979",
  "ContactName": "Lianne Tozillo"
}
```

C)



```
{
  "Cases": [
    {
      "CaseSubject": "Cannot track our order.",
      "CaseNumber": "00001002"
    },
    {
      "CaseSubject": "Billing status",
      "CaseNumber": "00001004"
    }
  ],
  "ContactPhone": "(212) 489-8979",
  "ContactName": "Leanne Tonlin"
}
```

D)

```
{
  "BizCases": [
    {
      "Subject": "Cannot track our order.",
      "Number": "00001002"
    },
    {
      "Subject": "Billing status",
      "Number": "00001004"
    }
  ],
  "ContactPhone": "(212) 489-8979",
  "ContactName": "Leanne Tonlin"
}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Correct Answer: A**

**Section:**

#### QUESTION 6

Which two fields in an Integration Procedure can use a function like CONCAT or DATEDIFF?

Choose 2 answers

- A. In Procedure Configuration, in a Tracking Custom Data value field.
- B. In a Remote Action, in a Remote Options value field.
- C. In a Remote Action, in an Additional Output value field.
- D. In a Response Action, in an Additional input value field.

**Correct Answer: C, D**

**Section:**

#### QUESTION 7

A developer has a requirement to create a child FlexCard that contains all of its parent FlexCard's records In a Datable How should the developer configure the parent FlexCard's Node?

- A. {Records{0}}
- B. {Records}
- C. {Params, records}
- D. {Recorded}



**Correct Answer: B**

**Section:**

**QUESTION 8**

A developer needs to build a DataRaptor Transform to send current weather to both an OmniScript Card Layout. Which of these samples would be valid for the Expected Output JSON?

A)

```
{  
  "Current:TempF": 53.1,  
  "Current:CityState": "Baltimore, MD",  
  "Current:TempF": 14.6  
}
```

B)

```
{  
  "current": {  
    "TempF": 53.1,  
    "CityState": "Baltimore, MD",  
    "TempF": 14.6  
  }  
}
```

C)

```
<root>  
  <Current>  
    <TempF>53.1</TempF>  
    <CityState>Baltimore, MD</CityState>  
    <TempC>14.6</TempC>  
  </Current>  
</root>
```

D)

```
{  
  "current": {  
    "TempF": 53.1,  
    "CityState": "Baltimore, MD",  
    "TempC": 14.6  
  }  
}
```

A. Option A

B. Option B

C. Option C

D. Option D

**Correct Answer: D**

**Section:**

**QUESTION 9**

Refer to the exhibit.



Account	
Name	Acme
Phone	(222) 154-6450

Contact	
Name	Edward Stamos
Cell Phone	(212) 154-8562

Contact	
Name	Howard Jones
Cell Phone	(650) 156-1102

The card layout uses an integration Procedure as a data source. The cards use the layout data source.

Which JSON data structure supports this card layout and follows best practices?

A)

```
{
  "Contact": [
    {
      "CellPhone": "(212) 154-8562",
      "Name": "Edward Stamos"
    },
    {
      "CellPhone": "(650) 156-1102",
      "Name": "Howard Jones"
    }
  ],
  "Account": {
    "Phone": "2221546450",
    "Name": "Acme"
  }
}
```

B)

```
{
  "contact": [
    {
      "CellPhone": "(212) 154-8562",
      "Name": "Edward Stamos"
    },
    {
      "CellPhone": "(650) 156-1102",
      "Name": "Howard Jones"
    }
  ],
  "AccountPhone": "2221546450",
  "AccountName": "Acme"
}
```

C)



```
[
  {
    "Account": {
      "Phone": "2221546458",
      "Name": "Acme"
    },
    "ContactCellPhone": "(212) 154-8562",
    "ContactName": "Edward Stamos"
  },
  {
    "Account": {
      "Phone": "2221546458",
      "Name": "Acme"
    },
    "ContactCellPhone": "(650) 156-1102",
    "ContactName": "Howard Jones"
  }
]
```

- A. Option A
- B. Option B
- C. Option C

**Correct Answer: C**

**Section:**

#### QUESTION 10

A developer is troubleshooting an Integration Procedure with two elements: A Remote Action named FetchCart and a Response Action named ResponseCart. In Preview, what JSON node shows the data sent to the Response Action?

- A. FetchCart
- B. Response
- C. ResponseCartDebug
- D. ResponseCart

**Correct Answer: D**

**Section:**

#### QUESTION 11

A developer needs to configure a DataRaptor to retrieve data from a single object. The structure of the output data does not need to be changed. Following best practices, which type of DataRaptor should the developer use?

- A. DataRaptor Transform
- B. DataRaptor Extract
- C. DataRaptor Load
- D. DataRaptor Turbo Extract

**Correct Answer: D**





**Section:**

**QUESTION 12**

What should a developer's first step be when troubleshooting whether a DataRaptor Extract is retrieving data?

- A. Go to the Lightning Console and reload the page to test.
- B. Go to the PREVIEW tab In OmniScript to test.
- C. Deactivate the card and layout, and go to the PREVIEW tab for the card to test.
- D. Add a key/value pair in the DataRaptor to test it.

**Correct Answer: D**

**Section:**

**QUESTION 13**

A developer examines data received from an external data source. The data is nested two levels down in the JSON structure. Which OmniStudio tool could the developer use to simplify this data?

- A. A guided workflow
- B. A DataRaptor Transform
- C. An HTTP Action Element
- D. An integration Procedure

**Correct Answer: B**

**Section:**

**QUESTION 14**

An OmniScript displays data from an API using Integration Procedure, but some of the data is missing. Which two configuration errors could cause this? Choose 2 answers

- A. The element name for the missing data does not match the JSON node key in the Integration Procedure Response.
- B. The Integration Procedure Preview Input Parameters do not match the JSON sent from the OmniScript.
- C. The JSOW sent from the Integration Procedure Action does not match any of the Original Input for the Integration Procedure
- D. The missing data is trimmed in the Integration Procedure Action Response JSON Path.

**Correct Answer: A, D**

**Section:**

**QUESTION 15**

A developer creates an Integration Procedure with a Set Values and a DataRaptor Extract Action that requires AccountId as a key. When the developer previews the Integration Procedure, the developer enters the AccountId correctly and execute the Preview. The developer sees the data extract by the DataRaptor in the Debug Log, but the response is empty. What is the likely cause of this issue?

- A. The DataRaptor Action did not have the add response Ro Response JSON property set to true.
- B. The Response cannot be previewed directly.
- C. A Response Action was not added to the integration Procedure.
- D. The AccountId used for the preview is invalid.



Correct Answer: C

Section:

**QUESTION 16**

Refer to the exhibit.

Input Data	Output Data
ProductCode (Text) <input type="text" value="HRA320"/>	BasePrice (#) <input type="text" value="13.99"/>
Search column	Search column
ACC154	10.23
CAA876B	20.36
HRA320	12.99
HRA320B	13.99



All inputs to the Calculation Matrix are set correctly.

The Calculation Matrix has the following input:

```
{
  "input": {
    "ProductCode": "HRA320"
  }
}
```

What is the output?

- A. Null
- B. 13.99
- C. 12.99,13.99
- D. 12.99

Correct Answer: B

Section:

**QUESTION 17**

A developer is building an OmniScript and needs to retrieve data from Salesforce and from an on-premises billing database.

Which two OmniScript elements could retrieve this data?

Choose 2 answers

- A. Navigate Action
- B. DataRaptor Extract Action
- C. HTTP Action
- D. Response Action

**Correct Answer: B**

**Section:**

**QUESTION 18**

A developer creates a new FlexCard to display customer data and actions, such as updating billing information and changing the contact for the customer account. The FlexCard contains 10 fields and 5 actions. During testing, several fields display with the correct data, but one of the fields shows only the label.

What could cause this?

- A. The fields have exceeded the maximum number allowed on the card.
- B. The field is null 0 the Salesforce record.
- C. {recordId} is misspelled in the Data Source Input Map.
- D. There are no test parameters configured.

**Correct Answer: B**

**Section:**

**QUESTION 19**

Which two in an integration Procedure or DataRaptor can execute a function like CONCAT or DATEDIFF?

Choose 2 answers

- A. In a Set Values Action in a Value field.
- B. In a DataRaptor in an Output Tab Output JSON Path.
- C. In a DataRaptor Action in an Input Parameters value field.
- D. In a Remote Action in an Additional Output value field.

**Correct Answer: A, D**

**Section:**

**QUESTION 20**

An integration procedure contains a Remote Action element that calls a method of an APEX class. The method requires two fields are input: AccountId and ProductId. The integration Procedure data JSON contains the following nodes:

How should the Remote Action element be configured to pass the data correctly to the method?

- A. Check the Send Only Additional Input checkbox, and the following/ value pairs to Additional input:

```
* AccountId: %AccountId%
* ProductId: %Details:ProductId%
```

- B.

```
* AccountId: %AccountId%
* ProductId: %Details:ProductId%
```

Set Return Only Additional Output to true, and add the following Key/Value pairs to additional input.

- C. Check the DataRaptor Transform checkbox, and add the following Key/Value pairs to Output JSON Path:

```
* AccountId: %AccountId%
* ProductId: %Details:ProductId%
```

D. Add the following to Send JSON Path: accountId: %Accountd% ProductId% Details Products%

**Correct Answer: B**

**Section:**


**QUESTION 21**

A customer sets up to LWC Omniscripts, one embedded into another. Account is set in a Set Values element in the parent Omniscript.

The AccountId set in the parent Omniscript is used to another Set Values element ContextAccountId in the embedded OmniScript. The embedded Omniscript is activated.

While previewing the OmniScript flow from the parent, it is found that Account is set correctly in the parent OmniScript. However, ContextAccountId in the embedded OmniScript is not set with the AccountId from parent Omniscript. On previewing the embedded OmniScript individually, it is found that ContextAccountId is set correctly.

What is the reason for this? Refer to the exhibit below.



- A. Both parent and embedded OmniScripts have the same element name for the Set values element.
- B. A developer failed to include a Navigation Element to pass data from the parent OmniScript.
- C. The LWC PubSub Message flag in the Set Values action of the parent has not been set.
- D. The flag passDataJSON in the parent OmniScript in not configured correctly.

**Correct Answer: C**

**Section:**

**QUESTION 22**

A developer needs to change some field labels on a FlexCard. The FlexCard is currently deployed to production. The developer that the best course of action is to version the FlexCard rather than cloning it. Which factor would lead the developer to this decision?

- A. The new version of the FlexCard will be used in a new Console, and the current version of the FlexCard should remain unchanged.
- B. Another team member is developing new action, fields and styling for the current version of the FlexCard.
- C. The new and current versions will be displayed together on the same target.
- D. All instance of the FlexCard must be updated with the changes.

**Correct Answer: A**

**Section:**

**QUESTION 23**

A developer need to use the CONTIF function to process data entered by the user in an OmniScript. The output of the function needs to be displayed to the user immediately in the current step. Based on best practice, what element should the developer use this function in?


- A. A Calculation Action element
- B. A Set Values element
- C. A formula element
- D. A Range element

**Correct Answer: C**

**Section:**

**QUESTION 24**

A developer needs to transform contact data into a JSON array.



```
Input JSON
{
  "Contact": {
    "Name": "John Doe",
    "Phone": "12324456457",
    "Birthdate": "1970-11-12"
  }
}

Output JSON
[
  {
    "Name": "John Doe",
    "Phone": "12324456457",
    "Birthdate": "1970-11-12"
  }
]
```



Given the input JSON shown above, what are two ways a developer could configure a DATARaptor transform to achieve the expected Output JSON? Choose 2 answers

- A. Use a formula LIST(Contact), and add the output of the formula as the input in the Transform tab.
- B. Set the Input JSON path as List(Contact) and the OutputJSON Path as Contact.
- C. Set the Input JSON Path as Contact the out JSON Path as contact and output Data type as List.
- D. Set the input JSON Path as Contact and the OutPut JSON Path as List (Contact)

**Correct Answer: B, C**

**Section:**

**QUESTION 25**

A developer is creating a FlexCard for a new Community page. The FlexCard will display case information along with action to close the case and update the case. And it will be styled using the Community's theme. What must be developer do to configure the FlexCard for deployment in a Community?

- A. Add the FlexCard's API name to FlexCard Player component
- B. Set the Target property in publish Options to Communitypage"
- C. Configure the Component visibility in the custom Component.
- D. Set the Developer property in Card Configuration to "Community"

**Correct Answer: B**

**Section:**

**QUESTION 26**

Why would a developer clone an Integration Procedure instead of versioning it?

- A. The new Integration Procedure uses a Cache Block.
- B. The new Integration Procedure it replacing stub data.
- C. The new Integration Procedure will be used independently
- D. The new Integration Procedure is Chainable.

**Correct Answer: C**

**Section:**

**QUESTION 27**

What two advantages does a DataRaptor Turbo Extract have over a standard DataRaptor Extract?  
Choose 2 answers

- A. It populates data in PDF and DocuSign format
- B. It is easier to configure
- C. It has better performance at runtime
- D. It supports complex field mappings

**Correct Answer: B, C**

**Section:**

**QUESTION 28**

A developer configure a Flexcard with a DataRaptor data source that uses the params.id as an. When the developer clicks Views Data on the FlexCard, valid data displays. However, when the developer previews the layout, the FlexCard does not display. What could cause this error?

Choose 2 answers

- A. The Data Node field for the FlexCard is empty.
- B. The RecordId in the Test Data Source settings ins for the wrong record type.
- C. The attribute haven't been configured to pass the data to the fields.
- D. There is not Salesforce record for the FlexCard based on the RecordId in the layout's Test Data Source Settings.

**Correct Answer: B, C**

**Section:**



### QUESTION 29

A developer is configuring a DataRaptor Load to Save contract data. The developer needs to set the record type of the contact using DeveloperName. Which two configuration actions should the developer take to set this up in the DataRaptor Load?

- A. Check is Lookup property when mapping the fields.
- B. Add Link to RecordType object in the Contact Object with the id field of RecordType object.
- C. Select RecordType in the Lookup object list. Development in the lookup Field list, and ID in the Lookup Requested Field list.
- D. Select RecordType in the Lookup Object list. ID in the Lookup Field list, and Development in the Lookup requested Field list.

**Correct Answer: A, C**

**Section:**

### QUESTION 30

A developer needs to display the following information together on one FlexCard:

\* Account name, address, phone number, website

\* Primary contact first name, contact name, address, phone number, email

The account information must always be visible, and the contact information should only be visible as needed by the user.

What approach should the developer use to display the contact information on the card?

- A. Use a Datatable element
- B. Set the class "collapsible" on the block element
- C. Set the collapsible property on the block element
- D. Use a conditional FlexCard State


**Correct Answer: C**

**Section:**



### QUESTION 31

A developer is creating an OmniScript that provisions trail orgs to their customers. The following text block in the Omniscript uses a merge code to display the ID for the new trail org:



- A. To %sDetails: Customer|0: ID\$

- B. To %Details: Customer|1: ID%
- C. To %sDetails: Customer|0: ID%%
- D. To %Details: Customer|n: ID%

**Correct Answer: B**

**Section:**

#### QUESTION 32

A developer is configuring the API URL in an HTTP Action element within an Integration procedure. What is the merge code syntax for passing a Date node from an element named SetValues in the URL?

- A. x%SetValues.Date%
- B. (' Setvalues') [ 'Date']
- C. %SetValues Date
- D. {{SetValues. Date}}

**Correct Answer: A**

**Section:**

#### QUESTION 33

A developer creates a DataRaptor Extract to retrieve data to pass to an external service. The external service expects the field value to be integer. However, the DataRaptor is sending it as a string. Which action can the developer take to fix this?

- A. In the DataRaptor Output tab, select the Output Data Type of that field to Integer.
- B. In the DataRaptor Output tab, enter the default value as 0 on the field.
- C. In the DataRaptor Extract tab, set the Input Data Type field to Integer.
- D. In the DataRaptor Formula tab, define a formula using the function TOINTEGER and use the formula as output.



**Correct Answer: A**

**Section:**

#### QUESTION 34

A developer is configuring an integration Procedure Action in an OmniScript. The Omniscript needs a JSON response from the Integration Procedure but does not need to wait for the response for the user to proceed. Which feature should the developer enable?

- A. Toast Completion
- B. Use Future
- C. Invoke Mode Fire and Forget
- D. Invoke Mode Non-Blocking


**Correct Answer: D**

**Section:**

#### QUESTION 35

Refer to the exhibit below. What is the merge code needed for this Integration Procedure structure to pass a CaseData node from the HTTP Action's output to the DataRaptor Transform Action?





- A. %HTTPGetDetails:CaseData%
- B. %DRXformCaseData: CaseData%
- C. {{ HTTPGetCaseDetails:CaseData}}
- D. {{CaseData}}


**Correct Answer: B**

**Section:**

**QUESTION 36**

Refer to the exhibit below. In this Integration Procedure structure, what Send JSON Path would you use to send the output of the ActionZ element to a Response Action?





- A. BlockX.BlockYActionZ
- B. ActionZ:BlockY:BlockX
- C. ActionZ:BlockY:BlockX
- D. BlockX:BlockY:ActionAZ

**Correct Answer: D**

**Section:**

#### QUESTION 37

A developer is building an OmniScript and needs to retrieve data from a single field in a Salesforce record. Which OmniScript element does this?

- A. Lookup
- B. Select
- C. HTTP Action
- D. DataRaptor Post Action

**Correct Answer: A**

**Section:**

#### QUESTION 38

A developer is building a DataRaptor Load for an Integrate Procedure used in an OmniScript. Based on best practices, how should the developer configure the Input JSON?

- A. Copy the Input JSON from the DataRaptor Acton Debug node.
- B. Build the Input JSON node by node m an editor.
- C. Copy the Input JSON from the OmniScript {Data} modal.
- D. Build the Input JSON node by node m the DataRaptor Designer.




Correct Answer: C

Section:

QUESTION 39

Refer to the exhibit below. A developer has configured an integration Procedure element with Additional input.

Alternatively, how could the developer configure SEND/RESPONSE TRANSFORMATION to send exactly the same data? Assume the developer has un-checked Send Only Additional input.



A)



B)



C)



D)



A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D

Section:

QUESTION 40

Which calculation procedure version in the list would execute on 2/15/2020 at 12:00 PM?

Velocity Calculation Procedures > bundlePriceQuote  
**Velocity Calculation Procedure Versions**  
 4 items - Sorted by Version Number - Updated a few seconds ago

	Calculation Procedure Version Name	Version Number	Enabled	Start Date Time	End Date Time	Priority
1	bundlePriceQuote v1	1	✓	1/1/2020, 12:00 AM	4/1/2020, 12:00 AM	1
2	bundlePriceQuote v2	2	✓	2/1/2020, 12:00 AM	3/1/2020, 12:00 AM	2
3	bundlePriceQuote v3	3	✓	3/1/2020, 12:00 AM	4/1/2020, 12:00 AM	4
4	bundlePriceQuote v4	4	✗	1/1/2020, 12:00 AM	3/1/2020, 12:00 AM	3


- A. Version Number 1
- B. Version Number 4
- C. Version Number 2
- D. Version Number 3

**Correct Answer: C**

**Section:**

**QUESTION 41**

Refer to the exhibit below. What JSON code correctly represents the step in the OmniScript Structure panel shown?



☰

Step1

Step

🔒 🗑️ ⬆️

---

Step 1

▼ Block1

Text1

Telephone1

▼ Block2

A)

```
"Step1": {
  "Block1": {
    "Text1": "Text",
    "Telephone1": "1234567890"
  },
  "Block2": {
    "Checkbox1": false,
    "Block3": {
      "Multi-select1": "Value A;Value B"
    }
  }
}
```

B)

```
"Step1": {
  "Block1": {
    "Text1": "Text",
    "Telephone1": "1234567890",
    "Block2": {
      "Checkbox1": false
    }
  },
  "Block3": {
    "Multi-select1": "Value A;Value B"
  }
}
```

C)

```
"Step1": {
  "Block1": {
    "Text1": "Text "
  },
  "Block2": {
    "Telephone1": "1234567890 ",
    "Checkbox1": false,
    "Block3": {
      "Multi - select1": "Value A;Value B "
    }
  }
}
```

- A. Option
- B. Option
- C. Option

**Correct Answer: B**

**Section:**

#### QUESTION 42

Refer to the exhibit below. A developer has configured an Integration Procedure element with SEND/RESPONSE TRANSFORMATIONS as shown.

Alternatively, how could the developer configure Additional Input to send exactly the same data? Assume that the developer checked Send Only Additional Input.



## ▼ SEND/RESPONSE TRANSFORMATIONS

Send JSON Path ⓘ

DRExtractAction:Account

Response JSON Path ⓘ

Send JSON Node ⓘ

SecondaryAccount

Response JSON Node ⓘ

A)

Key	Value
<code>{DRExtractAction:Account}</code>	SecondaryAccount

B)

Key	Value
SecondaryAccount	<code>{DRExtractAction:Account}</code>

C)

Key	Value
SecondaryAccount	DRExtractAction:Account

D)

Key	Value
DRExtractAction:Account	SecondaryAccount



- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Correct Answer: D**

**Section:**

### QUESTION 43

A developer is creating a FlexCard for a new Community page. The FlexCard will display case information along with actions to close the case and update the case, and it will be styled using the Community's theme. What must the developer do to configure the FlexCard for deployment in a Community?

- A. Set the Deployment property in Card Configuration to 'Community'
- B. Add the FlexCard's API name to the FlexCard Player component
- C. Set the Target property in Publish Options to 'CommunityPage'
- D. Configure the Component Visibility in the Custom Component

**Correct Answer: C**

**Section:**

**QUESTION 44**

A developer writes an OmniScript that includes a DataRaptor that updates the Account status based on information provided from the OmniScript. The information must be updated only if the Account record already exists. Otherwise, a new account must be created.

How should the developer accomplish this task?

- A. Check the Upsert Key checkbox on the Account Status field
- B. Check the Upsert Key and Is Required for Upsert checkboxes on the Account Id field
- C. Populate the Lookup Object and Lookup Fields
- D. Check Overwrite Target For All Null Inputs checkbox on the Account Id field

**Correct Answer: C**

**Section:**

**QUESTION 45**

A developer needs to retrieve data from an external system that stores policy data. The external system supports REST APIs to access and update the policies. Due to the volume of the policy data and peak hours of business, calls to the REST APIs sometimes take longer than expected to respond.

The developer creates an Integration Procedure to retrieve the policy data for use in an OmniScript.

Given the external system's known performance issues, which two configurations should be used to implement the call to the external system?

Choose 2 answers

- A. Set the Timeout property on the HTTP Action in the Integration Procedure
- B. Check the Chainable checkbox on the Integration Procedure Action in the OmniScript
- C. Configure a Remote action with timeout settings of 120000
- D. Check the Chain On Step checkbox on the HTTP Action in the Integration Procedure



**Correct Answer: A, C**

**Section:**

**QUESTION 46**

A developer creates an Integration Procedure with a Set values and a DataRaptor Extract Action that requires AccountId as a key. When the developer previews the Integration Procedure, the developer enters the AccountId correctly and executes the preview. The developer sees the data extracted by the DataRaptor in the Debug Log, but the response is empty.

What is the likely cause of this issue?

- A. The Response cannot be previewed directly.
- B. The DataRaptor Action did not have the Add Response To Response JSON property set to true.
- C. A Response Action was not added to the Integration Procedure.
- D. The AccountId used for the preview is invalid.

**Correct Answer: C**

**Section:**

**QUESTION 47**

A customer has a new Engagement Manager who is going to be the new Primary Contact for the Account.

What type of mapping does a DataRaptor Load use to create the new contact and then add it as the new Primary Contact?

- A. Relationship Query
- B. Linked Mapping

- C. Lookup Mapping
- D. Lookup Key

**Correct Answer: B**

**Section:**

**QUESTION 48**

In an Integration Procedure, a developer needs to perform a multi-step calculation on every element of an array.

Based on best practices, what two methods are recommended?

Choose 2 answers

- A. Use a List Action to merge the array elements together.
- B. Use a Calculation Action to call a Calculation Procedure.
- C. Use a Set Values Element inside a Loop Block.
- D. Use a Matrix Action to call a Calculation Matrix.

**Correct Answer: B, D**

**Section:**

**QUESTION 49**

A developer is building an OmniScript and needs to save to Salesforce and to an AWS Order Management system.

Which OmniScript element could save all of this data?

- A. DataRaptor Post Action
- B. HTTP Action
- C. Integration Procedure Action
- D. DataRaptor Load Action

**Correct Answer: C**


**Section:**

**QUESTION 50**

..... configure Additional input to send exactly the same data? Assume that the developer checked Send Only Additional input.







A)

Key	Value
SecondaryAccount	↵DRExtractAction:Account↵

B)

Key	Value
DRExtractAction:Account	SecondaryAccount

C)

Key	Value
↵DRExtractAction:Account↵	SecondaryAccount

D)

Key	Value
SecondaryAccount	DRExtractAction:Account

- A. Option A
- B. Option B
- C. Option C
- D. Option D


**Correct Answer: D**

**Section:**

**QUESTION 51**

A customer sets up two LWC OmniScripts, one embedded into another. AccountId is set in a Set Values element in the parent OmniScript. The AccountId set in the parent OmniScript is used to set another Set values element ContextAccountId in the emvedded OmniScript. The embedded OmniScript is activated.

While previewing the OmniScript flow from the parent, it is found that Account I set correct in the parent OmniScript. However ContextAccount in the embedded OmniScript is not set with the AccountId from parent OmniScript. On previewing the embedded OmniScript individually. It is found that ContextAccountId is set correctly. What is the reason for this? Refer to the exhibit below.




- A. The WLC PubSub Messge flag in the Set Values action of the parent OmniScript has not been set.
- B. The flag passData.JSON in the parent OmniScript in not configured correctly.
- C. A developer failed to include a Navigate Action Element to pass data from the parent OmniScript.
- D. Both parent and embedded OmniScripts have the same element name for the Set Values element.

**Correct Answer: A**  
**Section:**

**QUESTION 52**

Refer to the exhibit below. What is the marge code needed for this integration procedure structure to pass a CaseNumber node from the DRReadCase DataRaptor Extract Action to the HTTP Action's HTTP URL?



- A. %DRReadCase: CaseNumber%
- B. ((DRRCASE, CaseNumber))
- C. MTTOPDetCaseDetail: CaseNumber%
- D. ((CaseNumber))

**Correct Answer: A**

**Section:**

**QUESTION 53**

A developer builds a new OmniScript. It contains a Set Values element with a ContextId key/value pair that was used during testing. What should the developer do before moving the OmniScript to a production org?

- A. Update the ContextId value to specify an id from the Production org.
- B. Add a Show/Hide condition on the Set Values element.
- C. Delete or Deactivate the Set Values element.
- D. Deactivate the contextId key/value pair

Correct Answer: C

Section:

