

Huawei.Premium.H19-301.155q

Number: H19-301
Passing Score: 800
Time Limit: 120
File Version: 4.4

Exam Code: H19-301

Exam Name: Huawei Certified Pre-sales Associate - IP Network



Exam A

QUESTION 1

What is the surge protection capability of Huawei indoor APs?

- A. 2kV
- B. 3kV
- C. 4kV
- D. 6kV

Correct Answer: C

Section:

QUESTION 2

Which of the following functions are supported by iMaster NCE?

- A. Management functions
- B. Control functions
- C. Analysis functions

Correct Answer: A, B, C

Section:

QUESTION 3

Which of the following are key features provided by SmartRadio?

- A. Enhanced distributed channel access (EDCA)
- B. Dynamic Frequency Assignment (DFA)
- C. Intelligent load balancing
- D. Airtime fair scheduling

Correct Answer: A, B, C

Section:

QUESTION 4

Which of the following Huawei AirEngine Wi-Fi 6 technologies were originally used in 5G?

- A. Smart Antenna
- B. Dynamic Turbo: application acceleration
- C. SmartRadio: radio split
- D. Lossless roaming

Correct Answer: A, B, C, D

Section:



QUESTION 5

What is the operating system Huawei NE routers adopted?

- A. Windows
- B. VRP
- C. Linux
- D. IOS

Correct Answer: B

Section:

QUESTION 6

Which switch does NOT support PoE?

- A. S2700-26TP-PWR-EI
- B. S2700-9TP-PWR-EI
- C. S3700-52P-PWR-EI
- D. S3700-52P-EI

Correct Answer: D

Section:

QUESTION 7

Which scenario is suitable to using AP4050DN-E?

- A. Hospital
- B. School
- C. Hotel

Correct Answer: A

Section:

QUESTION 8

Which of the Cisco product are corresponding to Huawei NE05E08E series product? (Multiple Choice)

- A. ASR901
- B. ASR920
- C. ASR903
- D. ASR1000

Correct Answer: A, B, C

Section:

QUESTION 9

which one of following channel planning is more resonable when multiple APs are deployed?

- A. 2, 7, 12



- B. 1, 6, 11
- C. 1,5,10
- D. 1, 2, 3

Correct Answer: B

Section:

QUESTION 10

IP FPM is abbreviation for IP Flow Performance Measurement.

- A. TRUE
- B. FALSE

Correct Answer: A

Section:

QUESTION 11

The S5720-LI competes against the Cisco C2960X.

- A. True
- B. False

Correct Answer: A

Section:

QUESTION 12

Which of the following switches does not support OSPF?

- A. S5720-SI
- B. S1720X-E
- C. S5720-EI
- D. S5720-LI

Correct Answer: B

Section:

QUESTION 13

Which of the following switches can provide agile features such as native AC, wired and wireless SVF, and free mobility?

- A. S6720-EI
- B. S7700I
- C. S6720-SI
- D. S12700
- E. S5720-HI

Correct Answer: B, D

Section:



QUESTION 14

Which of the following functions are supported by an NGFW card on a chassis switch?

- A. URL filtering
- B. IPSec VPN
- C. NAT
- D. Firewall
- E. Server load balancing

Correct Answer: A, D

Section:

QUESTION 15

Which of the following is NOT an advantage of the S5730-SI compared to the S5720-SI?

- A. Pluggable dual fans
- B. BGP
- C. 40 GE ports
- D. Subcard

Correct Answer: D

Section:

QUESTION 16

Which of the following is NOT an advantage of the S5720-SI compared to the S5720-LI?

- A. 32k MAC entries
- B. OSPF
- C. Dual power modules
- D. BGP

Correct Answer: A

Section:

QUESTION 17

Which of the following switches supports downlink optical ports?

- A. S6720-26Q-SI-24S-AC
- B. S5720-16X-PWH-LI-AC
- C. S5730-48C-SI-AC
- D. S2720-52TP-EI-AC

Correct Answer: B, D

Section:

QUESTION 18

Which of the following switches supports MPLS?



- A. S5720-LI
- B. S5720-SI
- C. S6720-SI
- D. S5720-HI

Correct Answer: C, D

Section:

QUESTION 19

Normally, 'PWH' in the names of Sx7 switch models means that these models support IEEE 802.3bt PoE++ (60W)?

- A. True
- B. False

Correct Answer: B

Section:

QUESTION 20

The maximum 10GE port density supported by an S6720 is 24 x 10GE.

- A. True
- B. False

Correct Answer: A

Section:

QUESTION 21

Which of the following switches has no fan?

- A. S5700-52X-LI
- B. S5700-28P-LI
- C. S5700-52P-LI
- D. S5700-28X-PWR-LI

Correct Answer: B

Section:

QUESTION 22

How many MPU slots does an S12710 have?

- A. 10
- B. 4
- C. 12
- D. 2

Correct Answer: D



Section:

QUESTION 23

Which factor should be considered for selecting the chassis?

- A. Weight
- B. Number of access ports
- C. Power type

Correct Answer: B

Section:

QUESTION 24

By the end of 2018, the number of Huawei SDN cases reached 650+.

- A. True
- B. False

Correct Answer: A

Section:

QUESTION 25

The AI Fabric has passed which of the following third-party test certifications?

- A. FIPS
- B. EANTC
- C. CC
- D. CSEC

Correct Answer: B

Section:

QUESTION 26

What is the minimum interval of hardware-based BFD supported by the CE8861?

- A. 15 ms
- B. 3.3 ms
- C. 5 ms
- D. 10 ms

Correct Answer: B

Section:

QUESTION 27

In a data center solution, high reliability is required for key services. Which modules (components) of CE switches can support hot backup?

- A. Fabric card



- B. Power supply
- C. Fan
- D. Main processing unit

Correct Answer: A, B

Section:

QUESTION 28

Agile Controller-DCN can interconnect with these mainstream cloud platforms: OpenStack, FusionSphere, Red Hat, and Mirantis.

- A. True
- B. False

Correct Answer: A

Section:

QUESTION 29

Which of the following devices are data center fixed switches with flexible cards?

- A. CE8860
- B. CE12800
- C. CE8861
- D. CE6865
- E. CE6857

Correct Answer: A, C

Section:

QUESTION 30

CloudFabric provides an intent-driven network and can verify some configurations.

- A. True
- B. False

Correct Answer: A

Section:

QUESTION 31

Which subcards does the CE8861 support?

- A. 10GE
- B. 25GE
- C. 40GE
- D. 100GE

Correct Answer: A, B, C, D

Section:



QUESTION 32

Which cloud platforms are compatible with Huawei Agile Controller-DCN in Huawei's data center resource management solution?

- A. FusionSphere
- B. OpenStack
- C. Microsoft Azure
- D. VMware

Correct Answer: B

Section:

QUESTION 33

Which model is NOT mentioned when you configure a quotation in data center network SCT?

- A. Line card
- B. Chassis
- C. CPU
- D. Fabric

Correct Answer: D

Section:

QUESTION 34

Which of the following reasons is incorrect for RDMA communication used by some applications in the industry?

- A. Q&M is simplified.
- B. The CPU load is reduced.
- C. The communication delay is reduced.
- D. The throughput is improved.

Correct Answer: B, C, D

Section:

QUESTION 35

Which of the following are 100 GE switches with fixed interfaces?

- A. CE6865
- B. CE8861
- C. CE8850-32CQ-EI
- D. CE8850-64CQ-EI
- E. CE8860

Correct Answer: C, D, E

Section:

QUESTION 36

Which of the highest-density 40GE line card for the CE12800?

- A. 36 x 40GE
- B. 12 x 40GE
- C. 6 x 40GE
- D. 24 x 40GE

Correct Answer: A

Section:

QUESTION 37

Which of the following is the recommended model for Huawei 10 GE fixed switches?

- A. CE5855
- B. CE6865
- C. CE6857
- D. CE6875

Correct Answer: D

Section:

QUESTION 38

To which scenarios can AR G3 series apply?

- A. 3G/LTE backup
- B. WAN access & edge aggregation
- C. VPN security gateway
- D. LAN egress gateway

Correct Answer: A, B

Section:

QUESTION 39

AR G3 routers support built-in zone-based firewall functions.

- A. True
- B. False

Correct Answer: B

Section:

QUESTION 40

Which O&M methods are supported by AR G3 routers?

- A. USB-based batch deployment
- B. Web GUI
- C. Command Line Interface (CLI)
- D. SNMP management



Correct Answer: B, C, D

Section:

QUESTION 41

Which of the following models are ICT gateways?

- A. AR510 series
- B. AR160-M series
- C. AR3600 series

Correct Answer: B, C

Section:

QUESTION 42

AR G3 series routers support the built-in wireless LAN controller. However, Cisco must use the Wireless LAN Controller Module to support the function. Furthermore, ISR800 and ISR1900 series cannot support this AC module.

- A. True
- B. False

Correct Answer: A

Section:

QUESTION 43

Which of the following statements regarding the comparison between AR G3 and Cisco ISR G2 are true?

- A. ISR G2 does not support voice.
- B. AR G3 routers have a more advanced architecture and better performance.
- C. The host and cards of AR series are hot swappable.
- D. ISR G2 does not support firewalls

Correct Answer: B, C, D

Section:

QUESTION 44

Both eSight and U2000 can manage full series of AR routers.

- A. True
- B. False

Correct Answer: A

Section:

QUESTION 45

AR2500 is a rack-mounted industrial Ethernet switch, and AR550 is a DIN-mounted industrial Ethernet switch.

- A. True
- B. False

Correct Answer: A

Section:

QUESTION 46

Which of the following is the BFD detection time for link faults supported by Huawei routers?

- A. 5 ms
- B. 50 ms
- C. 10 ms
- D. 3.3 ms

Correct Answer: D

Section:

QUESTION 47

Which of the following highlights does not apply to the NE08E-S6/S6E?

- A. Large capacity
- B. Highest density in the industry
- C. High reliability
- D. Dual-CXP

Correct Answer: D

Section:

QUESTION 48

How many fans does an NE40E-X16A support?

- A. 8
- B. 16
- C. 36
- D. 20

Correct Answer: D

Section:

QUESTION 49

What O&M features does NE40E series support?

- A. BFD
- B. CFM
- C. Y.1731
- D. EFM

Correct Answer: B, C, D

Section:



QUESTION 50

Which are the highlights of the Huawei IP hard pipe solution?

- A. No jitter
- B. High reliability
- C. Low latency
- D. No packet loss

Correct Answer: B, C, D

Section:

QUESTION 51

Which of the following is the maximum capacity of an NE40E's service board?

- A. 1T
- B. 2T
- C. 480G
- D. 240G

Correct Answer: B

Section:

QUESTION 52

The AC6805 is a large-capacity fixed WLAN AC launched in the V100R018C10 solution. Its AP management capacity reaches ____.

- A. 8K
- B. 10K
- C. 4K
- D. 6K

Correct Answer: D

Section:

QUESTION 53

NE08E routers support STM-4 cards.

- A. True
- B. False

Correct Answer: B

Section:

QUESTION 54

You need to verify only the number of APs when taking an onsite survey, but not the locations for installing the APs.

- A. True
- B. False



Correct Answer: B

Section:

QUESTION 55

What measures are taken to allow Huawei outdoor APs to withstand harsh environments?

- A. The working humidity is 0% to 100% (non-condensing).
- B. Supports a built-in 6 kV surge protector for antennas and feeders.
- C. Complies with IP67 for waterproofing.
- D. The working temperature range is -40°C to +60°C.

Correct Answer: C

Section:

QUESTION 56

In most scenarios, 2.4 GHz channels are as clean as 5 GHz channels.

- A. True
- B. False

Correct Answer: A

Section:

QUESTION 57

Which scenarios are suitable to using the wall plate AP2050DN?

- A. Shopping mall
- B. Hotel
- C. Dormitory
- D. Hospital
- E. Outdoor square

Correct Answer: B, C, D

Section:

QUESTION 58

Which of the following devices can bring interference to Wi-Fi devices?

- A. Baby monitor
- B. ZigBee
- C. Bluetooth
- D. Cordless telephone
- E. Microwave oven

Correct Answer: A, B, C, D, E

Section:



QUESTION 59

Each AP needs to be designed to cover as large area as possible in order to provide better coverage in a high-density scenario.

- A. True
- B. False

Correct Answer: A

Section:

QUESTION 60

Which of the following are typical Huawei firewall cases outside China?

- A. SCT of Mexico
- B. Lepida DC firewall requirement in Italy
- C. 2-year centralized procurement frame COSIP LAN 5 in Italy
- D. Secure interconnection of 1500 branches of Banco do Brazil

Correct Answer: A, B

Section:

QUESTION 61

Which of the following operating systems are supported by the sandbox?

- A. Android
- B. Linux
- C. IOS
- D. Windows XP and Windows 7/10

Correct Answer: D

Section:

QUESTION 62

The desktop USG6530E can complete with all desktop models of Fortinet and Cisco. What is the large-packet throughput of the USG6530E?

- A. 1 Gbps
- B. 3 Gbps
- C. 4 Gbps
- D. 2 Gbps

Correct Answer: C

Section:

QUESTION 63

Which of the following are typical Huawei AntiDDoS cases outside China?

- A. KIO in Mexico
- B. Netherlands NBIP



- C. Netherlands Equinix
- D. Netherlands Serverius

Correct Answer: B, D

Section:

QUESTION 64

Huawei partners should establish a cyber security assurance system to ensure the cyber security of customers.

- A. True
- B. False

Correct Answer: A

Section:

QUESTION 65

Anti-tampering and anti-implantation of Huawei products include:

- A. After the service, delete all daily maintenance accounts of the system.
- B. Do not tamper with products.
- C. Do not reserve private or undisclosed interfaces or accounts.
- D. Do not implant malicious code, software, or backdoors in customer devices or systems.

Correct Answer: B, C, D

Section:



QUESTION 66

Huawei attaches great importance to cyber security, set cyber security as an important strategy for the development of the company, and commitment to cyber security will never be outweighed by the consideration of commercial interests.

- A. True
- B. False

Correct Answer: A

Section:

QUESTION 67

If partners violate cyber security requirements stipulated in the agreements, Huawei is entitled to revoke the license and authorization in the agreement, or terminate the agreements.

- A. True
- B. False

Correct Answer: A

Section:

QUESTION 68

Cisco's C2960S can support G.8032.

- A. True
- B. False

Correct Answer: B

Section:

QUESTION 69

Which of the below is not the high-reliability technology?

- A. VPN FRR
- B. E-Trunk
- C. IP/LDP FRR
- D. IBGP

Correct Answer: D

Section:

QUESTION 70

Which are main differences between CE12800S and CE12800?() (Multiple Choice)

- A. demension size
- B. the number of switching fabric
- C. no orthogonal architecture
- D. new line card only for CE128S

Correct Answer: A, B

Section:

QUESTION 71

Which models does S12700 compete against overseas? (Multiple Choice)

- A. Cisco 3850
- B. Cisco 6800
- C. Cisco 4500X
- D. Cisco N9000
- E. HP 10500

Correct Answer: B, E

Section:

QUESTION 72

How much switching fabric slots that NE40E-X8 could support?

- A. 3
- B. 2
- C. 4
- D. 0



Correct Answer: A

Section:

QUESTION 73

The 10GE downlink TOR switch moduel is ()

- A. CE58XX
- B. CE68XX
- C. CE78XX
- D. CE88XX

Correct Answer: B

Section:

QUESTION 74

What type of switch is S3700?

- A. L2 100M switch
- B. L2 gigabit switch
- C. L3 100M switch
- D. L3 gigabit switch

Correct Answer: C

Section:

QUESTION 75

the MAC table size of CE12800's F series line card is()

- A. 256K
- B. 512K
- C. 750K
- D. 1M

Correct Answer: C

Section:

QUESTION 76

Which technology is recommended for data centers interconnected?

- A. BGP-EVPN + VxLAN
- B. SVF
- C. CSS
- D. iStack

Correct Answer: A

Section:



QUESTION 77

The end-to-end service recovery time that Huawei could support is?

- A. 50ms
- B. 10ms
- C. 3.3ms
- D. 200ms

Correct Answer: A

Section:

QUESTION 78

() is the name of DC switches, () is the name for the DC solution (Multiple Choice)

- A. CloudEngine
- B. Main Center
- C. Backup Data Center
- D. Cloud Fabric

Correct Answer: A, D

Section:

QUESTION 79

Which is not AR series model?

- A. AR3260
- B. AR550
- C. AR510
- D. AR520

Correct Answer: D

Section:

QUESTION 80

In Huawei DCN solution. What south bound interface does Huawei datacenter agile controller utilize to deploy configurations on Huawei NVo3 gateway devices? (Multiple Choice)

- A. Restful
- B. Open Flow
- C. NetConf
- D. OVSDB

Correct Answer: B, C, D

Section:

QUESTION 81

Which are the 10GE line cards of S7700? (Multiple Choice)



- A. 48*10GE
- B. 40*10GE
- C. 16*10ge
- D. 12*10GE

Correct Answer: B, C, D

Section:

QUESTION 82

S5700-LI compete against CISCO C2960S.

- A. TRUE
- B. FALSE

Correct Answer: A

Section:

QUESTION 83

Which of the Cisco product are corresponding to Huawei NE40E series product? (Multiple Choice)

- A. ASR9006
- B. ASR9010
- C. ASR9912
- D. ASR9922

Correct Answer: A, B, C, D

Section:

QUESTION 84

How much service slots that NE40E-X16 could support?

- A. 8
- B. 20
- C. 22
- D. 16

Correct Answer: D

Section:

QUESTION 85

What's the discrepancy between CE6855HI and CE6850EI on hardware specification? (Multiple Choice)

- A. CE6855HI is 40GE switch.
- B. CE6855HI has 6*40GE uplink ports.
- C. CE6850EI can not support VxLAN
- D. CE6850EI has 4*40GE uplink ports.



Correct Answer: B, C, D

Section:

QUESTION 86

which functions can AR G3 routers support? (Multiple Choice)

- A. Routing
- B. Switching
- C. VPN
- D. Voice
- E. Security
- F. WLAN

Correct Answer: A, B, C, D, E, F

Section:

QUESTION 87

Which radio frequency can AP8150DN work at? (Multiple Choice)

- A. 2.4GHz + 2.4Ghz
- B. 2.4GHz+ 5GHz
- C. 5GHz + 5GHz
- D. 2.4GHz + 5GHz + 2.4GHz

Correct Answer: B, C

Section:

QUESTION 88

FCoE achieves converged SAN network, which type of TOR can not support FCoE?

- A. CE7850
- B. CE6850
- C. CE6810
- D. CE5800

Correct Answer: D

Section:

QUESTION 89

How much power supply does NE40E-X8A support?

- A. 16
- B. 8
- C. 4
- D. 2

Correct Answer: B



Section:

QUESTION 90

Different SFU types can be used in CE1Z800 chassis

- A. TRUE
- B. FALSE

Correct Answer: B

Section:

QUESTION 91

Which are value-add services that NE router could support? (Multiple Choice)

- A. BOD
- B. IP hard pipe
- C. DAA
- D. ISSU

Correct Answer: A, C

Section:

QUESTION 92

You should check and confirm the quantity of APs when taking an onsite survey, but no need to pay attention to the location where the APs are suitable to be installed.

- A. TRUE
- B. FALSE

Correct Answer: B

Section:

QUESTION 93

The NE routers can provide a multi-level reliability solution, which of the below are reliable technologies? (Multiple Choice)

- A. VPN FRR
- B. Redundancy Design
- C. NSF/NSR
- D. ISSU

Correct Answer: A, B, C, D

Section:

QUESTION 94

What type of switch is S2700?

- A. L2 100M switch

- B. L2 gigabit switch
- C. L3 100M switch
- D. L3 gigabit switch

Correct Answer: A
Section:

QUESTION 95

AR G3 series routers support built-in wireless LAN controller. However Cisco must use the Wireless LAN Controller Module to support the Function. Furthermore, ISR800 and ISR1900 series cannot support this AC module.

- A. TRUE
- B. FALSE

Correct Answer: A
Section:

QUESTION 96

the maximum transmit power of indoor AP is 100mW, which is equal to ()?

- A. 1dBm
- B. 1ddBm
- C. 20dBm
- D. 30dBm

Correct Answer: C
Section:

QUESTION 97

Which features are not advantages of S12700 compared with Cisco?

- A. CSS2
- B. H-QOS
- C. SVF
- D. Native AC
- E. PVST+

Correct Answer: E
Section:

QUESTION 98

Which switches support remote power supply (RPS)? (Multiple Choice)

- A. S5700S-LI
- B. S5700-LI
- C. S5710-EI
- D. S5700-HI
- E. S5720-HI



Correct Answer: A, B

Section:

QUESTION 99

S7700 compete against CISCO 4500/4500E.

- A. TRUE
- B. FALSE

Correct Answer: A

Section:

QUESTION 100

Which are highlights of Huawei IP hard pipe solution? (Multiple Choice)

- A. Low Latency
- B. No Packet Loss
- C. High Reliability
- D. No jitter

Correct Answer: A, B, C

Section:

QUESTION 101

CE6851HI support VxLAN routing.

- A. TRUE
- B. FALSE

Correct Answer: B

Section:

QUESTION 102

AR161FG-L can support LTE TDD

- A. TRUE
- B. FALSE

Correct Answer: B

Section:

QUESTION 103

Which switch is a Layer 2 gigabit switch?

- A. S5700LI
- B. S5720SI
- C. S2700EI



D. S5720EI

Correct Answer: A

Section:

QUESTION 104

Which switch supports MPLS?

- A. 5700LI
- B. 5720LI
- C. 5720SI
- D. 5720HI

Correct Answer: D

Section:

QUESTION 105

Which xDSL can AR support? (Multiple Choice)

- A. G.SHDSL
- B. ADSL2+
- C. VDSL2
- D. VDSL

Correct Answer: A, B, C

Section:

QUESTION 106

which is wrong of the following description?

- A. AR550 series is industrial switching routers
- B. AR550 support SEP protocol
- C. AR550 only support 4 FE interfaces
- D. AR550 can work in a wide temperature range of -40'C to +70°C

Correct Answer: C

Section:

QUESTION 107

Which cloud platforms AC-DCN can be interconnected with in data center network scenario?
(Multiple Choice)

- A. Huawei FusionSphere
- B. openstack
- C. Vmware
- D. Microsoft System Center



Correct Answer: A, B, C, D

Section:

QUESTION 108

S5720HI integrates ENPchip inside.

- A. TRUE
- B. FALSE

Correct Answer: A

Section:

QUESTION 109

The protection rating of Huawei's outdoor APs is ()?

- A. IP41
- B. IP55
- C. IP66
- D. IP67

Correct Answer: D

Section:

QUESTION 110

IDC need what kind of features to meet the requirement of service (Multiple Choice)

- A. High density 100G/40G/10G port
- B. Easy management solution NQA/Netstream
- C. VxLAN for SDN-based overlay solution for multi-tenant scenario
- D. multi-DC interconnection

Correct Answer: A, B, C, D

Section:

QUESTION 111

When CloudEngine virtualized as Core of DC and Core of Campus using only one physical device, the service should separate with each other. So () is just the features

- A. CSS
- B. VS
- C. Trill
- D. SVF

Correct Answer: B

Section:

QUESTION 112

What measures are taken to allow Huawei outdoor APs to withstand harsh environments? (Multiple Choice)



- A. Supports a built-in 6 kV surge protector for antenna and feeder
- B. Working temperature range is -40°C to 60°C
- C. Working humidity is 0% to 100% (non-condensing)
- D. Comply with IP67 for waterproofing

Correct Answer: A, B, C, D

Section:

QUESTION 113

The BFD detection time for the link that Huawei could support is?

- A. 10ms
- B. 5ms
- C. 3.3ms
- D. 50ms

Correct Answer: C

Section:

QUESTION 114

How many APs and users can be managed by ACU2?

- A. 1k APs, 16k users
- B. 1k APs, 32k users
- C. 2k APs, 16k users
- D. 2k AP, 32k users

Correct Answer: D

Section:

QUESTION 115

Huawei's Wi-Fi products and solution focus in following scenarios? (Multiple Choice)

- A. Education Campus
- B. Mobile Office
- C. Stadium
- D. Wireless City
- E. Video Backhaul
- F. Rail Transit (Metro)

Correct Answer: A, B, C, D, E, F

Section:

QUESTION 116

AR109 does not support SNMP?



- A. TRUE
- B. FALSE

Correct Answer: A

Section:

QUESTION 117

Huawei CE switch has made break through in several high-end industry globally such as banking, oil industry and internet service provider, please select the examples CE switch has set. (Multiple Choice)

- A. China Agricultural bank
- B. Baidu
- C. CNPC
- D. Alibaba

Correct Answer: A, B, C, D

Section:

QUESTION 118

The NE08E could support STM-4 card.

- A. TRUE
- B. FALSE

Correct Answer: B

Section:

QUESTION 119

S7703 supports stacking

- A. TRUE
- B. FALSE

Correct Answer: B

Section:

QUESTION 120

How many APs are supported by one native AC card and how many APs are supported by one chassis?

- A. 1K, 2k
- B. 1K, 4k
- C. 2K,8k
- D. 2K, 16k

Correct Answer: B

Section:

QUESTION 121

Huawei NE Router rank No. 2 in Global Markets in 2015.



- A. TRUE
- B. FALSE

Correct Answer: A

Section:

QUESTION 122

In May 2014, Tolly has released the test report that proves Huawei CE switch support openflow 1.3 and numerous datacenter features including Trill, EVN, VS.

- A. TRUE
- B. FALSE

Correct Answer: A

Section:

QUESTION 123

AR129CGVW-L does not integrate GE WAN interfaced GE WAN is needed, GE LAN can be switched to WAN.

- A. TRUE
- B. FALSE

Correct Answer: B

Section:

QUESTION 124

Which of the Cisco series product that corresponding to Huawei NE20E?

- A. ASR 1000 series
- B. ASR 9000 series
- C. CSR series products
- D. ASR 7000 series

Correct Answer: A

Section:

QUESTION 125

Which product of Arista is similar to CE12800?

- A. 7500
- B. 7300
- C. 7280
- D. 7150

Correct Answer: A

Section:

QUESTION 126



which unit is used to describe the gain of antenna?

- A. dB
- B. dBi
- C. dBm
- D. dBw

Correct Answer: B

Section:

QUESTION 127

Both N7K and N9K of Cisco support ACI solution.

- A. TRUE
- B. FALSE

Correct Answer: B

Section:

QUESTION 128

About AR open platform, which are correct? (Multiple Choice)

- A. AR510 support Android OS
- B. AR1220E support SAE550 interface card
- C. AR2240 can support third-party software with SAE550 card
- D. AR3670 support flexible OS Platform

Correct Answer: A, C, D

Section:

QUESTION 129

Cisco ISR4451-X can map ()

- A. AR1220
- B. AR200
- C. AR2220
- D. AR3260

Correct Answer: D

Section:

QUESTION 130

AR G3 series support built-in AC(Access Controller) function

- A. TRUE
- B. FALSE



Correct Answer: A

Section:

QUESTION 131

How many MPU slots does an S12710 have?

- A. 12
- B. 10
- C. 4
- D. 2

Correct Answer: D

Section:

QUESTION 132

which is main differences between MPU of CE12800 and CE12800s? (Multiple Choice)

- A. demension size
- B. integration of monitor module
- C. CPU
- D. RAM

Correct Answer: A, B

Section:

QUESTION 133

which is main differences between MPU of CE12800 and CE12800s? (Multiple Choice)

- A. demension size
- B. integration of monitor module
- C. CPU
- D. RAM

Correct Answer: A, D

Section:

QUESTION 134

VS (Virtual System) is 1:16 for CloudEngine 12800

- A. TRUE
- B. FALSE

Correct Answer: A

Section:

QUESTION 135

Huawei BFD detection is based on hardware detection.



- A. TRUE
- B. FALSE

Correct Answer: A

Section:

QUESTION 136

The NE08E could support PCM card such as RS232, C37.94 port.

- A. TRUE
- B. FALSE

Correct Answer: A

Section:

QUESTION 137

What's the configuration of fans in TOR chassis?

- A. Single fan tray with single fan
- B. Single fan tray with dual fans.
- C. Dual fan trays, single fan in each tray.
- D. Dual fan trays, dual fans in each tray.

Correct Answer: D

Section:

QUESTION 138

S12700 series can provide 1M MAC entries.

- A. TRUE
- B. FALSE

Correct Answer: A

Section:

QUESTION 139

Which 2 types of IT router line card that NE router could support? (Multiple Choice)

- A. 8*1000 line card
- B. 10*100G line card
- C. 24*40G line card
- D. 96*100 line card

Correct Answer: A, C

Section:

QUESTION 140



which models are belonged to the EC-IoT portfolio? (Multiple Choice)

- A. AR550series
- B. AR2504series
- C. AR530series
- D. AR503series
- E. AR160-M Series
- F. AR510 Series

Correct Answer: A, B, C, D, E, F

Section:

QUESTION 141

Which are the main scenarios of Huawei NE series router? (Multiple Choice)

- A. Smart Grid
- B. Railway
- C. DC Interconnection
- D. ISP

Correct Answer: A, B, C, D

Section:

QUESTION 142

Which AR model support WIFI feature?

- A. AR1220E
- B. AR1220C
- C. AR2220
- D. AR503GW-LM7

Correct Answer: D

Section:

QUESTION 143

FIT AP offers the functions of ()? (Multiple Choice)

- A. radio antennas
- B. 802.11a/b/g/n/ac
- C. data encryption
- D. 802.1x
- E. L2 roaming

Correct Answer: A, B, C

Section:



QUESTION 144

Huawei's metro Wi-Fi solution offers following features? (Multiple Choice)

- A. max. vehicle speed 120km/h
- B. handover delay 30ms
- C. 802.11ac
- D. IEC61373 anti-vibration standards
- E. max,vehicle-to- ground throughput 300Mbps

Correct Answer: A, B, C, D

Section:

QUESTION 145

Which scenarios can AR G3 series apply? (Multiple Choice)

- A. LAN Egress Gateway
- B. WAN Access & Edge Aggregation
- C. 3G/LTE Backup
- D. VPN Security Gateway

Correct Answer: A, B, C, D

Section:

QUESTION 146

Which cards are ENP line cards that agile switch support? (Multiple Choice)

- A. 48-Port 10/100/1000BASE-T Interface Card (X1E, RJ45)
- B. 48-Port 100/1000BASE-X Interface Card (X1E, SFP)
- C. 4-Port 10GBASE-X and 24-Port 100/1000BASE-X and 8-Port 10/100/1000BASE-T Combo Interface Card (X1E, RJ45/SFP/SFP+) 8-Port 10GBASE-X and 8-Port 100/1000BASE-X and 8-Port 10/100/1000BASE-T Combo Interface Card (X1E, RJ45/SFP/SFP+)
- D. 48-Port 10GBASE-X Interface Card(EC, SFP+)

Correct Answer: A, B, C, D

Section:

QUESTION 147

S12700 supports PoE function.

- A. TRUE
- B. FALSE

Correct Answer: B

Section:

QUESTION 148

AR2500 is rack-mount industrial Ethernet switch, AR550 is DIN-mount industrail Ethernet switch?



- A. TRUE
- B. FALSE

Correct Answer: A

Section:

QUESTION 149

Which devices support native AC? (Multiple Choice)

- A. S7700
- B. S9700
- C. S12700
- D. S5700
- E. S5720HI
- F. S6700

Correct Answer: A, B, C, E

Section:

QUESTION 150

How many LTE modules does AR503EQGW-L integrate?

- A. 4
- B. 3
- C. 2
- D. 1

Correct Answer: A

Section:

QUESTION 151

Which of the interface that Huawei All in One Solution could support? (Multiple Choice)

- A. RS232
- B. E&M
- C. WIFI
- D. G.703 64K

Correct Answer: B, C, D

Section:

QUESTION 152

S12700 uses industry-leading left-to-rear ventilation channel design.

- A. TRUE
- B. FALSE



Correct Answer: A

Section:

QUESTION 153

Please select several Cloud Platform that is compatible Huawei datacenter Agile controller in Huawei datacenter resource-management solution. (Multiple Choice)

- A. FusionSphere
- B. Microsoft
- C. vmware
- D. openstack

Correct Answer: A, B, C, D

Section:

QUESTION 154

Which of the following models have fixed DSL ports?

- A. NetEngine AR651C
- B. NetEngine AR617VW-LTE4EA
- C. NetEngine AR6121
- D. NetEngine AR657W

Correct Answer: A, B, D

Section:

QUESTION 155

Which of the following models belong to the CloudEngine 16800 switch series?

- A. CloudEngine 16804
- B. CloudEngine 16808
- C. CloudEngine 16812
- D. CloudEngine 16816

Correct Answer: A, B, C, D

Section:

